


BATHROOM

2022
Design Manual





THERE JS JOME,THERE JS LOVE,THERE JS OpPGJN

CONTENTS

2022 Standard Carcase-hardware
Configuration Table for Bathroom
Cabinets

2022 Structure and Classification
of Bathroom Door Panels

01 DOOR PROFILES

- 001 PVC door
- 011 Lacquer door
- 023 Melamine door
- 029 Flat laminate door
- 030 UV lacquer door
- 033 Aluminum-Framed door
- 039 Wood-framed glass door
- 042 Mirror door

02 MATERIALS

- 49 Carcase
- 50 Edge banding

03 CRAFTS

- 053 Decorative panel
- 056 Crown moulding
- 058 Kickboards
- 059 Shelves
- 061 Countertop
- 065 Mirror
- 074 Mirror sheet

04 HARDWARE ACCESSORIES

- 081 Handles
- 085 Slides
- 089 Hinges
- 093 Kickboard/Shelf Fittings
- 095 Door Fittings
- 102 Installation accessories

05 FUNCTIONAL ACCESSORIES

- 105 Functional accessories
- 163 Ceramic Sink

06 MODULE

- 168 Main cabinet module of mounted basin
- 174 Side cabinet module of mounted basin
- 182 Wall cabinet module

- 188 2022 Matching Table for ceramic basins and drainers
- 189 2022 Matching Table for ceramic basins & carcasses (version A1)

2022 Standard Carcase-hardware
Configuration Table of Bathroom Cabinets


Style			Luxury series		Classic series		Fashion series	
1.Cabinet								
Standard carcass	Base material		16mm thick plywood				16mm thick HMR particle board	
	Finish		BWGA0005/ PWGA0002/ PWGA0010/ PWGA0012 (melamine)					
	Edge banding		Front face: sealed with 1.2mm thick banding (same color), Other faces: 0.5mm thick banding					
	Back panel	Base material	3mm thick waterproof MDF finish on both faces					
	Shelf finish (inside the cabinet)		BWGA0005/ PWGA0002/ PWGA0010/ PWGA0012 (melamine)					
	Edge banding for shelf		Front face: sealed with 1.2mm thick banding (same color), Other faces: 0.5mm thick banding					
	Glass shelf		5mm thick glass shelf(optional)					
	Thin carcass panel for open cabinet		12mm thick HMR particle board coated with melamine, 12mm thick painted plywood					
	Base material for side&tail-board		16mm thick HMR particle board coated with melamine (BWGA0005/ PWGA0002/ PWGA0010/ PWGA0012)					
	Edge banding for side&tail-board		Banded by 0.5mm thick PVC					
Drawer	Base board		16mm thick HMR particle board coated with melamine (BWGA0005/ PWGA0002/ PWGA0010/ PWGA0012)					
	Slide(optional)		Standard Blum Full Extension Slide/Blum integrated slide		Standard Blum Full Extension Slide/ Blum Full Extension Slide (with Buffer)/ LED Rebounding Drawer/ Hettich three-section slide/Mocha Drawer/Blum Full Extension Slide with Buffer (SE version)		Blum Full Extension Slide (with Buffer)/ Hettich Slide (with Buffer) / Three-section slide/ Hettich three-section slide/ Blum Full Extension Slide with Buffer (SE version)	
	U-shaped drawer accessories		U-shaped plastic parts: (white)/(grey)					
Reinforcement panel			Aluminum beam (same as carcass panel if for special carcass)					
Water outlet cover cap			Standard configuration					
2.Door panel								
Optional Handle			Optional Handle (Special Handle/ Grade A/ Grade B/ Grade C)					
Charged Hinge			Imported integrated hinge+buffer		Blum quick assembly hinge+buffer			
Soft closing rubber			Standard configuration					
3. Countertop&basin								
Countertop(recommanded config)			quartzstone/sintered surface		Quartzstone/phoenix Stone/sintered surface		Quartzstone/solid surface	
Drainer			Standard: OP-P404		Standard: OP-P408		Standard: OP-P402X	
Drainage pipe			Standard: isolation curved corrugated straight row		Standard: bendable PP telescopic pipe		Standard: bendable plastic section straight row	
4.Installation								
Wall cabinet			Suspension bracket (PWNM0009), Load capacity: 50KG		OPPEIN exposed suspension bracket (PWNM0001), load capacity: 25KG		OPPEIN exposed suspension bracket(PWNM0001), load capacity: 50KG	
Hanging basin cabinet			suspension bracket (PWNM0008), load capacity: 100KG		Triangle suspension bracket (PWNM0007), load capacity: 100KG		Triangle suspension bracket (PWNM0007), ,oad capacity: 100KG	
Base cabinet			Optional: kickboard 110/160, or external metal kickboard					
5.Mirror								
Mirror			Copper-free mirror					

6.Functional Accessories	
Functional accessories(lamp)	Optional
Note: 1. The height of standard drawer should be 99mm, 120mm or 150mm. 2. Standard products of Classic Series are furnished with imported quick assembly hinge with silent system. Hinges of Fashion Series are upgraded into imported quick assembly hinge with silent system. Due to the COVID-19 pandemic in other countries, imported quick assembly hinge may be under supply. For configuration adjustment, refer to hinge configuration adjustment notice. 3. 12mm thick waterproof particle board will be upgraded into 12mm thick formaldehyde-free particle board. Please refer to craft adjustment notice.	

2022 Structure and
Classification of Bathroom Door Panels


Styles	Door panel materials	Door panel categories	Door panel base materials	Finish	Note	
Luxury series	Soild Wood	Grade B	Frame & core: solid wood	Both faces PU coated	For YMK190 and YMK200, base material of door is MDF.	
	Lacquer	Flash Lacquer	Waterproof MDF	Both faces flash lacquered		
		High Gloss Lacquer		Both faces high gloss lacquered		
		Matt Lacquer		Both faces matt lacquered		
		Lacquer		Front face:lacquer, back face: melamine		
		Lacquer		Both faces:lacquer		
Classic series	Soild Wood	Grade G	Frame & core: solid wood	Both faces PU coated	For YMK190 and YMK200, base material of door is MDF.	
	Lacquer	Flash lacquer	Waterproof MDF	Front face: flash lacquer, Back face: melamine		
		High Gloss Lacquer		Front face: high gloss lacquer, Back face: melamine		
		Matt Lacquer		Front face: matt lacquer, Back face: melamine		
		Spray Lacquer	MDF	Both faces: spray lacquer		
	Flat Laminate	Flat Laminate	18mm thick plywood	Front face: acrylic/ PET, Back face: ABS		
	UV Lacquer	Grade A	Waterproof MDF	Single face UV lacquered		
		Grade B		Single face UV Lacquered		
	PVC Foil	Grade A	18mm/22mm/25mm thick MDF	Front face: PVC foil, Back Face: matte white melamine		
Fashion series	UV Lacquer	Grade C	Waterproof Particle Board	Single face UV lacquered		
	PVC foil	Grade B	18mm/22mm/25mm thick MDF	Front face: PVC foil, Back face: matte white melamine		
		Grade C	18mm/22mm/25mm thick MDF	Front face: PVC foil, Back face: matte whitemelamine		
	Melamine	Melamine	HMR particle board	Melamine	PVC Edge Bands	
		Green Panel	formaldehyde-freegreen panel			
Notes 1: Various product styles are specified in strict accordance with the door panel materials, while carcase styles synchronize with door panel categories. Therefore, carcasses in fashion series are not allowed to be used for luxury series or classic series. But they can be upgraded into luxury series and classic series. If there are multiple series of door panels being used in a set of product, product styles and configurations shall be subject to the highest level of door panels. 2: UV lacquer is available for special carcase while flat laminate is not. 3: The glass shelf shall be tempered only if W, D is larger than 100*300mm.						

YMG002



Matched dimensions for doors		
147 ≤ W ≤ 650 , 197 ≤ H ≤ 1450		
Matched dimensions for drawer fronts/ flap doors		
237 ≤ W ≤ 1200 , 137 ≤ H ≤ 400		
Thickness	Base material	Finish
19mm	MDF	PVC
Notes		
Applicable to wood framed glass doors YMB001, YMB003 and YMB005.		


YMG005



Matched dimensions for doors		
1. When 145 ≤ W ≤ 600, door shall be shaped as shown in the picture. (When 145 ≤ W < 210 and 230 ≤ H ≤ 1450, corners are rounded; when 210 ≤ W ≤ 600 and 230 ≤ H ≤ 1450, corners are square; 2. When 20 ≤ W < 145 and 97 ≤ H ≤ 2400, the door is flat MDF and only edges are routed.		
Matched dimensions for drawer fronts/ flap doors		
1. Matched dimensions for drawer fronts:237 ≤ W ≤ 1200mm,145 H ≤ 400mm; Matched dimensions for flap doors:297 ≤ W ≤ 1200mm, 187 ≤ H ≤ 500mm styling as illustrated (When 230 ≤ W ≤ 1200mm, 145 ≤ H ≤ 210mm, the four corners of this shape are rounded; when 230 ≤ W ≤ 1200mm, 210 ≤ H ≤ 600mm, the four corners of this shape are fillet edge). 2. When 97 ≤ W ≤ 2400mm and 20 ≤ H ≤ 145mm, the shape is a 18mm thick MDF panel, and only the outer edge is processed.		
Thickness	Base material	Finish
19mm	MDF	PVC
Notes		
Applicable to wood framed glass doors YMB001, YMB003, YMB005 and YMB009; For high-gloss PVC foil, only available for YMB001 and YMB005		


Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

YMG040★



Matched dimensions for doors		
1. When 147 ≤ W ≤ 600mm and 147 ≤ H ≤ 1617mm, the door panel shape is as shown in the figure; 2. When 20 ≤ W < 147mm or 20 ≤ H < 147mm, the door panel is a flat plate.		
Matched dimensions for drawer fronts/ flap doors		
1. When 147 ≤ W ≤ 1200mm, 147 ≤ H ≤ 400mm (the flip door is open to 500mm), the shape of the drawer fronts and pull-up doors is as shown in the figure; 2. When 20 ≤ W ≤ 147mm or 20 ≤ H ≤ 147mm, the door panel is a flat plate.		
Thickness	Base material	Finish
12mm	MDF	PVC (except high gloss)
Notes		
Suitable for wood frame glass door YMB001,YMB003,YMB005,YMB011.		


YMG058



Matched dimensions for doors		
1. The door is 18mm+7mm MDF 2. When 147 ≤ W ≤ 650mm and 197 ≤ H ≤ 1450mm, door shall be shaped as shown in the picture and all edges are routed; 3. When 20 ≤ W < 147mm or 97 ≤ H < 2400mm, the door is 25mm thick flat MDF and only edges are rounded.		
Matched dimensions for drawer fronts/ flap doors		
1. The drawer fronts and the up and down flap doors are 18mm+7mm MDF; 2. Matched dimensions for drawer fronts:237 ≤ W ≤ 1200mm, 147 H ≤ 400mm; Matched dimensions for flap doors:297 ≤ W ≤ 1200mm, 187 ≤ H ≤ 500mm; the shape of the door panel is as shown in the figure, there are shapes around it; 3. When 97 ≤ W ≤ 2400mm, 20 ≤ H < 130mm, the drawing panel and the up and down flap doors are 25mm MDF flat plates, and only the edges are fillet.		
Thickness	Base material	Finish
25mm	MDF	PVC (excluding high-gloss material)
Notes		
Applicable to wood framed glass doors YMB001, YMB002, YMB003 and YMB005.		

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

YMG067A



Matched dimensions for doors

1. When $85 \leq W \leq 600$ and $85 \leq H \leq 1450$, door shall be shaped as shown in the picture;

2. When $20 \leq W < 85$ and $85 \leq H \leq 2000$, the door is 22mm flat MDF.

Matched dimensions for drawer fronts/ flap doors


When $98 \leq W \leq 900$ mm and $85 \leq H \leq 600$ mm, drawers and flap doors are shown in the picture;
When $98 \leq W \leq 2000$ mm and $20 \leq H < 85$ mm, the door is 22mm flat MDF.

Thickness	Base material	Finish
24mm	MDF	PVC (except high-gloss material)

Notes

Applicable to wood framed glass door YMB001

YMG076



Matched dimensions for doors

$97\text{mm} \leq W \leq 600\text{mm}$. $97\text{mm} \leq H \leq 1617\text{mm}$;
When $W < 97\text{mm}$ or $H < 97\text{mm}$, the door is 22mm thick.

Matched dimensions for drawer fronts/ flap doors

$97\text{mm} \leq W \leq 1200\text{mm}$. $97\text{mm} \leq H \leq 400\text{mm}$ (drawer) /500mm (flap doors);
When $W < 97\text{mm}$ or $H < 97\text{mm}$, the door is 22mm thick.


Thickness	Base material	Finish
22mm	MDF	PVC

Notes

Applicable to wood framed glass doors YMB001, YMB002, YMB003 and YMB005.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMG081A



Matched dimensions for doors

1. When $157 \leq W \leq 600\text{mm}$ and $117 \leq H \leq 1450\text{mm}$, door shall be shaped as shown in the picture;

2. When $87 \leq W \leq 157\text{mm}$ and $117 \leq H \leq 1450\text{mm}$, only edges are routed;

3. When $20 \leq W < 87\text{mm}$ and $97 \leq H \leq 2400\text{mm}$, the door is 25mm thick MDF and only outer edges are rounded.

Matched dimensions for drawer fronts/ flap doors

1. When $237 \leq W \leq 1200\text{mm}$ and $117 \leq H \leq 500\text{mm}$, door shall be shaped as shown in the picture;

2. When $157 \leq W < 1200\text{mm}$ and $87 \leq H \leq 117\text{mm}$, only edges are routed;


3. When $157 \leq W < 2400\text{mm}$ and $20 \leq H \leq 87\text{mm}$, the door is 25mm thick MDF and only outer edges are rounded.

Thickness	Base material	Finish
25mm	MDF	PVC (excluding high-gloss material)

Notes

Suitable for wooden frame glass door YMB001\YMB005; only matching PWWL0229A handle.

YMG081B



Matched dimensions for doors

1. When $117 \leq W \leq 600\text{mm}$ and $157 \leq H \leq 1450\text{mm}$, door shall be shaped as shown in the picture;

2. When $87 \leq W < 117\text{mm}$ and $117 \leq H \leq 1450\text{mm}$, only edges are routed;

3. When $20 \leq W < 87\text{mm}$ and $97 \leq H \leq 2400\text{mm}$, the door is 25mm thick MDF and only outer edges are rounded.

Matched dimensions for drawer fronts/ flap doors

1. When $237 \leq W \leq 1200\text{mm}$ and $157 \leq H \leq 500\text{mm}$, door shall be shaped as shown in the picture;

2. When $237 \leq W < 1200\text{mm}$ and $87 \leq H \leq 157\text{mm}$, only edges are routed;

3. When $157 \leq W < 2400\text{mm}$ and $20 \leq H \leq 87\text{mm}$, the door is 25mm thick MDF and only outer edges are rounded.


Thickness	Base material	Finish
25mm	MDF	PVC (excluding high-gloss material)

Notes

Suitable for wooden frame glass door YMB001\YMB005; only matching PWWL0229B handle.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.


YMG087



Matched dimensions for doors		
When 137mm≤W ≤600mm and 137mm ≤H ≤1617mm, door shall be shaped as shown in the picture. When W <137mm or H <137mm, the door is 25mm thick flat MDF.		
Matched dimensions for drawer fronts/ flap doors		
When 137mm≤W ≤200mm and 137mm ≤H ≤400mm (the height of flap doors is limited to 500mm), door shall be shaped as shown in the picture; when W <137mm or H <137mm, the door is 25mm thick flat MDF.		
Thickness	Base material	Finish
25mm	MDF	PVC
Notes		

Applicable to wood framed glass doors YMB001, YMB003, YMB005 and YMB009.

YMG114A




Matched dimensions for doors		
297 ≤W ≤ 650mm, 197 ≤ H ≤ 1450mm; when 297 > W or 197 > H, the door is 25mm thick and four front edges should be molded as R2 .		
Matched dimensions for drawer fronts/ flap doors		
297≤W ≤000mm, 137 ≤H ≤400mm (the height of flap doors is limited to 500mm); when 297> W or 137> H, the drawer front should be 25mm panel and four front edges should be molded as R2.		
Thickness	Base material	Finish
22mm	MDF	PWMG0212
Notes		

1. Supporting PWWL0319;
2. Draw gold lines;
3. When this door type is used as a corner cabinet, the transfer fillers must be 22mm thick;
4. The door panel defaults to horizontal stripes.

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.


YMG114B



Matched dimensions for doors		
297 ≤W ≤ 650mm, 197 ≤ H ≤ 1450mm; when 297 > W or 197 > H, the door is 22mm thick and four front edges should be molded as R2.		
Matched dimensions for drawer fronts/ flap doors		
297≤W ≤000mm, 137 ≤H ≤400mm (the height of flap doors is limited to 500mm); when 297> W or 137> H, the drawer front should be 22mm panel and four front edges should be molded as R2.		
Thickness	Base material	Finish
22mm	MDF	PWMG0212
Notes		

1. The gold line is drawn, and the button hand shape is centered on the back;
2. When this door type is used as a corner cabinet, the transfer fillers must be 22mm thick;
3. The door panel defaults to horizontal stripes.

YMG114C




Matched dimensions for doors		
1. 297≤W≤650mm, 197≤ H≤1450mm; when 297mm >W or 197mm >H, the door panel is a 22mm flat plate, and the front is surrounded by R2 shape; 2. This door type does not have drawer fronts and the up and down flap doors.		
Thickness	Base material	Finish
22mm	MDF	PWMG0212
Notes		

1. Supporting PWWL0319;
2. Draw gold lines;
3. When this door type is used as a corner cabinet, the corner fillers must be 22mm thick;
4. The handle is on the right end of the door panel when the left door is opened, and the handle is on the left end of the door panel when the right door is opened;
5. The surface texture is vertical.

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

YMG132



Matched dimensions for doors


- When the handle is installed up or down, 217 ≤W ≤650mm, 97 ≤H ≤2340mm; when W<217mm or H <97mm, the door panel is 18mm thick plate, when making a plate, a separate handle is required;
- When the handle is installed on the left or right, 97≤W ≤650mm, 217 ≤H ≤2340mm; when W<97mm or H ≥17mm, the door panel is a 18mm thick plate, when making a plate, a separate handle is required;
- The door type has its own handle PWWL0299. The handle is reliably installed in the upper center, the lower center, the left center, and the right center. Only one installation position can be selected.

Matched dimensions for drawer fronts/ flap doors

- When 217≤W ≤200mm, 97 ≤H ≤400mm (drawer front)/500mm (flip door), the door type is as shown in the figure; when W<217mm or H<97mm, the door panel is a 18mm thick flat plate with straight edges , when making a tablet, a separate handle is required;
- The door type comes with a handle PWWL0299, the handle can only be installed on the top and center, and bottom and center.

Thickness	Base material	Finish
19mm	MDF	PVC (except high gloss)

YMG176A★



Matched dimensions for doors

When 297 ≤W≤ 600mm and 147 ≤H ≤1450mm, the door panel is as shown in the figure; when W< 297mm or H< 147mm, the door panel is made of 22 thick plate.

Matched dimensions for drawer fronts/ flap doors

When 297≤W≤1200mm and 147≤H≤400 (drawer front)/500mm (flip door), the drawer front and flip door are as shown in the figure; when W< 297mm or H<147mm, the door panel is made of 22 thick plate.


Thickness	Base material	Finish
22mm	MDF	PVC (except high gloss)

Notes

- PWFLO040 metal decorative strips are inlaid in the grooves around the door panel, and the matching handle is installed in the center of the upper part of the door panel;
- When the width of the door type W≤597mm, the door type is equipped with a 120mm wide handle PWWL0391C; when the door type width W>597mm, the door type is equipped with a 400mm wide handle PWWL0391A;
- This door type is not made of glass door;
- The finish material is PWMG0263 and only vertical lines are required.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMG176B★



Matched dimensions for doors

When 147≤ W≤600mm and 147≤H ≤1450mm, the door panel is as shown in the figure; when W <147mm or H<147mm, the door panel is made of 22 thick plate.

Matched dimensions for drawer fronts/ flap doors


When 147≤W ≤1000mm and 147≤ H≤ 400mm (drawer)/500mm (flip door), the flip door is as shown in the figure; when W <147mm or H< 147mm, the door panel is made of 22 thick plate.

Thickness	Base material	Finish
22mm	MDF	PVC (except high gloss)

Notes

- This door type is not equipped with a handle, and this door type is not suitable for glass doors;
- The finish material is PWMG0263 and only vertical lines are required.

YMG177★



Matched dimensions for doors

When W ≥147mm and H ≥147mm, the door panel, drawer front and flip door are as shown in the figure.
When W <147mm or H <147mm, the door panel, drawer front and flip door should be made of 22mm flat plate only for outer edge modeling.


Thickness	Base material	Finish
22mm	MDF	PVC (except high gloss)

Notes

This door type is not suitable for glass doors.


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMG178★



Matched dimensions for doors		
When 297≤W ≤600mm, 147 ≤H≤1450mm, process according to the drawing; when W<297mm or H<147mm, the door panel is flat.		
Matched dimensions for drawer fronts/ flap doors		
When 297≤W ≤600mm, 147 ≤H≤1450mm, process according to the drawing; when W<297mm or H<147mm, the door panel is flat.		
Thickness	Base material	Finish
19mm	MDF	PVC (except high gloss)
Notes		
1. The door panel handle model can only be PWWL0409A; 2. When the door panel is opened to the left, the handle is in the upper right corner; when the door panel is opened to the right, the handle is in the upper left corner. and the handle of the flip door/drawer fronts is in the middle/up/down; 3. It cannot be used as a wooden framed glass door, and a door panel anti-bending device cannot be installed.		

YMG179★



Matched dimensions for doors		
147≤ W ≤600mm,147≤ H ≤1450mm		
Matched dimensions for drawer fronts/ flap doors		
297≤W ≤600mm, 137 ≤H≤400mm (the height of flap doors is limited to 500mm); when 297> W or 137> H, the drawer front should be 25mm panel and four front edges should be molded as R2.		
Thickness	Base material	Finish
19mm (including handle 21mm)	MDF	PVC
Notes		
Matching handle: PWWK0112 handle, this door type is not made of glass door.		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

PVC foil grade A



PVC foil grade B




PVC foil grade C



Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMK001



Matched dimensions for doors

20 ≤ W ≤ 600,H ≤ 2330

Matched dimensions for drawer fronts/ flap doors


When 20 ≤ W ≤ 600mm and 60 ≤ H ≤ 400mm (the height of flap doors is limited to 500mm);
When 247 ≤ W ≤ 600mm and 247 ≤ H ≤ 450mm, available for glass door YMB001.

Thickness	Base material	Finish
19mm	Waterproof MDF; Non-waterproof base material for spray lacquer	Front face or both faces lacquered/ Both faces spray lacquer

Notes

Applicable to wood framed glass door YMB001.

YMK005D



Descriptions

1. Only a single drawer front is made, and door or multi-drawer module cannot be made.
2. Arc R 150mm and arc depth 180mm (fixed size). 478 ≤ W ≤ 600mm, 447 ≤ H ≤ 547mm;
3. PWWL0320 handle can be used.

Thickness	Base material	Finish
19mm	MDF	Both faces lacquered

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMK011C




Descriptions

1. Only available for right opening doors, dimensions can be changed; 150 ≤ W ≤ 600mm, 196 ≤ H ≤ 450mm, other dimensions are available for straight-side flat panel, same as YMK001;
2. Not available for drawer fronts/flap doors.

Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered

YMK011D




Descriptions

1. Only available for left opening doors, dimensions can be changed; 150 ≤ W ≤ 600mm, 196 ≤ H ≤ 450mm, others are available for flat straight-side panel, same as YMK001;
2. Not available for drawer fronts/flap doors.

Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered

YMK027A




Matched dimensions for doors/ drawer fronts/ flap doors

1. When W ≥ 98mm and H ≥ 98mm, doors, drawers and flap doors should be produced according to this drawing;
2. When W 98mm or H 98mm, doors, drawer fronts and flap doors are 18mm thick flat MDF, and front and reverse sides are chamfered as R1.

Thickness	Base material	Finish
19mm	Retail: Waterproof MDF; For projects: regular MDF	Front face or both faces lacquered


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMK074



Matched dimensions for doors		
200 ≤W ≤600,200 ≤ H ≤ 1450.		
Matched dimensions for drawer fronts/ flap doors		
200 ≤ W≤ 1000mm,200 ≤ H ≤ 600mm.		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered

YMK106A




Matched dimensions for doors		
247 ≤ W≤ 600mm,337≤ H≤ 1450mm; When W >247 or H > 337mm, the door thickness is 18mm, with the same modeling as YMK001.		
Matched dimensions for drawer fronts/ flap doors		
247 ≤W ≤1000, 137 ≤ H ≤400 (the height of flap doors is limited to 500mm); When W <247 or H <137, the thickness is 18mm, with the same modeling as YMK001.		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered

Notes
Only PWMK2102 is painted with decorative gold lines.


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMK116A



Matched dimensions for doors		
When 147 ≤W ≤600, 127 ≤H ≤1450, door shall be shaped as shown in the picture above		
Matched dimensions for drawer fronts/ flap doors		
When 247 ≤W ≤1000 and 127 ≤ H≤600 (the height of flap doors is limited to 500mm), the door should be processed as shown above; When W < 147 or H < 127, the door is flat MDF and only corners are rounded.		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered



YMK116D



Matched dimensions for doors		
When 97 ≤W ≤600mm and 127 ≤H ≤1450mm, the door should be shaped as shown in the picture.		
Matched dimensions for drawer fronts/ flap doors		
When 97 ≤W ≤1000mm and 127 ≤ H≤600mm (the height of flap doors is limited to 500mm), the door should be processed as shown above; When W >97mm or H >127mm, the door is flat MDF and only corners are rounded.		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMK119



Matched dimensions for doors		
247 ≤ W ≤ 600mm; 237 ≤ H ≤ 1450mm.		
Matched dimensions for drawer fronts/ flap doors		
247 ≤ W ≤ 1200mm, 97 ≤ H ≤ 600mm (the height of flap doors should be 500mm). Only single door or double doors should be made if for the swing door of single carcass, there should be no other carcass or side decorative panel on the opening side, and built-in door cannot be made.		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered
Notes		
Aluminum alloy handle code: PWWK0038.		


YMK120



Matched dimensions for doors		
197mm ≤ W ≤ 600mm, 87mm ≤ H ≤ 1450mm; When H ≤ 297mm, the distance from the center of the upper hinge hole to the handle edge should be h1=98mm and the distance from the center of the lower hinge hole to the handle edge should be h2=60mm (not available for hinged doors).		
Matched dimensions for drawer fronts/ flap doors		
197mm ≤ W ≤ 1000mm, 87mm ≤ H ≤ 400mm (drawer)/500mm (flap doors); 1. When W < 197mm or H < 87mm, the door is 19mm thick; 2. The handle width is W-12, the handle is in the center position, there are four types of handles: 338mm, 385mm, 585mm and 985mm. For other sizes, cut both ends of four types of handles symmetrically; 3. Four corners of the door are rounded to R2, four front sides and four reverse sides are rounded to R1.		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered
Notes		
Aluminum alloy handle: PWWK0041.		


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMK121



Matched dimensions for doors		
57mm ≤ W ≤ 600mm, 57mm ≤ H ≤ 1617mm; when W < 57mm or H < 57mm, the door is 22mm thick.		
Matched dimensions for drawer fronts/ flap doors		
57mm ≤ W ≤ 1200mm, 57mm ≤ H ≤ 400mm (drawer) /500mm (flap doors); When W < 57mm or H < 57mm, the door is 22mm thick.		
Thickness	Base material	Finish
22mm	MDF	Both faces spray lacquer;
Notes		
Applicable wood framed glass doors : YMB001 and YMB005.		


YMK123



Matched dimensions for doors		
When 77 ≤ W ≤ 600 and 77 ≤ H ≤ 1450, door shall be shaped as shown in the picture above.		
Matched dimensions for drawer fronts/ flap doors		
When 147 ≤ W ≤ 1000 and 77 ≤ H ≤ 400 (the height of flap doors is limited to 500mm), door shall be shaped as shown in the picture above; When W ≥ 77 or H ≥ 77, the door is flat and only corners are rounded. Vertical groove lines on front face.		
Thickness	Base material	Finish
25mm	Waterproof MDF	Front face or both faces matte lacquered
Notes		
Only for handle PWWLO230.		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.


YMK152A



Matched dimensions for doors		
147mm ≤ W ≤ 600mm,197mm ≤ H ≤ 1450mm		
Matched dimensions for drawer fronts /fillers		
147mm ≤ W ≤ 600mm,197mm ≤ H ≤ 1450mm		
Matched dimensions for flip doors		
397mm ≤ W ≤ 1000mm,247mm ≤ H ≤ 500mm		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered
Notes		

When opening the door on the left, the side R8 arc is on the left side of the door panel;
When opening the door on the right, the side R8 arc is on the right side of the door panel;
When drawer fronts or flap doors, it is necessary to indicate the position of the R8 arc (only the left or right side of the door panel can be selected).


YMK152B



Descriptions		
1. Dimensions of door: 247mm ≤ W ≤ 600mm, 197mm ≤ H ≤1450mm; 2. Dimensions of drawer fronts: 247mm ≤ W ≤ 1000mm, 137mm ≤ H ≤ 450mm; 3. Dimensions of flap doors: 397mm ≤W ≤1000mm, 247mm ≤ H ≤ 500mm.		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMK153




Descriptions		
Matched dimensions for doors: 197 ≤W ≤600, 297 ≤H ≤1450; Matched dimensions for drawers fronts: 247 ≤W ≤1000, 139 ≤H ≤400; Matched dimensions of flap doors: 247 ≤W ≤1000, 197 ≤H ≤500; When W 197 or H 139, the door is 25mm thick flat and corners are rounded.		
Thickness	Base material	Finish
25mm	Waterproof MDF	Front face or both faces lacquered
Notes		
Matching handle PWWK0044B.		

YMK153A



Matched dimensions for doors		
147 ≤ W ≤ 600,197 ≤ H ≤ 1450,no drawer fronts or flip door.		
Thickness	Base material	Finish
25mm	Waterproof MDF	Front face or both faces lacquered
Notes		
Matching aluminum alloy handle: PWWK0044B.		


YMK156



Descriptions		
1. Only available for hinged doors; not available for drawers or flap doors. 2. Size range: 197 ≤ W ≤600, 297 ≤ H ≤1450.		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered
Notes		
Only PWMK2116 is painted with decorative gold lines.		


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMK157



Descriptions		
Only drawer can be made, size range: $247 \leq W \leq 397$, $137 \leq H \leq 397$.		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered
Notes		
Handles cannot be installed.		



YMK168



Descriptions		
1. It can only be used for drawer fronts. 2. Size range: $W=347/647/697/797/997/447/747\text{mm}$, $137 \leq H \leq 400\text{mm}$. 3. Supper metal buckle sales code: PWWK0095A (347mm), PWWK0095B (647mm), PWWK0095C (697mm), PWWK0095D (797mm), PWWK0095E (997mm),PWWK0095F (447mm), PWWK0095G (747mm) Lower metal edge sales code: PWFL0035A (347mm), PWFL0035B (647mm), PWFL0035C (697mm), PWFL0035D (797mm), PWFL0035E (997mm), PWFL0035F (447mm), PWFL0035G (747mm)		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMK190★




Matched dimensions for doors		
$147 \leq W \leq 600\text{mm}$, $197 \leq H \leq 1450\text{mm}$		
Matched dimensions for drawer fronts/ flap doors		
$197 \leq W \leq 1000\text{mm}$, $147 \leq H \leq 400\text{mm}$ (the maximum height of the flip door is 500mm).		
Thickness	Base material	Finish
19mm	MDF	Front face or both faces lacquered
Notes		
Matching aluminum alloy edge sealing PWFL0042, this door type is not made of glass door.		

YMK191★



Matched dimensions for doors		
$147 \leq W \leq 600\text{mm}$, $117 \leq H \leq 1450\text{mm}$		
Matched dimensions for drawer fronts/ flap doors		
$147 \leq W \leq 1000\text{mm}$, $117 \leq H \leq 400\text{mm}$ (the maximum height of the flip door is 500mm).		
Thickness	Base material	Finish
19mm	Waterproof MDF	Front face or both faces lacquered


YMK200A/★




Matched dimensions for doors		
$147 \leq W \leq 600\text{mm}$, $147 \leq H \leq 1450\text{mm}$; when $W \geq 147\text{mm}$ or $H \geq 147\text{mm}$, the door panel is a 19.5mm thick embossed plate.		
Matched dimensions for drawer fronts/ flap doors		
$147 \leq W \leq 997\text{mm}$, $147 \leq H \leq 400\text{mm}$ (flip door $\leq 500\text{mm}$); when $W \geq 147\text{mm}$ or $H < 147\text{mm}$, the door panel is a 19.5mm thick embossed plate.		
Thickness	Base material	Finish
19.5mm (including handle 35mm)	MDF	Front face or both faces lacquered
Notes		
The door panel has no handle, and the aluminum edge strip has its own handle PWWK0115, only with door hinge PWWM0088, and only with door hinge, only for full-cover door.		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Flash lacquer



PWMK3007




PWMK3016



PWMK3008

Matte lacquer



PWMK2002



PWMK2006



PWMK2014



PWMK2016



PWMK2048



PWMK2090



PWMK2102



BWMK2013



PWMK2114



PWMK2115



PWMK2116



PWMK2117



PWMK2125



PWMK2127
(Only for single-sided YMK001 door panel process)



PWMK2128
(Only for single-sided YMK001 door panel process)



PWMK2142



PWMK2144



PWMK2145

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Spray lacquer



PWMH0001 (PWMK7001)



PWMK7005



PWMK7008


Lacquer



PWMK5004


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMK001



Matched dimensions for doors		
W ≤ 600mm,H ≤ 1700mm.		
Matched dimensions for drawer fronts/ flap doors		
W ≤ 1000mm,H ≤ 400mm. (the height of flap doors is limited to 500mm).		
Thickness	Base material	Finish
18mm	Waterproof particle board/ Formaldehyde-free waterproof particle board.	Melamine/green panel.
Notes		
Four edges are banded by PVC.		


YMA036



Matched dimensions for doors		
110mm ≤ W ≤ 650mm, 250mm ≤ H ≤ 1450mm		
Matched dimensions for drawer fronts/ flap doors		
200mm ≤ W ≤ 1200mm and 160mm ≤ H ≤ 600mm (the height of flap doors is limited to 500mm; Frame: PWFL0015, aluminum edge banding should be coated with PVC foil (only walnut PVC film).		
Thickness	Base material	Finish
25mm	Waterproof particle board/ Formaldehyde-free waterproof particle board.	Melamine/green panel.
Notes		
Aluminum edge banding: PWFL0015; handle: PWWL0226.		


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMA036A



Matched dimensions for doors		
110mm ≤ W ≤ 650mm, 250mm ≤ H ≤ 1450mm		
Matched dimensions for drawer fronts/ flap doors		
200mm ≤ W ≤ 1200mm and 160mm ≤ H ≤ 600mm (the height of flap doors is limited to 500mm; Frame: PWFL0015, aluminum edge banding should be coated with PVC foil (only walnut PVC film). Paste rose gold Chinese flower (PWFL0019) close to two pieces of adjacent aluminum edge banding onto upper and lower left corners of the left door, and upper and lower right corners of the right door; paste two pieces onto each swing door. Do not paste onto drawers and flap doors.		
Thickness	Base material	Finish
25mm	Waterproof particle board/ Formaldehyde-free waterproof particle board	Melamine/green panel.
Notes		
Aluminum edge banding: PWFL0015; decorative flower: PWFL0019; Handle: PWWL0226.		

YMA036B



Matched dimensions for doors		
110mm ≤ W ≤ 650mm, 250mm ≤ H ≤ 1450mm		
Matched dimensions for drawer fronts/ flap doors		
200mm ≤ W ≤ 1200mm and 160mm ≤ H ≤ 600mm (the height of flap doors is limited to 500mm; Frame: PWFL0015, aluminum edge banding should be coated with PVC foil (only walnut PVC film). Paste rose gold Chinese flower (PWFL0019) close to two pieces of adjacent aluminum edge banding onto upper and lower left corners of the left door, and upper and lower right corners of the right door; paste two pieces onto each swing door. Do not paste onto drawers and flap doors.		
Thickness	Base material	Finish
25mm	Waterproof particle board/ Formaldehyde-free waterproof particle board	Melamine/green panel.
Notes		
Aluminum edge banding: PWFL0015; decorative flower: PWFL0019; Handle: PWWL0226.		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMA038



Matched dimensions for doors

147mm ≤ W ≤ 650mm, 197mm ≤ H ≤ 1450mm

Matched dimensions for drawer fronts/ flap doors


147mm ≤W ≤1000mm and 197mm ≤H ≤600mm (the height of flap doors is limited to 500mm;

Thickness	Base material	Finish
23mm	Waterproof particle board/ Formaldehyde-free waterproof particle board.	Melamine/green panel.

Notes

Matching handle PWWK0040.

YMA039



Matched dimensions for doors

117mm ≤ W ≤ 600mm, 117mm ≤ H ≤ 1450mm

Matched dimensions for drawer fronts/ flap doors

117mm ≤W ≤1000mm and 117mm ≤H ≤600mm (the height of flap doors is limited to 500mm;


Thickness	Base material	Finish
25mm	Waterproof particle board/ Formaldehyde-free waterproof particle board.	Melamine/green panel.

Notes

Matching aluminum edge banding PWFL0021.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMA048



Matched dimensions for doors

197mm ≤ W ≤ 600mm,197mm ≤ H ≤ 1450mm.

Matched dimensions for drawer fronts/ flap doors


247mm ≤W ≤1000mm and 137mm ≤H ≤400mm (the height of flap doors is limited to 500mm;

Thickness	Base material	Finish
22.5mm	Waterproof particle board/ Formaldehyde-free waterproof particle board	Melamine/green panel.

Notes

Matching handle PWWK0081.

YMA065



Matched dimensions for doors

247mm ≤ W ≤ 600mm,247mm ≤ H ≤ 1450mm.

Matched dimensions for drawer fronts/ flap doors

247mm ≤W ≤600mm and 137mm H≤400mm (the height of flap doors is limited to 500mm;

Thickness	Base material	Finish
22.5mm	Waterproof particle board/ Formaldehyde-free waterproof particle board	Melamine/green panel.

Notes

Usually matching PWWK0082A/PWWK0082B handles. When the door is opened left, usually matching PWWK0082A handle. When the door is opened right, usually matching PWWK0082B handle.


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Melamine Door

Green panel



▲▲ BWMA0056



▲▲ PWMA0122



▲ PWMA0153

Melamine



▲ BWMA0025



▲ BWMA0026



BWMA0080



▲ PWMA0019



▲ PWMA0113



▲ PWMA0119




PWMA0123



▲ PWMA0128




PWMA0131



▲ PWMA0136



▲ PWMA0156



PWMA0169



PWMA0177




PWMA0189



PWMA0223



PWMA0226




PWMA0227



PWMA0236




PWMA0237



PWMA0242



PWMA0243



PWMA0274
(Cannot be used as a special cabinet)



★ PWMA0291




PWMA0294

Note: Items with ★ are new materials and those with ▲ are 12MM special carcase panel; items with ▲ are green panel.

Melamine Door

DOOR PROFILES

Melamine



PWMA0295



★ PWMA0358



★ PWMA0359



★ PWMA0377
(This finish does not allow for matching textures)




▲ PWMA0384

Note: Items with ★ are new materials and those with ▲ are 12MM special carcase panel; items with ▲ are green panel.


Flat Laminate Door

YMP012




Matched dimensions for doors		
117 ≤ W ≤ 650, 117 ≤ H ≤ 1450		
Matched dimensions for drawer fronts/ flap doors		
117 ≤ W ≤ 1000, 117 ≤ H ≤ 400 (the height of flap doors is limited to 500mm).		
Thickness	Base material	Finish
25mm	Plywood	PWMP2006
Notes		
The thickness of the base material is 18mm and the forming thickness is 25mm; aluminum edge banding: PWFL0022.		

YMP016



Matched dimensions for doors		
57 ≤ W ≤ 600, 57 ≤ H ≤ 1450		
Matched dimensions for drawer fronts/ flap doors		
57 ≤ W ≤ 1000, 57 ≤ H ≤ 400 (the height of flap doors is limited to 500mm).		
Thickness	Base material	Finish
19mm	Plywood	PWMP1006 /PWMP2008
Notes		
The door profile is composed of the front side high-gloss acrylic /PET foil+18mm thick plywood+0.6mm thick white ABS material, with PVC/ABS edge banding.		

Flat laminate-acrylic



Flat laminate-PET




Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

UV Lacquer Door


DOOR PROFILES

YMC003



Matched dimensions for doors		
147 ≤ W ≤ 600mm, 197 ≤ H ≤ 1450mm		
Matched dimensions for drawer fronts		
237 ≤ W ≤ 1200mm, 137 ≤ H ≤ 450mm		
Matched dimensions for flap doors		
297 ≤ W ≤ 1200mm, 187 ≤ H ≤ 550mm		
Matched dimensions for fillers		
60 ≤ W ≤ 2400mm, 80 ≤ H ≤ 500mm; /80 ≤ W ≤ 500mm, 60 ≤ H ≤ 2400mm		
Thickness	Base material	Finish
19mm	Waterproof MDF	Single-faced UV lacquer
Notes		
Four edges are banded by PVC.		


YMC010



Matched dimensions for doors		
147 ≤ W ≤ 600mm, 297 ≤ H ≤ 1450mm		
Matched dimensions for drawer fronts		
237 ≤ W ≤ 1200mm, 137 ≤ H ≤ 400mm		
Matched dimensions for flap doors		
297 ≤ W ≤ 1200mm, 187 ≤ H ≤ 500mm		
Thickness	Base material	Finish
18mm (including handle 23mm)	Waterproof MDF	Single-faced UV lacquer Front face or both faces lacquered
Notes		
1. Matching handle PWWK0081; 2. When used for floor cabinets, the handle should be upward; when used in hanging cabinets, the handle should be downward.		

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

YMC019




Matched dimensions for doors

- 1. Only available for open drawer front;
- 2. Size range of drawer:
W=347/647/697/797/997mm, 137 ≤ H ≤ 400mm;
- 3. Sale code of upper metal handles:
PWWK0095A (347mm), PWWK0095B (647mm), PWWK0095C (697mm),
PWWK0095D (797mm), PWWK0095E (997mm);
Sale code of lower metal handles:
PWFL0035A (347mm), PWFL0035B (647mm), PWFL0035C (697mm),
PWFL0035D (797mm), PWFL0035E (997mm).
- 4. W and H are finished sizes.

Thickness	Base material	Finish
18 (plus handle thickness 37)	Plywood	PWMC0073

YMC020



Matched dimensions for doors

247 ≤ W ≤ 600mm, 197 ≤ H ≤ 1450mm

Matched dimensions for drawer fronts

247 ≤ W ≤ 600mm, 137 ≤ H ≤ 400mm

Matched dimensions for flap doors

297 ≤ W ≤ 600mm, 187 ≤ H ≤ 500mm


Thickness	Base material	Finish
18mm	Waterproof MDF	Single-faced UV lacquer

Notes

The door opens left, the handle model is PWWK0082A; the door opens right, the handle model is PWWK0082B

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

UV lacquer grade A





UV lacquer grade B



Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.


YML027A



Matched dimensions for doors		
1. Only available for swinging door and not for link door, and its size range is as follows: 207mm≤ W ≤650mm,127mm ≤ H ≤ 2400mm; 2. Handle description: The aluminum frame is not furnished with handle.		
Thickness	Base material	Finish
25mm	Aluminum frame	Aluminum frame embedded with 5mm glass
Notes		

The thickness of the base material is 18mm and the forming thickness is 25mm; aluminum edge banding: PWFL0022.

YML027B




Matched dimensions for doors		
1. Only available for swinging door and not for link door, and its size range is as follows: 207mm≤ W ≤650mm,297mm ≤ H ≤ 2400mm; 2. The door is furnished with handle whose size is 149.4*35.07*16.89mm.		
Thickness	Base material	Finish
25mm	Aluminum frame	Aluminum frame embedded with 5mm glass
Notes		

The thickness of the base material is 18mm and the forming thickness is 25mm; aluminum edge banding: PWFL0022.

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.


YML027E



Matched dimensions for doors		
1. Only available for swinging door and not for link door, and its size range is as follows: 207mm≤ W ≤650mm,297mm ≤ H ≤ 2400mm; 2. the handle is centered; handle size: 149.4*35.07*16.89mm.		
Thickness	Base material	Finish
25mm	Aluminum frame	Aluminum frame embedded with 5mm glass
Notes		

The thickness of the base material is 18mm and the forming thickness is 25mm; aluminum edge banding: PWFL0022.

YML030




Matched dimensions for doors		
297 ≤ W ≤ 600mm, 297 ≤ H ≤ 2430mm; the door profile must be installed on 18mm thick carcass panel; The aluminum framed door is furnished with aluminum handle, mounting position of handle (base cabinet: 60mm close to the top side; wall cabinet: 60mm close to the bottom side; high cabinet: 1200mm close to the bottom side); the door is furnished with air hinge and 5mm thick ultra clear striped figured glass/double squared glass.		
Thickness	Base material	Finish
27mm	Aluminum frame	Aluminum frame embedded with striped figured glass/ Double squared glass
Notes		

Only available for full overlay swing doors; not available for corner cabinet doors drawers or pull-out baskets.

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Aluminum Framed Door

YML030A



Matched dimensions for doors


When inlaid with gray tea tempered glass (or gray tempered glass):
278≤W ≤600mm, 347 H ≤300mm;
The door must be installed on a cabinet board with a thickness of 18mm or 19mm, and it needs to be used with aluminum beams, with heaven and earth door hinges, and bouncers cannot be installed;
The rules for the installation position of the handle are as follows:
when H≤1300mm, there are two cases, H1=60mm or H2=60mm, which is selected by the designer.
When inlaid with Changhong glass (or gray tempered glass):
278≤W ≤600mm, 347 ≤H ≤1450mm;
The door type must be installed on a cabinet board with a thickness of 18mm or 19mm, and it needs to be used with aluminum beams and with heaven and earth door hinges. No rebounder can be installed, no handle, only suitable for hanging cabinets, the bottom plate of the hanging cabinet cannot be lifted, the top plate cannot be moved down, and there can be no obstacles below to affect the door.

Thickness	Base material	Finish
27mm	Aluminum frame	Aluminum frame inlaid gray tea tempered glass\fluted glass\grey tempered glass

Notes

Can only do left and right door opening, can not do up and down doors, drawers and pull baskets.

YML033



Matched dimensions for doors

277 ≤W ≤500mm, 350≤H ≤1800mm;
When 300 ≤W ≤450mm, 350 ≤H ≤1800mm;
When 450 ≤W ≤500mm, 350 ≤H ≤1800mm.
1. Door type: Gray aluminum frame door aluminum alloy frame + gray tempered glass/gray tea tempered glass, or red copper brushed aluminum frame + coated ultra-white flat tempered glass;
2. This door type must be installed on a cabinet board with a thickness of 18mm;
3. Description of the door hinge: it is only equipped with the heaven and earth door hinge, and the rebounder cannot be installed;
4. The rules for the installation position of the handle are as follows:
when H ≤1300mm, there are 3 cases, H1=90mm, H2=90mm or the handle is in the middle, which is selected by the designer; when H >1300mm, there are 3 cases, H1=90mm, H2= 90mm or the center of the handle is optional by the designer.
5. This aluminum frame door needs to be used with aluminum beams.

Thickness	Base material	Finish
30mm	Aluminum frame	Aluminum frame inlaid with tempered glass

Notes


Can only do left and right door opening, can not do up and down doors, drawers and pull baskets.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Aluminum Framed Door

DOOR PROFILES

YML040C★



Matched dimensions for doors


1. This door type can only be used to make hinged doors, and the door panel processing size range: 247 ≤W ≤600mm, 347 ≤H ≤2400mm;
2. The door comes with a handle, the size of the handle: H1=90mm or H2=90mm or the handle is centered, and the shopping mall chooses and installs it;
3. This door is equipped with platinum 180-degree pin-type damping full-cover aluminum frame hinge PWWM0095D, and cannot be installed with a rebounder.

Thickness	Base material	Finish
The thickness of the door panel is 22mm, With handle thickness is 39.5mm	Aluminum frame	4mm thick ultra-clear glass (tempered)

Notes

1. The cabinet must be 18mm-19mm thick;
2. Only equipped with PWWM0095D door hinge.

YML043



Matched dimensions for doors

277mm ≤W ≤600mm,350mm ≤H≤ 2700mm;
Handle position:
1.When H ≤1300mm, the handle should be 120mm away from the edge; when placing an order, please note "120 handle up" or "120 handle down";
2.When H >1300mm, the handle is 1050mm away from the side: the default handle is 1050mm from the bottom, if the handle is 1050mm higher, you need to note "the handle is 1050mm higher";
3. The handle position is open to non-standard size, and the handle size is calculated from the lower end of the door panel by default.
4. Description of door hinge: only equipped with PWWM0139, PWWM0140 and PWWM0141.


Thickness	Base material	Finish
The thickness of the door panel is 22mm, With handle thickness is 39.5mm	Aluminum frame	Aluminum frame inlay PWMB0002,PWMB0103, PWMB0110,PWMB0124, PWMB0144,PWMB0135, PWMB0169

Notes

Available in red copper brushed, black and gun gray.


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YML049+BWMY0004



Matched dimensions for doors		
305mm ≤ W ≤ 600mm, 305mm ≤ H ≤ 1200mm		
Matched dimensions for drawer fronts/ flap doors		
305mm ≤ W ≤ 1000mm and 175mm ≤ H ≤ 300mm		
Thickness	Base material	Finish
25mm	Aluminum frame	YML049+BWMY0004
Notes		
Code of applicable green panel: BWMY0004, the green panel groove can be transverse or vertical and the direction should be indicated in the drawing; the PP foil of green panel should have the same grain as the groove.		


YML049+BWMY0003



Matched dimensions for doors		
305mm ≤ W ≤ 600mm, 305mm ≤ H ≤ 1200mm		
Matched dimensions for drawer fronts/ flap doors		
305mm ≤ W ≤ 1000mm and 175mm ≤ H ≤ 300mm.		
Thickness	Base material	Finish
25mm	Aluminum frame	YML049+BWMY0003
Notes		
Code of applicable green panel: BWMY0003, the green panel groove can be transverse or vertical and the direction should be indicated in the drawing; the PP foil of green panel should have the same grain as the groove.		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YML050+BWMY0004



Matched dimensions for doors		
305mm ≤ W ≤ 600mm, 305mm ≤ H ≤ 1200mm		
Matched dimensions for drawer fronts/ flap doors		
305mm ≤ W ≤ 1000mm and 175mm ≤ H ≤ 300mm		
Thickness	Base material	Finish
25mm	Aluminum frame	YML050+BWMY0004
Notes		
Code of applicable green panel: BWMY0004, the green panel groove can be transverse or vertical and the direction should be indicated in the drawing; the PP foil of green panel should have the same grain as the groove.		


Aluminum wrapped with PP



Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.


Wood-framed Glass Door

YMB001




Descriptions		
For its crafts, please refer to the instructions of its door.		
Thickness	Base material	Finish
Subject to doors	/	Subject to doors

YMB002



Descriptions		
1. Fence glass door. For its crafts, please refer to the instructions of its door; 2. Matched dimensions: 296 ≤W ≤650mm, 447 ≤H ≤1450mm.		
Thickness	Base material	Finish
Subject to doors	/	Subject to doors
Notes		
When 447 ≤ H < 600, the profile has two grid rows. When 600 ≤ H ≤ 1200, the profile has three grid rows. When 1200 ≤ H ≤ 1450, the profile has four grid rows.		

YMB003




Descriptions		
The frame is solid wood and the green panel is grooved and spliced by solid wood strips; when the woven door is MDF coated with PVC.		
Thickness	Base material	Finish
Subject to doors	/	Solid wood door and PVC door

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Wood-framed Glass Door


DOOR PROFILES

YMB005




Descriptions		
Applicable to paint/PVC/coated/solid wood doors, and the front side is coated with bright golden glass sticker.		
Thickness	Base material	Finish
Subject to doors	/	Lacquer, solid wood door, PVC door
Notes		
The front side is coated with golden glass sticker.		

YMB009



Descriptions		
When 447 ≤ H ≤ 600, the profile has two grid rows. When 600 ≤ H ≤ 1200, the profile has three grid rows. When 1200 ≤ H ≤ 1450, the profile has four grid rows.		
Thickness	Base material	Finish
19	MDF	PVC door
Notes		
The width of the door frame is determined by PVC door craft.		

YMB011




Descriptions		
For its crafts, please refer to the instructions of its door.		
Thickness	Base material	Finish
Subject to doors	Subject to doors	Subject to doors

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Wood-framed Glass Door

Glass


			
CodePWMB0002	CodePWMB0034	CodePWMB0098	CodePWMB0103
Description5mm thick	Description5mm thick	Description5mm thick	Description5mm thick
size1220*1830mm	size1220*1830mm	size1220*1830mm	sizeApplicable to the following sizes only: W372/472/572*509*5; 515*100*5; 1042*102*5
			
CodePWMB0110	CodePWMB0124	CodePWMB0135	CodePWMB0144
Description5mm thick	Description5mm thick, used for aluminum framed door only	Description5mm thick	Description5mm thick
			
Code★PWMB0169			
Description5mm thick			
size600*1200mm			

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Mirror Door

DOOR PROFILES

YMO001B



Matched dimensions for doors

1. When made into a sliding door, 197mm≤W≤597mm; 297mm≤H≤1197mm; When made into a folding door, 297mm≤W≤597mm; 297mm≤H≤1197mm;


2. Only suitable for moving mirror door/folding mirror door.

Thickness	Base material	Finish
20mm	Multi-layer solid wood board	Standard cabinet Melamine, base material multi-layer solid wood board

Notes

Matching mirror sheet YPM002D/YPA002 .

YMO001C



Matched dimensions for doors

1. When making a sliding door, 197mm≤W≤597mm; 297mm≤H≤1197mm; When making a folding door, 297mm≤W≤597mm; 297mm≤H≤1197mm;


2. Only suitable for sliding mirror door/folding mirror door.

Thickness	Base material	Finish
20mm	Waterproof particle board	Standard cabinet Melamine

Notes

Matching mirror sheet YPM002D/YPA002.

YMO001D



Matched dimensions for doors

1. When making a sliding door, 197mm≤W≤597mm; 297mm≤H≤1197mm; When making a folding door, 297mm≤W≤597mm; 297mm≤H≤1197mm;

2. Only suitable for sliding mirror door/folding mirror door.


Thickness	Base material	Finish
20mm	Waterproof particle board/ Formaldehyde free particle board	Special cabinet Melamine /Green panel

Notes

Matching mirror sheet YPM002D/YPA002.


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMO012



Matched dimensions for doors		
160 ≤ W ≤ 600mm, 245 ≤H ≤ 1700mm		
Thickness	Base material	Finish
19mm	/	/
Notes		
This door type cannot be installed with basket/drawer accessories; it is compatible with YPM002E.		


YMO012A



The color of aluminum material the mirror door is shown in the picture

Matched dimensions for doors		
160 ≤ W ≤ 600mm, 245 ≤H ≤ 1700mm		
Thickness	Base material	Finish
19mm	/	/
Notes		
1. Not available for pull-out baskets or drawers; 2. Mirror sheet YPM002E; 3. The color of YMO012A aluminum frame is black.		

YMO012B




The color of aluminum material the mirror door is shown in the picture

Matched dimensions for doors		
160 ≤ W ≤ 600mm, 245 ≤H ≤ 1700mm		
Thickness	Base material	Finish
19mm	/	/
Notes		
1. Not available for pull-out baskets and drawers 2.Mirror sheet YPM002E; 3.The color of YMO012B aluminum frame is brass brushed color.		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.


YMO012C



The color of aluminum material the mirror door is shown in the picture


Matched dimensions for doors		
160 ≤ W ≤ 600mm, 245 ≤H ≤ 1700mm		
Thickness	Base material	Finish
19mm	/	/
Notes		
1. Not available for pull-out baskets or drawers; 2. Mirror sheet YPM002E; 3. The color of YMO012A aluminum frame is grey.		

YMO016



Matched dimensions for doors		
547mm*717mm/547mm*837mm (unchangeable) can be made into left and right door opening; built-in LED lights; matching PBZP0041 (12V driver-36W), matching aluminum beam lights (size W38*H16*W1(L)), installed Under the top panel of the cabinet, a groove should be opened on the inner surface of the front side of the top panel.		
Thickness	Base material	Finish
22mm	/	/
Notes		
Matching PBZP0041.		


YMO022



Matched dimensions for doors		
1.Mirror door back panel material:13.5mm HPL,PWGA0073/PWGA0042, all around thin edge; 2.Door panel size range: 247≤W≤650mm, 297≤H ≤1200mm. The size range of the flip-up door: 397≤W≤1000mm, 297 H 500mm.≤		
Thickness	Base material	Finish
19mm	Plywood	PWGA0073/PWGA0042
Notes		
Matching mirror sheet YPL005; Mirror door back panel material R52, matching mirror sheet R50.		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMO023




Matched dimensions for door panel/pull-up door		
1.Mirror door back panel material: 13.5mm plywood, with HPL finish on both side 2.247mm≤W ≤650mm,297mm≤H ≤1200mm.		
Matched dimensions for filler		
100mm≤W ≤650mm and 279mm≤H ≤800mm.		
Thickness	Base material	Finish
17mm	Multi-layer solid wood board	Plywood, with HPL finish on both side

Notes

1. Matching mirror sheet YPM002D;
- 2.Only with YJT095 mirror cabinet.

YMO023D Double-sided mirror door with lighted single control switch




Matched dimensions for doors		
147mm ≤W 597mm, 497mm H≤1020mm. Front mirror size W1=W-3mm, H1=H-3mm. When 144mm≤W1≤ 244mm: can be left/right/center frosted; When 244mm≤W1≤ 594mm: can be frosted on the left/right side; When 374mm≤W1≤ 594mm: can be frosted on both sides\circular;		
Thickness	Base material	Finish
20mm	/	/
Notes		

1. The frame of the mirror door is a matte silver aluminum frame material, which is spliced at 45°, and the front and rear mirrors are 3mm copper-free mirrors;
2. This aluminum frame mirror door is equipped with LED light strip as standard, which is suitable for 24W power supply. It is equipped with a finger switch as standard. Press the switch on the mirror to control the light strip on and off, and long press to adjust the brightness;
3. This door cannot be installed with basket/drawer accessories. It can only be made as a left and right hinged door, and cannot be made as an up and down door or a drawer;
4. This aluminum frame mirror door can choose from 5 shapes: center frosting, left frosting, right frosting, two sides frosting, and circular frosting. The default frosting of the single-side mirror frosted is the hinge side. The mirror adaptation is as follows:
Front mirror adaptation: YPM005A (center frosted)/YPM006A (left side frosted, suitable for left door opening)/YPM007A (right side frosted, suitable for right door opening)/YPM008A (both sides frosted)/YPM009A (circular frosted). Rear mirror adaptation: YPM002B (without explosion-proof film)/YPM010 (with explosion-proof film).

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.


YMO023F(with light and anti-fog film double switch double-sided mirror door)



Matched dimensions for doors		
377mm ≤ W ≤ 597mm, 597mm ≤ H ≤1020mm		
Thickness	Base material	Finish
17mm	/	/
Notes		

1. The frame of the mirror door is a matte silver-aluminum frame material with 45 stitching, and the front and rear mirrors are 3mm copper-free mirrors;
2. This aluminum frame mirror door is equipped with LED lights, anti-fog film and dual-control switch as standard, which is suitable for 36W power supply; the two switches can be controlled independently, and can be turned on/off by pressing lightly, and the brightness can be adjusted by long pressing the finger switch;
- 3.It can only be made as a left and right hinged door, and cannot be made as an up and down door or a drawer fronts;
4. This aluminum frame mirror door can choose from 4 shapes: left frosting, right frosting, two sides frosting, and circular frosting. The default frosting of the single-side mirror frosted is the hinge side. The mirror adaptation is as follows:
Front mirror adaptation: YPM006C (left side frosted, suitable for left door opening)/YPM007C (right side frosted, suitable for right door opening)/YPM008C (both sides frosted)/YPM009C (circular frosted) .Rear mirror adaptation: YPM002B (without explosion-proof film)/YPM010 (with explosion-proof film).

YMO023H (with light, with time display double-sided mirror door)




Matched dimensions for doors		
377mm ≤ W ≤ 597mm, 497mm ≤ H ≤1020mm		
Thickness	Base material	Finish
17mm	/	/
Notes		

1. The frame of the mirror door is a matte silver-aluminum frame material with 45 stitching, and the front and rear mirrors are 3mm copper-free mirrors;
2. This aluminum frame mirror door comes standard with LED lights and a single-button clock mirror switch, suitable for 36W power supply, and the front mirror is marked with a finger switch. The control instructions are as follows:
When turning on the light (anti-fog): click the switch icon to control on/off, long press to adjust the brightness;
When turning off the light (anti-fog): long press for 3 seconds to adjust the time, short press the hour/minute value plus 1, long press to jump to the next adjustment;
3. It can only be made as a left and right hinged door, and cannot be made as an up and down door or a drawer fronts;
4. This aluminum frame mirror door can choose from 2 shapes: two sides frosting and circular frosting. The default frosting of the single-side mirror frosted is the hinge side. The mirror adaptation is as follows:
Front mirror adaptation: YPM008B (both sides frosted)/YPM009B (circular frosted) .Rear mirror adaptation: YPM002B (without explosion-proof film)/YPM010 (with explosion-proof film).


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMO026A



Matched dimensions for doors		
W547*H717 (immutable), only for left door opening, not for up and down door or a drawer fronts;		
Thickness	Base material	Finish
17mm	/	/
Notes		
1. Brass brushed aluminum alloy frame, the front/back mirror is 3mm copper-free mirror, and the front/back mirror is pasted with explosion-proof film; 2. The light strip and the anti-fog share a touch switch; 3. The retail channel is only suitable for PWWM0027A, PWWM0028A, PWWM0087A.		


YMO026B



Matched dimensions for doors		
W547*H717 (immutable), only for right door opening, not for up and down door or a drawer fronts;		
Thickness	Base material	Finish
17mm	/	/
Notes		
1. Brass brushed aluminum alloy frame, the front/back mirror is 3mm copper-free mirror, and the front/back mirror is pasted with explosion-proof film; 2. The light strip and the anti-fog share a touch switch; 3. The retail channel is only suitable for PWWM0027A, PWWM0028A, PWWM0087A.		


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

YMO027A



Matched dimensions for doors		
W547*H717 (immutable), only for left door opening, not for up and down door or a drawer fronts;		
Thickness	Base material	Finish
17mm	/	/
Notes		
1. Brass brushed aluminum alloy frame, the front/back mirror is 3mm copper-free mirror, and the front/back mirror is pasted with explosion-proof film; 2. The light strip and the anti-fog share a touch switch; 3. The retail channel is only suitable for PWWM0027A, PWWM0028A, PWWM0087A.		

YMO027B



Matched dimensions for doors		
W547*H717 (immutable), only for right door opening, not for up and down door or a drawer fronts;		
Thickness	Base material	Finish
17mm	/	/
Notes		
1. Brass brushed aluminum alloy frame, the front/back mirror is 3mm copper-free mirror, and the front/back mirror is pasted with explosion-proof film; 2. The light strip and the anti-fog share a touch switch; 3. The retail channel is only suitable for PWWM0027A, PWWM0028A, PWWM0087A.		


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

CARCASE


Wood veneer-special carcase panel

			
PWMM2022	PWMM2023	PWMM2084	PWMM2085
			
PWMM2096			

Plywood base material with Melamine finish-standard carcase panel

		
PWGA0040	PWGA0041	PWGA0042

Particle board base material with Melamine finish-standard carcase panel




		
BWGA0005	PWGA0002	PWGA0010

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

EDGE BANDING

MATERIALS



Edge banding materials

							
Code	BWFP0045	Code	BWFP0047	Code	BWFP0073	Code	PWFP0001
size	1.2*23 / 0.6*23	size	1.2*22 / 0.6*22	size	1.2*22 / 0.6*23 / 1.2*20 / 0.6*18	size	1.2*23 / 0.6*21 / 0.6*23
							
Code	PWFP0009	Code	PWFP0122	Code	PWFP0124	Code	PWFP0388
size	1.3*23	size	1.2*22 / 0.6*22	size	0.6*21	size	1.2*23
							
Code	PWFP0391	Code	PWFP0399	Code	PWFP0404	Code	PWFP0413
size	1.2*23 / 0.6*21 / 0.6*23	size	1.2*23 / 0.6*23 / 1.2*16 / 0.6*19	size	1.2*23 / 0.6*23 / 1.2*16 / 0.6*18	size	1.2*22
							
Code	PWFP0417	Code	PWFP0418	Code	PWFP0421	Code	PWFP0428
size	1.2*22 / 0.6*21	size	1.2*23 / 0.6*23	size	1.2*23 / 0.6*21	size	1.2*23
							
Code	PWFP0435	Code	PWFP0455	Code	PWFP0457	Code	PWFP0464
size	1.2*22 / 0.6*21	size	1.2*22 / 0.6*21 / 1.2*18 / 0.6*18	size	1.2*22 / 0.6*22	size	1.2*23 / 0.6*21

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

EDGE BANDING

Edge banding materials

			
Code PWFP0487	Code PWFP0491	Code PWFP0505	Code PWFP0544
size 1.2*23	size 1.2*23	size 1.2*22 / 0.5*21	size 1.2*23
			
Code PWFP0602	Code PWFP0603	Code PWFP0604	Code PWFP0608
size 1.2*22	size 1.2*22 / 0.6*22	size 1.2*22 / 0.6*21	size 1.2*22/0.5*21
			
Code PWFP0610	Code PWFP0616	Code PWFP0618	Code PWFP0626
size 1.2*22 / 0.5*21	size 1.2*22	size 1.2*22	size 1.2*22 / 0.6*22
			
Code PWFP0636	Code PWFP0637	Code PWFP0672	Code PWFP0675
size 1.2*22	size (1.3+0.2)*23	size 1.2*22	size 1.2*22
			
Code ★PWFP0703	Code PWFP0709	Code ★PWFP0795	Code ★PWFP0796
size 1.2*22 / 0.5*21	size 1.2*22	size 1.2*22	size 1.2*22
			
Code ★PWFP0818			
size 1.2*22			

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.


EDGE BANDING

MATERIALS

Quartz P5 series


Code PWTY1024
Description 20mm thick

Quartz P3 series

		
Code PWTY1007	Code PWTY1026	Code PWTY1078
Description 20mm thick	Description 20mm thick	Description 20mm thick






Quartz stone


Code PWTY1043
Description 20mm thick







Phoenix stone


Code PWTF0002
Description 18mm thick

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.




Name	Code	Drawing	Size	Material	Finish	Notes
Decoration panel	YSB013		W=25 50 ≤ D ≤ 650 50 ≤ H ≤ 1000	MDF	Single-sided PVC(Except high-gloss)	
	YSB015		W=25 100 ≤ D ≤ 600 80 ≤ H ≤ 1200	Waterproof MDF	Lacquer	
	YSB124		W=36 D ≤ 650 H ≤ 1000	Waterproof MDF	Lacquer	
	YSB125		W=25 D ≤ 650 H ≤ 1000	Waterproof MDF	Lacquer	Standard: single face lacquered Optional: both faces lacquered
	YSB129		300 ≤ W ≤ 1600 80 ≤ D ≤ 600 H=Panel thickness	Plywood Waterproof particle board Waterproof MDF MDF	Standard carcass panel, special carcass panel (Including 12mm PVC material)	Available for 12mm/13mm thick base material
	YSB158		W=75 D=25 600 ≤ H ≤ 1200	Waterproof MDF	Matte lacquer	The shaded area is built-in glass
	YSB164		W=50 300 ≤ D ≤ 600 H=795	Poplar	Matte lacquer	
	YSB165		900 ≤ W ≤ 1200 400 ≤ D ≤ 600 H=36	Waterproof MDF	Lacquer	
	YSB202		W=80 150 ≤ D ≤ 200 720 ≤ H ≤ 2100	Standard carcass panel + MDF	/	Front decorative panel crafts YMK001, other carcass material is standard carcass panel

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Name	Code	Drawing	Size	Material	Finish	Notes
Decoration panel	YSB223		W=50 80 ≤ D ≤ 650 H ≤ 1000	Waterproof MDF	Lacquer	Standard: single face lacquered Optional: both faces lacquered
	YSB257A ★		W=150 300 ≤ H ≤ 720 200 ≤ D ≤ 600 D=cabinet door thickness + d+2mm	Waterproof MDF	Lacquer	
	YSB257B ★		W=150 300 ≤ H ≤ 720 200 ≤ D ≤ 600 D=cabinet door thickness + d+2mm	Waterproof MDF	Lacquer	
	YSB258 ★		W=450mm	Waterproof MDF	Matte lacquer	
	YSB259 ★		197 ≤ W ≤ 1000mm 97 ≤ H ≤ 200mm	Waterproof MDF	Matte lacquer	
	YSB270 ★		800 ≤ W ≤ 2300 200 ≤ H ≤ 600 H=45	Waterproof MDF	Matte lacquer	D=cabinet door thickness + d+2mm
	YSB271 ★		W=32mm H=555mm 60 ≤ D ≤ 600mm	Waterproof particle board/Plywood solid wood multi-layer board	Matte lacquer	




Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Decorative Panels

Name	Code	Drawing	Size	Material	Finish	Notes
Lintel	YSM070		$300 \leq W \leq 1500$ D=20 H=100	Waterproof MDF	Lacquer	
	YSM079		$300 \leq W \leq 1300$ D=19 $140 \leq H \leq 200$	Waterproof MDF	Single-sided matte lacquer /Single-sided PVC	
Wine rack	YSE037		W=566 H=334 $100 \leq D \leq 650$	Waterproof particle board	18mm Melamine	All around thick edge
Frame	YSX013		$250 \leq W \leq 1200$ D=30 H=101	Alder	Alder lacquer/Matte lacquer	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Crown Mouldings

Name	Code	Drawing	Size	Material	Finish	Notes
Crown moulding	YSD17		H=panel thickness	Waterproof MDF (PVC material is ordinary MDF)/waterproof particle board/plywood	Standard carcass panel Special carcass panel	25mm PVC foil, 18mm lacquer, 18mm wood veneer, 18mm HPL and 16mm carcass panel are optional
	YSL013		$W \leq 2300$	MDF + solid wood	PVC (except high-gloss) Matte lacquer	For wall cabinet, mirror or the top of tall cabinet
	YSL077		$W \leq 2300$	MDF	PVC, PP	For wall cabinet, or the top of tall cabinet
	YSL019		$W \leq 2300$	Red oak wood Poplar Cherry wood Ashtree wood	Lacquer	As a wall cabinet, mirror or tall cabinet top.
	YSL025		$W \leq 2300$	Red oak wood Poplar Cherry wood Ashtree wood MDF	Lacquer	As a wall cabinet or tall cabinet top.
	YSL026		$W \leq 2200$	MDF	PVC	As a wall cabinet or tall cabinet top.


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Wood kickboard

Name	Code	Drawing	Size	Material	Finish	Notes
Wood kickboard	YSJ012		200 ≤W ≤2300 H=105	/	Standard carcass panel/special carcass panel (wood veneer, lacquer, melamine, green panel and HPL available)	Only for panels with its thickness ≥ 16mm
	YSJ014		200 ≤W ≤2300 H=150	/	Standard carcass panel/special carcass panel (wood veneer, lacquer, melamine, green panel and HPL available)	
	YSJ059		H=220mm	Poplar	Matte lacquer	
	YSJ017		H=155mm	Waterproof MDF	Lacquer	
	YSJ053		H=155mm	Poplar	Lacquer	

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Metal Kickboards

			
CodePWND0002B	CodePWND0002D	CodePWNK0023	CodePWNK0040
DescriptionHeight 110mm	DescriptionHeight 160mm	DescriptionHeight 160mm	DescriptionHeight 160mm
			
CodePWNK0042A/ PWNK0042B	CodePWNK0044	CodePWNK0045	CodePWNK0047
DescriptionHeight 160mm	DescriptionMatching PWNK0045	DescriptionMatching PWNK0044	DescriptionHeight 833mm
			
CodePWNK0049	CodePWNK0054	CodePWNK0055B	CodePWNK0056
DescriptionHeight 220mm	Description445*220*15mm	DescriptionHeight 160mm	Description285*150
			
CodePWNK0061	CodePWNK0062	CodePWNK0067	CodePWNK0069
Description18*140*682mm	DescriptionHeight 250mm	DescriptionHeight 790mm	DescriptionHeight 250mm
			
CodePWNK0063			
Description1. W16*D55*H840; 2. Applicable to carcass whose height is 480 only.			

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.








Name	Code	Drawing	Size	Material	Finish	Notes
Shelf	YSG030		200 ≤ W ≤ 700, 500 H ≤ 1500, 100 ≤ D 150, when 500 ≤ H < 800, 2 fixed shelves; when 800 ≤ H ≤ 1200, 3 fixed shelves; when 1200 < H ≤ 1500, 4 fixed shelves.	/	Standard carcase panel Special carcase panel	Only available in thicknesses of 16mm and above
	YSG036		300 ≤ W ≤ 1200 120 ≤ D ≤ 300 D=board thickness	/	Standard carcase panel Special carcase panel	Made into 12mm basic material
	YSG037		200 ≤ W ≤ 400 130 ≤ D ≤ 200 250 ≤ H ≤ 1100 The default chamfer of the front end of the lamine is 30mm	Waterproof MDF	Lacquer	The back panel of carcase base material is 25mm, and the right side board is a 1 mm plywood base material with HPL finish on both side; the height is less than 800mm for two shelves, ≥800mm for three shelves.The positions of the shelves are evenly distributed and space is reserved between them.
	YSG038		200 ≤ W ≤ 700 130 ≤ D ≤ 250 100 ≤ H ≤ 250	/	Standard carcase panel Special carcase panel	Made into 12mm basic material
	YSG045		300 ≤ W ≤ 1400 80 ≤ H ≤ 200 120 ≤ D ≤ 200	/	Standard carcase panel Special carcase panel	
	YSG048		300 ≤ W ≤ 1200 130 ≤ D ≤ 180 gd=19	MDF (PVC foil) /waterproof MDF (lacquer)	PVC foil, lacquer	PWNC0018 shelf clamp is optional. When the length is L ≤ 800, two shelf clamps are used; when L > 800, three shelf clamps are used. PWNS0053 tray is optional. When the length is L ≤ 800, two trays are used; L > 800, three trays are used.PWNC0025 shelf clamp is optional. When the length is L ≤ 1000, two shelf clamps are used; when L > 1000, three shelf clamps are used.

Note: Items with ★ are new crafts;

Name	Code	Drawing	Size	Material	Finish	Notes
Shelf	YSG050		300 ≤ W ≤ 1200 130 ≤ D ≤ 180 gd=19	MDF (PVC foil) /waterproof MDF (lacquer)	PVC foil, lacquer	PWNC0018 shelf clamp is optional. When the length is L ≤ 800, two shelf clamps are used; when L > 800, three shelf clamps are used.
	YSG051		300 ≤ W ≤ 1200 130 ≤ D ≤ 180 gd=19	MDF (PVC foil) /waterproof MDF (lacquer)	PVC foil, lacquer	PWNC0025 shelf clamp is optional. When the length is L ≤ 1000, two shelf clamps are used; when L > 1000, three shelf clamps are used.
	YSB276 ★		500 ≤ W ≤ 1000 170 ≤ D ≤ 300 D=25	Waterproof MDF	Lacquer	For matching shelf brackets, please refer to the order requirements and bracket process for the quantity and model matching rules.





Note: Items with ★ are new crafts;

Countertop

Material category	Profile name	Code	Thickness (mm)	Craft Instruction	Drawing	Matched materials
OPPEIN quartz stone	Straight edge	YTS005D015	15	Single countertop Length ≤1800mm, Depth ≤ 760mm.		PWTY1043
Quartz stone	Straight edge 20	YTS001A	20	1.Standard depth 570mm. 2.The length of a single table is ≤ 3000mm, the depth is ≤ 760mm.Not suitable for "L" type countertops (tabletops with basin holes, the length of a single countertop is less than or equal to 2400mm). 3.L-shaped bracket installation table: length ≤900mm, 390mm ≤ depth ≤ 550mm. 4.The 40/60 thick table top adopts aluminum alloy strip, and the standard thickness of aluminum alloy strip is 20mm and 40mm; the rest thickness adopts quartz stone strip.		Suitable for quartz stone P3\P5 series
	Straight edge 40	YTS001B	40			Suitable for quartz stone P5 series
	Straight edge 60	YTS001C	60			
	Straight edge 90	YTS001D	90			
	Straight edge 120	YTS001E	120			
	Straight edge 150	YTS001F	150			
	Straight edge 200	YTS001H	200			
	Top round edge 40	YTS002B	40			
	Top round edge 60	YTS002C	60			
	40 front bevel front splash	YTS003B	40			
	60 front bevel front splash	YTS003C	60			




Note: Items with ★ are new crafts;

Countertop

Material category	Profile name	Code	Thickness (mm)	Craft Instruction	Drawing	Matched materials
Quartz stone	Roman edge 40	YTS004B	40	1. Standard depth 570mm. 2. The length of a single table is ≤ 3000mm, the depth is ≤760mm.Not suitable for "L" type countertops (tabletops with basin holes, the length of a single countertop is less than or equal to 2400mm). 3.L-shaped bracket installation table: length ≤900mm, 390mm ≤ depth ≤550mm. 4.The 40/60 thick table top adopts aluminum alloy strip, and the standard thickness of aluminum alloy strip is 20mm and 40mm; the rest thickness adopts quartz stone strip.		Suitable for quartz stone P5 series
	Roman edge 60	YTS004C	60			
	Bevel edge 40	YTS005B	40			
	T3 edge	YTS007B	60			
	Hanging 120 straight edge	YTS014E	120	1. Processing range: 700mm≤table length≤ 2200mm, 500mm≤table depth≤600mm; 2. The countertop panel is cut 45 degrees before bonding; 3. Adhere 15*25/20mm aluminum alloy strips on the countertop for lateral reinforcement, and paste 2 pieces of 15mm matte white plywood strips to fix them with L-shaped brackets; 4. L1: the distance between the basin holes; when the under-counter basin is a square basin, such as: PBDPA004, etc., L1 160mm; when the under-counter basin is an oval basin, such as: PBDPA002/PBDPA001, etc., L1 110mm; 5. When the countertop is cut corner, L2: the basin hole is away from the edge of the original countertop - the cut corner is wide, when the vessel bathroom sink is a square basin such as: PBDPA004, etc., L2 150mm; when the under-mount bathroom sink is an oval basin, Such as: PBDPA002/PBDPA001, etc., L2 100mm 6. YTS014E and YTS014F are suitable for vessel bathroom sink and drop-in bathroom sink; YTS014G is only suitable for under-mount bathroom sink PBDPA002\PBDPA001\PBDPA004.		Suitable for quartz stone P3\P5 series
	Hanging 150 straight edge	YTS014F	150			
	Hanging 200 straight edge	YTS014G	200			
Phoenix stone	Straight edge	YTF001A	18	The length of a single piece of countertop is ≤ 2000mm, the width is ≤ 760mm, and the thickness of the edge is 18mm; it is not suitable for "L" type countertops; the standard width of the countertop panel is 495\525\560mm.		Phoenix stone

Note: Items with ★ are new crafts;

Back splash of countertop

Material category	Profile name	Code	Thickness (mm)	Craft Instruction	Drawing	Matched materials
Back splash of countertop	Straight edge	YTH001	20	Quartz stone: For 15/20mm countertop, standard height of back splash on the straight edge is 40mm.		Quartz stone
Back splash of phoenix stone	Straight edge	YTH010	18	1. The back splash is furnished with glue and spliced on the spot; 2. The thickness of the back splash is 18mm and the standard height is 40mm, which is used for the countertop made of 18mm thick countertop material		Phoenix stone
Basin edge crafts	Top round edge	YTI001	/	Quartz stone/Phoenix stone		Only suitable for under-mount bathroom sink
	Bevel edge	YTI003	/	OPPEIN quartz stone		
			/	Quartz stone P series		

Note: Items with ★ are new crafts;

Installation method

Type	Installation code	Illustration	Installation method	Matched material
Pasting type	YTZ004		1. The countertop and the basin are bonded and shipped. 2. Paste method: directly use AB glue to bond.	Phoenix stone\Quartz stone\Sinter surface
Fastening type	YTZ005		1. The countertop and the basin are not bonded when they are delivered, but are bonded on site; 2. Drill a hole in the center of four artificial stone blocks of length 50mm*width 50mm*thickness 12mm. Use special glue to stick the stones around the pot hole on the countertop. The vertical distance between the side of the stone block and the pot hole is 50mm, and then match it with the countertop. The basin fastener PWNQ0001, the fastener can be locked after the glass glued basin is applied on site. 3. When the design width of the cabinet is the minimum cabinet width corresponding to the fastener type, only YTZ004 (AB glue) can be selected for the basin gluing method, otherwise the basin will be dry.	Quartz stone
Drop-in type	YTZ007		The placed basin installation method is the basin installation method of the vessel bathroom sink and drop-in bathroom sink countertop: the basin and the countertop are shipped separately, and the shopping mall can place the basin on the countertop basin hole, and apply a circle of glass glue around it.	Phoenix stone\Quartz stone\Sinter surface
Spliced type	YTZ010		A pot-filling method in which the pot is spliced by a 45-degree process of sinter surface	Sinter surface (Except PWTE0028/ PWTE0052/ PWTE0053)
	YTZ011		The basin is made of 45-degree sinter surface splicing, surrounded by water-retaining basin edges, matching the countertop technology YTE006D/E/F.	
	YTZ012		1.1900 ≤ W ≤ 2000(basin sink W=750);585 ≤ D ≤ 600(basin sink D=360); 2.Match with YTE002B 3.Double basin sink	
	YTZ012A		1.1500 ≤ Ws2000(basin sink W=550);585 ≤ D ≤ 600(basin sink D=360); 2.Matching with YTE002B 3.Double basin sink	







Note: Items with ★ are new crafts;

Mirror	Code	Picture	Drawing		Size	Base material	Finish	Matching mirror craft	Notes
			Main view	Side view					
Wood back panel	YJB004B				400≤ W ≤ 2300 500≤ H ≤ 1200 D=Thickness of material	/	Standard carcass panel Special carcass panel (including PVC)	YPA002/ YPM002D	Double-faced material is used for standard carcass panel, melamine, green panel and wood veneer only and single-faced material is used for others
	YJB007				400≤ W ≤ 1600 500≤ H ≤ 1200 120≤ D ≤ 200	/	Standard carcass panel Special carcass panel (including PVC)	YPA002/ YPM002D	The color of mirror and shelf should be the same; Double-faced material is used for standard carcass panel, melamine, green panel and wood veneer only and single-faced material is used for others
	YJB007A				400≤ W ≤ 1600 500≤ H ≤ 1200 120≤ D ≤ 200	/	Standard carcass panel Special carcass panel (including PVC)	YPA002/ YPM002D	
	YJB010				φ=520,620,720,820,920	Waterproof MDF	Lacquer	YPN009/ YPN010	/
	YJB016				500≤ W ≤ 1600 500≤ H ≤ 1200 D=Thickness of material	/	Special carcass panel	YPN007	
	YJB016A				500≤ W ≤ 1600 500≤ H ≤ 1200 D=18	Plywood	Double matte white	YPN007	
	YJB017				500≤ W ≤ 1600 500≤ H ≤ 1200 120≤ D ≤ 150	/	Standard and special carcass	YPM002D YPA002	







Note: Items with ★ are new crafts;For special carcasses, mirror doors can be made only with melamine/ green panel/ lacquer/ wood veneer (PVC excluded); the pictures above are for reference only for they may differ from the actual products.

Mirror	Code	Picture	Drawing		Size	Base material	Finish	Matching mirror craft	Notes
			Main view	Side view					
Wood back panel	YJB018				500≤ W ≤ 1200 1200≤ H ≤ 2200 D=Thickness of material	/	standard carcass panel\special carcass panel (lacquer , PVC default single-sided)	YPM002D	When W=500, configure 3 PWWL0256 hooks. For every 100mm increase in width, add 1 PWWL0256 hook, and the spacing between each hook is 100mm.
Mirror	YJD001				300≤ W ≤ 1800 300≤ H ≤ 1200 D=4 (plus the thickness of the hardware is 10)	/	/	YPA002/ YPM002D	/
	YJD002				300≤ W ≤ 1600 300≤ H ≤ 1200 D=4 (plus the thickness of the hardware is 10)	/	/	YPL005/ YPL008/ YPM015	
Aluminum beam	YJH001B				300≤ W ≤ 2300 300≤ H ≤ 1600 D=32	/	/	YPA002 YPB007 YPL005 YPM002D YPE003 YPN011 YPN012 YPB011 YPB009 YPN014	Light strip is optional
	YJH002				φ=500,600,650,700,800,900 D=32	/	/	YPN009 YPN010	Optional light strip and hand sensor switch
	YJH003★				φ=800,900,1000 D=32	/	/	YPB013 YPB013A YPB013B	Standard light strip, power supply, switch, anti-fog film

Note: Items with ★ are new crafts;For special carcasses, mirror doors can be made only with melamine/ green panel/ lacquer/ wood veneer (PVC excluded); the pictures above are for reference only for they may differ from the actual products.

Mirror	Code	Picture	Drawing		Size	Base material	Finish	Matching mirror craft	Notes
			Main view	Side view					
Aluminum edge banding	YJL003	 The figure shows the reverse side of the product			300≤ W≤ 2200 450≤ H ≤1200	/	/	YPM002D YPM002E	Silver aluminum edge banding
	YJL003A	 The figure shows the reverse side of the product			300≤ W≤ 2200 450≤ H ≤1200	/	/	YPM002D YPM002E	Black aluminum edge banding
	YJL003B	 The figure shows the reverse side of the product			300≤ W≤ 2200 450≤ H ≤1200	/	/	YPM002D YPM002E	Brass brushed aluminum edge banding
	YJL003C	 The figure shows the reverse side of the product			300≤ W≤ 2200 450≤ H ≤1200	/	/	YPM002D YPM002E	Aluminum edge banding
Functional mirror	YJN002			/	460≤ W≤ 2200 460≤ H ≤1200 (2*W+2*H) ≤ 5950	/	/	YPQ008	Aluminum frame in silver color; sensor power, light strip, and piercing coil are provided.
	YJN008			/	460≤ W≤ 2200 460≤ H ≤1200 (2*W+2*H) ≤ 5950	/	/	YPQ008	Sensor power, light strip, and piercing coil are provided; matched with YPH001 or YPH002 light strip

Note: Items with ★ are new crafts;For special carcasses, mirror doors can be made only with melamine/ green panel/ lacquer/ wood veneer (PVC excluded); the pictures above are for reference only for they may differ from the actual products.

Mirror	Code	Picture	Drawing		Size	Base material	Finish	Matching mirror craft	Notes
			Main view	Side view					
Functional mirror	YJN010			/	400≤ W≤ 2200 460≤ H ≤1200 (2*W+2*H) ≤ 5950	/	/	YPQ008	Gray aluminum frame; sensor power, light strip, and piercing coil are provided.
	YJN011			/	400≤ W≤ 2200 460≤ H ≤1200 (2*W+2*H) ≤ 5950	/	/	YPQ008	Black aluminum frame; sensor power, light strip, and piercing coil are provided.
	YJN013				φ=500,600,700, 800,900	/	/	YPQ010	Sensor and light strip are provided.
	YJN013A			 Aluminum beam Power protection box	φ=600,700,800, 900	/	/	YPQ010 (Frosted glass) YPQ010A	Sensor and light strip are provided.
	YJN014			/	When the anti-fog film size is YPH001 (350*450), 500 ≤W≤ 2200, 700mm≤ H≤ 1200 and (2*W+2*H) ≤ 5950mm; When the anti-fog film size is YPH002 (450*600) , 600 ≤W≤ 2200, 900mm≤ H≤ 1200, and (2*W+2*H) ≤ 5950.	/	/	YPQ011	The color of the aluminum frame is silver-white, and it comes standard with light strip, power supply, light strip, light strip touch switch, anti-fog film, and anti-fog film touch switch.
	YJN015								The color of the aluminum frame is blank, and it comes standard with light strip, power supply, light strip touch switch, anti-fog film, and anti-fog film touch switch.
	YJN016								The color of the aluminum frame is gray, and it comes standard with light strip, power supply, light strip touch switch, anti-fog film, and anti-fog film touch switch.







Note: Items with ★ are new crafts;For special carcasses, mirror doors can be made only with melamine/ green panel/ lacquer/ wood veneer (PVC excluded); the pictures above are for reference only for they may differ from the actual products.

Mirror	Code	Picture	Drawing		Size	Base material	Finish	Matching mirror craft	Notes
			Main view	Side view					
Functional mirror	YJN017				W500*H840mm	/	/	YPQ012	Standard power supply, light strip, light strip touch switch, anti-fog film.
	YJN018			/	1. When the anti-fog film size is YPH001 (350*450), 500≤W≤2200mm, 700mm≤H≤1200mm, and (2*W+2*H)≤5950mm; 2. When the anti-fog film size is YPH002 (450*600), 600≤W≤2200mm, 900mm≤H≤1200mm, and (2*W+2*H)≤5950mm.	/	/	YPQ011	The color of the aluminum frame is brushed brass, and it comes standard with light strip, power supply, light strip, light strip touch switch, anti-fog film, and anti-fog film touch switch.
	YJN019				W500*H840mm	/	/	YPQ013	Standard power supply, light strip, light strip touch switch, anti-fog film.
	YJN020				1. When the anti-fog film size is YPH001 (350*450), 600≤W≤1200mm, 840mm≤H≤1200mm; 2. When the anti-fog film size is YPH002 (450*600), 700≤W≤1200mm, 990mm≤H≤1200mm.	/	/	YPQ011 (Frosted glass) YPQ011A	Standard light strip power supply, light strip, light strip touch switch, anti-fog film, anti-fog film touch switch.
	YJN021				400 ≤W ≤ 600 600 ≤H ≤840	/	/	YPQ008 (Frosted glass) YPQ008A	Comes standard with light strip power supply, light strip, YPH003 anti-fog film, touch switch, one touch switch controls the light strip and anti-fog film at the same time.
	YJN022A★				φ=800	/	/	YPQ014	Standard light strip power supply, light strip, light strip touch switch, anti-fog film, anti-fog film touch switch.
	YJN022B★				φ=1000				



Note: Items with ★ are new crafts;For special carcasses, mirror doors can be made only with melamine/ green panel/ lacquer/ wood veneer (PVC excluded); the pictures above are for reference only for they may differ from the actual products.

Mirror	Code	Picture	Drawing		Size	Base material	Finish	Matching mirror craft	Notes
			Main view	Side view					
Functional mirror	YJN023A★				φ=700	/	/	YPQ015	Standard light strip power supply, light strip, light strip touch switch, anti-fog film, anti-fog film touch switch.
	YJN023B★				φ=800	/	/		
	YJN023C★				φ=900	/	/		
	YJN024A★				φ=600	/	/	YPQ016	Standard light strip power supply, light strip, light strip touch switch, anti-fog film, anti-fog film touch switch.
	YJN024B★				φ=700				
	YJN024C★				φ=800				
Special mirror	YJT001				400 ≤W ≤ 1600 500 ≤H ≤1200	Alder wood	Poplar paint	YPM002D	/
	YJT034				400 ≤W ≤ 1600 500 ≤H ≤1200 100 ≤D ≤ 300	/	Standard carcass panel Special carcass panel		

Note: Items with ★ are new crafts;For special carcasses, mirror doors can be made only with melamine/ green panel/ lacquer/ wood veneer (PVC excluded); the pictures above are for reference only for they may differ from the actual products.

Mirror	Code	Picture	Drawing		Size	Base material	Finish	Matching mirror craft	Notes
			Main view	Side view					
Special mirror	YJT067				$400 \leq W \leq 1600$ $500 \leq H \leq 1200$ D=21	Alder wood	Alder lacquer/matte lacquer	YPM002D	Outline in gold
	YJT070A				$400 \leq W \leq 1600$ $500 \leq H \leq 1200$ D=150	Alder wood	Alder lacquer/matte lacquer	YPM002D	
	YJT088				W=1800 D=150 H=840	Waterproof particle board, waterproof MDF combination	Melamine PWMA0122 +lacquer PWMK3016	Mirror door YMO001B Mirror door mirror YPM002D Back panel YPB008	1. It is furnished with sucked type movable magnifying glass PBHJ0026; 2. It should be furnished with PBZL00273000 and PBZP0054.
	YJT089				$600 \leq W \leq 1600$ $500 \leq H \leq 1200$ $175 \leq D \leq 300$	Water-proof particle board	Melamine, green panel	YPM002D YPA002	Applicable aluminum edge banding: PWFL0018 Width of mirror sheet=net width of cabinet W-200mm; Height of mirror sheet=net height of cabinet H-70mm.
	YJT089A								
	YJT090				$800 \leq W \leq 1200$ D=170 $720 \leq H \leq 1000$	/	Standard carcass panel Special carcass panel	YPM002D	1. Sliding mirror door is YMO001B/Y-MO001C/YMO001D; 2. PBZQ0050 series embedded light is installed on the top panel and the shelf 3. Furnished with PWNR0002 matte black metal round rod.
	YJT093				$800 \leq W \leq 1200$; W1,W2 197; $150 \leq D \leq 300$; $600 \leq H \leq 1200$	/	Standard carcass panel Special carcass panel	YPM002D	Mirror door fixation technology YMO001B /YMO001C /YMO001D, shelves optional;















Note: Items with ★ are new crafts;For special carcasses, mirror doors can be made only with melamine/ green panel/ lacquer/ wood veneer (PVC excluded); the pictures above are for reference only for they may differ from the actual products.

Mirror	Code	Picture	Drawing		Size	Base material	Finish	Matching mirror craft	Notes
			Main view	Side view					
Special mirror	YJT095			/	$786 \leq W \leq 1200$; $(250 \leq W1 \leq 300$; $W2=(W1-9)*2$; $150 \leq D \leq 350$; $480 \leq H \leq 720$	/	Standard carcass panel Special carcass panel	YPM002D	Left and right mirror doors should use PWWM0094 stainless steel 180° air hinges and the middle door should use conventional full overlay hinge. It should be furnished with rebounder.
Mirror with Decorative Frame	YJZ002				$400 \leq W \leq 2300$ $500 \leq H \leq 1500$ D=Thickness of material	/	Mirror decorative panel Standard carcass panel and special carcass panel (including veneer, paint, PVC, HPL, melamine, green panel) are optional. Finish, melamine and standard carcass panel can be double-faced and others can be single-faced.	YPM002D	When the width is $400 \leq W \leq 1000$ or $500 \leq H \leq 900$, the frame width is X=60mm; when the width is $1000 < W \leq 2300$ or $900 < H \leq 1500$, the frame width is X=80mm; the width of other sides cannot be customized.










Note: Items with ★ are new crafts;For special carcasses, mirror doors can be made only with melamine/ green panel/ lacquer/ wood veneer (PVC excluded); the pictures above are for reference only for they may differ from the actual products.

Functional mirror	Metal Frame Color							The supplementary function					
	Aluminum frame				Stainless steel		No metal frame	Lighting (with light strip)	The lamp with power	Individual control light with touch switch	Anti-fog film	Separately control the anti-fog membrane touch switch	One touch switch controls light strip and anti-fog film at the same time
	silver color	brass brushed	gun gray	black	Brown gold brushed	tan							
YJN002								√	√	√			
YJN008								√	√	√			
YJN010								√	√	√			
YJN011								√	√	√			
YJN013							√	√	√	√			
YJN013A							√	√	√		√		√
YJN014								√	√	√	√	√	
YJN015								√	√	√	√	√	
YJN016								√	√	√	√	√	
YJN017							√						
YJN018								√	√	√	√	√	
YJN019							√						
YJN020							√	√	√	√	√	√	
YJN021							√	√	√		√		√
YJN022A/ YJN022B								√	√	√	√	√	
YJN023A/ YJN023B/ YJN023C								√	√	√	√	√	
YJN024A/ YJN024B/ YJN024C								√	√	√	√	√	












Note: Items with ★ are new crafts;For special carcasses, mirror doors can be made only with melamine/ green panel/ lacquer/ wood veneer (PVC excluded); the pictures above are for reference only for they may differ from the actual products.

Mirror	Code	Picture	Drawing		Thickness	Material	Notes
			Main view	Side view			
Bevel edge	YPA002				4mm	copper-free mirror	Rectangle mirror, bevel 15mm unchanged
Frosted glass	YPB007			/	4mm	copper-free mirror	Frosted shape and size R10/40 immutable, position size 50/60 immutable, W1=W-120
	YPB008				4mm	copper-free mirror	Frosted shape and margins immutable
Frosted fillet mirror	YPB009				4mm	copper-free mirror	Frosted width 25mm, fillet R50, need matching light strip, power supply, hand sensor switch
	YPB011				4mm	copper-free mirror	Frosted width 25mm, fillet R50, need matching light strip, power supply, hand sensor switch
Frosted mirror	YPE003				4mm	copper-free mirror	Frosted shape and margins immutable
Fillet mirror	YPL005				4mm	copper-free mirror	Fillet R50
	YPL006				4mm	copper-free mirror	Chamfer R150

Note: Items with ★ are new crafts;

Mirror	Code	Picture	Drawing		Thickness	Material	Notes
			Main view	Side view			
Fillet mirror	YPL007				4mm	copper-free mirror	Chamfer R100
	YPL008				4mm	copper-free mirror	Chamfer R20
Rectangle mirror	YPM002 D				4mm	copper-free mirror	/
	YPM002E				4mm	copper-free mirror	Explosion-proof film on the back
	YPM005A			/	3mm	copper-free mirror	Centered frosted, with OPPEIN logo, with finger switch logo, only for door YMO023D.
	YPM006A			/	3mm	copper-free mirror	Left side frosted, with OPPEIN logo, with finger switch logo, only for door YMO023D.
	YPM007A			/	3mm	copper-free mirror	Right side frosted, with OPPEIN logo, with finger switch logo, only for door YMO023D.

Note: Items with ★ are new crafts;

Mirror	Code	Picture	Drawing		Thickness	Material	Notes
			Main view	Side view			
Rectangle mirror	YPM008A			/	3mm	copper-free mirror	Frosted on both sides, with OPPEIN logo, with finger switch logo, only for door YMO023D.
	YPM009A			/	3mm	copper-free mirror	Ring type frosted, with OPPEIN logo, with finger switch logo, only for door YMO023D.
	YPM008B			/	3mm	copper-free mirror	Both sides are frosted, with finger switch logo, the digital display position needs to be desilvered, only suitable for door YMO023H.
	YPM009B			/	3mm	copper-free mirror	Ring type frosted, with finger switch logo, the digital display position needs to be desilvered, only suitable for door YMO023H.
	YPM006C			/	3mm	copper-free mirror	The left side is frosted, with OPPEIN logo, with finger switch logo, with anti-fog switch logo, only for door YMO023F.
	YPM007C			/	3mm	copper-free mirror	The right side is frosted, with OPPEIN logo, with finger switch logo, with anti-fog switch logo, only for door YMO023F.
	YPM008C			/	3mm	copper-free mirror	Both sides are frosted, with OPPEIN logo, with finger switch logo, with anti-fog switch logo, only for door YMO023F.











Note: Items with ★ are new crafts;

Mirror	Code	Picture	Drawing		Thickness	Material	Notes
			Main view	Side view			
Rectangle mirror	YPM009C			/	3mm	copper-free mirror	Ring type frosted, with OPPEIN logo, with finger switch logo, with anti-fog switch logo, only for door YMO023F.
	YPM010			/	3mm	copper-free mirror	Explosion-proof film on the back
	YPM015			/	4mm	copper-free mirror	The four corners are 42*42mm bevels, and the bevel size is immutable
Round mirror	YPN009				4mm	copper-free mirror	Diameter=500\600\650\700\800\900
	YPN010				4mm	copper-free mirror	Diameter=500\600\650\700\800\900, beveled around
	YPN011				4mm	copper-free mirror	Mirror size: W=850; H=840 (frosted position/size remains immutable) need matching light strip, power supply, touch switch
	YPN012				4mm	copper-free mirror	Mirror size: W=700; H=840 (frosted position/size remains immutable) need matching light strip, power supply, touch switch


Note: Items with ★ are new crafts;

Mirror	Code	Picture	Drawing		Thickness	Material	Notes
			Main view	Side view			
Functional mirror	YPN014★			/	4mm	copper-free mirror	W=450mm 800 ≤ H≤1200mm
	YPQ008			/	4mm	copper-free mirror	/
	YPQ008A			/	4mm	copper-free mirror	/
	YPQ010				4mm	copper-free mirror	Mirror diameter =500/600/700/800/900, frosted width 12mm
Anti-fog function mirror	YPQ010A				4mm	copper-free mirror	Mirror diameter = 600/700/800/900
	YPQ011			/	4mm	copper-free mirror	Frosted width 12mm
	YPQ011A			/	4mm	copper-free mirror	/

Note: Items with ★ are new crafts;

Mirror	Code	Picture	Drawing		Thickness	Material	Notes
			Main view	Side view			
Anti-fog function mirror	YPQ012			/	4mm	copper-free mirror	The frosted width is 10mm, and the mirror size immutable
	YPQ013			/	4mm	copper-free mirror	The frosted width is 10mm, and the mirror size immutable
	YPB013★				4mm	copper-free mirror	/
	YPB013A★						
	YPB013B★						
	YPQ014★				4mm	copper-free mirror	Mirror outer diameter=797/997, frosted width 17mm
	YPQ015★				4mm	copper-free mirror	Mirror outer diameter=696/796/896, frosted width 32mm

Note: Items with ★ are new crafts;

Mirror	Code	Picture	Drawin		Thickness	Material	Notes
			Main view	Side view			
Anti-fog function mirror	YPQ016★			/	4mm	copper-free mirror	W=450mm 800 ≤ H≤1200mm

Functional accessories and mirror

	
Name	Movable magnifying glass
Code	★ PBHJ0026
Size	φ146
Description	1. Three-fold magnification 2. Suction installation, easy to move

Note: Items with ★ are new crafts;

Grade C series


																																			
<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0018</td><td>96</td><td>114</td><td>Built-in type</td></tr></table> Note: Built-in handle is applicable to sliding door only and should be installed vertically	Grade C	Hole distance	Total length	Height	PWWL0018	96	114	Built-in type	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0031A</td><td>Single hole</td><td>45</td><td>25</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0031A	Single hole	45	25	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0036A</td><td>Single hole</td><td>37</td><td>29</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0036A	Single hole	37	29	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0036B</td><td>96</td><td>134</td><td>29</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0036B	96	134	29
Grade C	Hole distance	Total length	Height																																
PWWL0018	96	114	Built-in type																																
Grade C	Hole distance	Total length	Height																																
PWWL0031A	Single hole	45	25																																
Grade C	Hole distance	Total length	Height																																
PWWL0036A	Single hole	37	29																																
Grade C	Hole distance	Total length	Height																																
PWWL0036B	96	134	29																																
																																			
<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0043</td><td>128</td><td>146</td><td>28</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0043	128	146	28	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0050A</td><td>Single hole</td><td>35</td><td>29</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0050A	Single hole	35	29	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0054</td><td>96</td><td>146</td><td>22</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0054	96	146	22	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0066</td><td>224</td><td>250</td><td>24</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0066	224	250	24
Grade C	Hole distance	Total length	Height																																
PWWL0043	128	146	28																																
Grade C	Hole distance	Total length	Height																																
PWWL0050A	Single hole	35	29																																
Grade C	Hole distance	Total length	Height																																
PWWL0054	96	146	22																																
Grade C	Hole distance	Total length	Height																																
PWWL0066	224	250	24																																
																																			
<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0130</td><td>Single hole</td><td>40</td><td>21</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0130	Single hole	40	21	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0142</td><td>16</td><td>60</td><td>28</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0142	16	60	28	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0143</td><td>128</td><td>137</td><td>25</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0143	128	137	25	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0188</td><td>Single hole</td><td>32</td><td>30</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0188	Single hole	32	30
Grade C	Hole distance	Total length	Height																																
PWWL0130	Single hole	40	21																																
Grade C	Hole distance	Total length	Height																																
PWWL0142	16	60	28																																
Grade C	Hole distance	Total length	Height																																
PWWL0143	128	137	25																																
Grade C	Hole distance	Total length	Height																																
PWWL0188	Single hole	32	30																																
																																			
<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0194</td><td>64</td><td>103</td><td>26</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0194	64	103	26	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0197B</td><td>96</td><td>114</td><td>30</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0197B	96	114	30	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0198</td><td>Single hole</td><td>20</td><td>30</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0198	Single hole	20	30	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0199</td><td>128</td><td>146</td><td>30</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0199	128	146	30
Grade C	Hole distance	Total length	Height																																
PWWL0194	64	103	26																																
Grade C	Hole distance	Total length	Height																																
PWWL0197B	96	114	30																																
Grade C	Hole distance	Total length	Height																																
PWWL0198	Single hole	20	30																																
Grade C	Hole distance	Total length	Height																																
PWWL0199	128	146	30																																
																																			
<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0202</td><td>32</td><td>45</td><td>25</td></tr></table> Note: The handle should be installed horizontally only.	Grade C	Hole distance	Total length	Height	PWWL0202	32	45	25	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0203A</td><td>192</td><td>233</td><td>17</td></tr></table> Note: For the following door profiles only: YMG002\YMK001\YMA001	Grade C	Hole distance	Total length	Height	PWWL0203A	192	233	17	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0220</td><td>96</td><td>117</td><td>27</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0220	96	117	27	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0222</td><td>96</td><td>140</td><td>28</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0222	96	140	28
Grade C	Hole distance	Total length	Height																																
PWWL0202	32	45	25																																
Grade C	Hole distance	Total length	Height																																
PWWL0203A	192	233	17																																
Grade C	Hole distance	Total length	Height																																
PWWL0220	96	117	27																																
Grade C	Hole distance	Total length	Height																																
PWWL0222	96	140	28																																

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Grade C series

																																			
<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0226</td><td>Single hole</td><td>60</td><td>16</td></tr></table> Note: It can be used for YMA036/YMA036AMY-MA036B only and should be installed vertically	Grade C	Hole distance	Total length	Height	PWWL0226	Single hole	60	16	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0229A</td><td>22.5</td><td>60</td><td>26</td></tr></table> Note: It can be used for YMG081A/YMG081B only	Grade C	Hole distance	Total length	Height	PWWL0229A	22.5	60	26	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0232</td><td>128</td><td>138</td><td>20</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0232	128	138	20	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0318</td><td>64</td><td>85</td><td>41</td></tr></table> Note:Only applicable to YMG002, YMK001, YMA001, YMC003, YMP016;	Grade C	Hole distance	Total length	Height	PWWL0318	64	85	41
Grade C	Hole distance	Total length	Height																																
PWWL0226	Single hole	60	16																																
Grade C	Hole distance	Total length	Height																																
PWWL0229A	22.5	60	26																																
Grade C	Hole distance	Total length	Height																																
PWWL0232	128	138	20																																
Grade C	Hole distance	Total length	Height																																
PWWL0318	64	85	41																																


Grade B series

																																			
<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0001B</td><td>96</td><td>132</td><td>31</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0001B	96	132	31	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0093</td><td>128</td><td>164</td><td>24</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0093	128	164	24	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0109</td><td>128</td><td>137</td><td>9</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0109	128	137	9	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0150</td><td>Single hole</td><td>34</td><td>42</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0150	Single hole	34	42
Grade C	Hole distance	Total length	Height																																
PWWL0001B	96	132	31																																
Grade C	Hole distance	Total length	Height																																
PWWL0093	128	164	24																																
Grade C	Hole distance	Total length	Height																																
PWWL0109	128	137	9																																
Grade C	Hole distance	Total length	Height																																
PWWL0150	Single hole	34	42																																
																																			
<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0165</td><td>128</td><td>145</td><td>20</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0165	128	145	20	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0166</td><td>160</td><td>198</td><td>29</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0166	160	198	29	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0166A</td><td>96</td><td>135</td><td>29</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0166A	96	135	29	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0175</td><td>64</td><td>89</td><td>20</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0175	64	89	20
Grade C	Hole distance	Total length	Height																																
PWWL0165	128	145	20																																
Grade C	Hole distance	Total length	Height																																
PWWL0166	160	198	29																																
Grade C	Hole distance	Total length	Height																																
PWWL0166A	96	135	29																																
Grade C	Hole distance	Total length	Height																																
PWWL0175	64	89	20																																
																																			
<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0176</td><td>128</td><td>170</td><td>32</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0176	128	170	32	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0189</td><td>18</td><td>96</td><td>19</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0189	18	96	19	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0200</td><td>128</td><td>172</td><td>36</td></tr></table>	Grade C	Hole distance	Total length	Height	PWWL0200	128	172	36	<table><tr><th>Grade C</th><th>Hole distance</th><th>Total length</th><th>Height</th></tr><tr><td>PWWL0203B</td><td>384</td><td>473</td><td>17</td></tr></table> Note: For the following door profiles only: YMG002\YMK001\YMA001	Grade C	Hole distance	Total length	Height	PWWL0203B	384	473	17
Grade C	Hole distance	Total length	Height																																
PWWL0176	128	170	32																																
Grade C	Hole distance	Total length	Height																																
PWWL0189	18	96	19																																
Grade C	Hole distance	Total length	Height																																
PWWL0200	128	172	36																																
Grade C	Hole distance	Total length	Height																																
PWWL0203B	384	473	17																																

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Handles

Grade B series

			
Grade B Hole distance Total length Height PWWL0229B 22.5 105 26 Note: It can be used for YMG081A/YMG081B	Grade B Hole distance Total length Height PWWL0230 16 80 24	Grade B Hole distance Total length Height PWWL0234 160 169 29	Grade B Hole distance Total length Height PWWL0269A 128 165 30
			
Grade B Hole distance Total length Height PWWL0269B 128 165 30	Grade B Hole distance Total length Height PWWL0270 128 192 30	Grade B Hole distance Total length Height PWWL0299 160 167 25.3	Grade B Hole distance Total length Height PWWL0310 128 139.2 16.6
			
Grade B Hole distance Total length Height PWWL0311B 64 100 13	Grade B Hole distance Total length Height PWWL0312D 224 280 19	Grade B Hole distance Total length Height PWWL0319 96 160 33	Grade B Hole distance Total length Height PWWL0313L 64 140 120
			
Grade B Hole distance Total length Height PWWL0313R 64 140 120	Grade B Hole distance Total length Height PWWL0391A 320 400 20	Grade B Hole distance Total length Height PWWL0391C 96 120 20	Grade B Hole distance Total length Height PWWL0392 64 100 24.5
			
Grade B Hole distance Total length Height PWWL0393 16 80 28	Grade B Hole distance Total length Height PWWL0407 32 105 25		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.


Handles

HARDWARE ACCESSORIES

Grade A series

			
Grade A Hole distance Total length Height PWWL0157 128 145 35	Grade A Hole distance Total length Height PWWL0201 224 292 27	Grade A Hole distance Total length Height PWWL0306A 96 120	Grade A Hole distance Total length Height PWWL0218 160 210 27 Note: For the following door profiles only: YMG002\YMK001\YMA001
			
Grade A Hole distance Total length Height PWWL0312A 480 580 19	Grade A Hole distance Total length Height PWWL0312B Three-hole 352 780 19	Grade A Hole distance Total length Height PWWL0312C Three-hole 480 1080 19	

Special handles

			
Grade C Hole distance Total length Height PWWL0187 / 395 20	Grade C Hole distance Total length Height PWWL0255 Single hole 60 25	Grade C Hole distance Total length Height PWWL0256 Single hole 60 25	Grade C Hole distance Total length Height PWWL0320 Four-hole nonstan- dard 500 500 143 Note: It can be used for YMK005D only
			
Grade C Hole distance Total length Height PWWL0409A 148 180 12			

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Blum concealed slid rail
(Half Extension)

							
Name	260 Half Extension	Name	310 Half Extension	Name	360 Half Extension	Name	410 Half Extension
Code	PWWWP002A	Code	PWWWP002C	Code	PWWWP002D	Code	PWWWP002E
Description	Drawer depth: 250mm Max. loading capacity: 30kg Net depth D2 of applicable carcass: D2 265mm	Description	Drawer depth: 300mm Max. loading capacity: 30kg Net depth D2 of applicable carcass: D2 315mm	Description	Drawer depth: 350mm Max. loading capacity: 30kg Net depth D2 of applicable carcass: D2 365mm	Description	Drawer depth: 400mm Max. loading capacity: 30kg Net depth D2 of applicable carcass: D2 415mm

Hettich Hidden Drawer
Slides(Full Extension)

			
Name	350 Full Extension	Name	400 Full Extension
Code	PWWWZ005D	Code	PWWWZ005E
Description	Drawer depth: 340mm Max loading capacity: 30kg Net depth D2 of applicable carcass: 365 ≤D2< 415mm	Description	Drawer depth: 390mm Max loading capacity: 30kg Net depth D2 of applicable carcass: 415 ≤D2< 465mm

Blum Concealed Slid Rail
(Full Extension)

							
Name	260 Full Extension	Name	310 Full Extension	Name	360 Full Extension	Name	410 Full Extension
Code	PWWWWZ006A★	Code	PWWWWZ006C★	Code	PWWWWZ006D★	Code	PWWWWZ006E★
Description	Drawer depth: 250mm Max. loading capacity: 25kg Net depth D2 of applicable carcasse: D2 290mm;Rail length:275mm	Description	Drawer depth: 300mm Max. loading capacity: 25kg Net depth D2 of applicable carcasse: D2 340mm;Rail length:325mm	Description	Drawer depth: 350mm Max. loading capacity: 25kg Net depth D2 of applicable carcasse: D2 390mm;Rail length:375mm	Description	Drawer depth: 400mm Max. loading capacity: 25kg Net depth D2 of applicable carcasse: D2 400mm;Rail length:435mm

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Blum Integrated Drawers

							
Name	BLUM square drawer	Name	BLUM square drawer	Name	BLUM square drawer	Name	BLUM square drawer
Code	PWWWC001DA	Code	PWWWC001DB	Code	PWWWC001EA	Code	PWWWC001EC
Description	Drawer depth: 350mm Max. loading capacity: 30kg; height: 84mm Net depth D2 of applicable carcass: D2 365mm	Description	Drawer depth: 350mm Max. loading capacity: 30kg; height: 135mm Net depth D2 of applicable carcass: D2 365mm	Description	Drawer depth: 400mm Max. loading capacity: 30kg; height: 84mm Net depth D2 of applicable carcass: D2 415mm	Description	Drawer depth: 400mm Max. loading capacity: 30kg; height: 199mm Net depth D2 of applicable carcass: D2 415mm

Inner Drawer

			
Name	BLUM inner drawer	Name	BLUM integrated damping luxurious internally low drawer
Code	PWWWN001DA	Code	PWWWN004BA
Description	Drawer depth: 350mm Max. loading capacity: 30kg; height: 84mm Net depth D2 of applicable carcass: D2 365mm	Description	Drawer depth: 270mm The color of drawer is steel gray; Max. loading capacity: 30kg; height: 84mm Net depth D2 of applicable carcass: D2 285mm

Rebounding Drawer

	
Name	BLUM rebounding drawer
Code	PWWWF003C/D/E
Description	Max. loading capacity: 30kg Drawer depth: 300/350/400mm Net depth D2 of applicable carcass: 315/365/415; Applicable cabinet width W >290

Rebounding Drawer

							
Name	310 Rebound Full Extension	Name	360 Rebound Full Extension	Name	410 Rebound Full Extension	Name	TIP-ON Aluminum Rebound Rail
Code	PWWWF005C ★	Code	PWWWF005D ★	Code	PWWWF005E ★	Code	PWWWF006F ★
Description	Drawer depth:300mm Max loading capacity: 25kg Net depth D2 of applicable carcase: D2 340mm Rail length:325mm Matching with PWWWF006F, a pair of rails are equipped with a synchronization shafts.	Description	Drawer depth:350mm Max loading capacity: 25kg Net depth D2 of applicable carcase: D2 390mm Rail length:375mm Matching with PWWWF006F, a pair of rails are equipped with a synchronization shafts.	Description	Drawer depth:400mm Max loading capacity: 25kg Net depth D2 of applicable carcase: D2 440mm Rail length:435mm Matching with PWWWF006F, a pair of rails are equipped with a synchronization shafts.	Description	Synchronization shaft L= net width W of cabinet -30mm; Synchronization shaft L: L ≤1140mm; Matching with PWWWF005C/D/E rebound rail, one pair of rail is equipped with one synchronization shafts.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Heavy-Duty Slide

	
Name	Heavy-Duty Slide
Code	PWWWT004★
Description	Fixed on the top and bottom panels and connected to the storage cabinet.

Magic Drawer

	
Name	Rebounding drawer with LED light
Code	PWWWC011DB
Description	Drawer depth: 350mm Max. loading capacity: 30kg; Net depth D2 of applicable carcase: D2 375mm.

	
Name	Rebounding drawer with LED light
Code	PWWWC011EB
Description	Drawer depth: 400mm; Max. loading capacity: 30kg; Net depth D2 of applicable carcase: D2 425mm.

Mocha Drawer

	
Name	Mocha Drawer
Code	PWWWS007A
Description	Full drawer D=350mm, H80mm; net depth of carcase depth of guide rail D+15; concealed guide rail, bearing capacity: 30KG; the panel can be adjusted horizontally and vertically.

	
Name	Mocha Drawer
Code	PWWWS007B
Description	Full drawer D=400mm, H80mm; net depth of carcase depth of guide rail D+15; concealed guide rail, bearing capacity: 30KG; the panel can be adjusted horizontally and vertically.

	
Name	Mocha Drawer
Code	PWWWS007C
Description	Full drawer D=350mm, H120mm; net depth of carcase depth of guide rail D+15; concealed guide rail, bearing capacity: 30KG; the panel can be adjusted horizontally and vertically.

	
Name	Mocha Drawer
Code	PWWWS007D
Description	Full drawer D=400mm, H120mm; net depth of carcase depth of guide rail D+15; concealed guide rail, bearing capacity: 30KG; the panel can be adjusted horizontally and vertically.

OPPEIN Three-section Slide

	
Name	OPPEIN Full Extension Three-section Slide (black)
Code	PWWWS001C/D/E
Description	Drawer depth: 300/350/400mm Net depth D of carcase 305mm ≤D 355mm 355mm ≤D 405mm D2 405mm

Hettich Three-section Slide

	
Name	Hettich Three-section Slide
Code	PWWWS002A/G
Description	Drawer depth: 250/500mm Net depth D of applicable carcase: D 255mm/D 505mm.

Note: Items with ★ are new materials;

the pictures above are for reference only for they may differ from the actual products.

U-Shaped Drawer Accessories

	
Name	U-shaped slot(white)
Code	PWWQ0047A
Description	Only suitable for Mocha Drawer with a height of 80mm

	
Name	U-shaped slot(white)
Code	PWWQ0047B
Description	Only suitable for Mocha Drawer with a height of 120mm

	
Name	U-shaped plastic slot (white)
Code	PWWQ0048A
Description	Matching with 83H integrated drawer

	
Name	U-shaped plastic slot (blank)
Code	PWWQ0048B
Description	Matching with 83H integrated drawer

	
Name	U-shaped plastic slot (gray)
Code	PWWQ0049A
Description	Only suitable for Mocha Drawer with a height of 80mm

	
Name	U-shaped plastic slot (gray)
Code	PWWQ0049B
Description	Only suitable for Mocha Drawer with a height of 120mm

Note: Items with ★ are new materials;

the pictures above are for reference only for they may differ from the actual products.

Imported hinges (Luxury series)

	<table><tr><td>Name</td><td>110°integrated dumping full cover hinge</td></tr><tr><td>Code</td><td>PWWM0015</td></tr><tr><td>Description</td><td>Suitable for full-cover doors with door thickness≤22mm.</td></tr></table>	Name	110°integrated dumping full cover hinge	Code	PWWM0015	Description	Suitable for full-cover doors with door thickness≤22mm.		<table><tr><td>Name</td><td>110°integrated dumping half cover hinge</td></tr><tr><td>Code</td><td>PWWM0016</td></tr><tr><td>Description</td><td>Suitable for half-cover doors with door thickness ≤ 22mm</td></tr></table>	Name	110°integrated dumping half cover hinge	Code	PWWM0016	Description	Suitable for half-cover doors with door thickness ≤ 22mm		<table><tr><td>Name</td><td>180°integrated dumping hinge</td></tr><tr><td>Code</td><td>PWWM0040</td></tr><tr><td>Description</td><td>Suitable for in-line corner cabinets.</td></tr></table>	Name	180°integrated dumping hinge	Code	PWWM0040	Description	Suitable for in-line corner cabinets.		<table><tr><td>Name</td><td>107°integrated dumping full cover hinge</td></tr><tr><td>Code</td><td>PWWM0287A</td></tr><tr><td>Description</td><td>Suitable for full-cover doors with 15mm≤door thickness D<23mm</td></tr></table>	Name	107°integrated dumping full cover hinge	Code	PWWM0287A	Description	Suitable for full-cover doors with 15mm≤door thickness D<23mm
Name	110°integrated dumping full cover hinge																														
Code	PWWM0015																														
Description	Suitable for full-cover doors with door thickness≤22mm.																														
Name	110°integrated dumping half cover hinge																														
Code	PWWM0016																														
Description	Suitable for half-cover doors with door thickness ≤ 22mm																														
Name	180°integrated dumping hinge																														
Code	PWWM0040																														
Description	Suitable for in-line corner cabinets.																														
Name	107°integrated dumping full cover hinge																														
Code	PWWM0287A																														
Description	Suitable for full-cover doors with 15mm≤door thickness D<23mm																														
	<table><tr><td>Name</td><td>107°integrated dumping half cover hinge</td></tr><tr><td>Code</td><td>PWWM0288A</td></tr><tr><td>Description</td><td>Suitable for half-cover doors with 15mm≤ door thickness D<23mm</td></tr></table>	Name	107°integrated dumping half cover hinge	Code	PWWM0288A	Description	Suitable for half-cover doors with 15mm≤ door thickness D<23mm		<table><tr><td>Name</td><td>180°integrated dumping hinge</td></tr><tr><td>Code</td><td>PWWM0047A</td></tr><tr><td>Description</td><td>Suitable for in-line corner cabinets with 15mm ≤ door thickness D<25mm</td></tr></table>	Name	180°integrated dumping hinge	Code	PWWM0047A	Description	Suitable for in-line corner cabinets with 15mm ≤ door thickness D<25mm		<table><tr><td>Name</td><td>95°integrated dumping aluminum frame</td></tr><tr><td>Code</td><td>PWWM0038</td></tr><tr><td>Description</td><td>Suitable for narrow edge aluminum frame full cover door</td></tr></table>	Name	95°integrated dumping aluminum frame	Code	PWWM0038	Description	Suitable for narrow edge aluminum frame full cover door		<table><tr><td>Name</td><td>155°integrated dumping full cover hinge</td></tr><tr><td>Code</td><td>PWWM0088 ★</td></tr><tr><td>Description</td><td>Suitable for full-cover doors with a door thickness of 25mm D≤35mm, or cabinets with internal drawers/pull-out baskets. The drawer/pull-out basket should be designed to avoid the door position.</td></tr></table>	Name	155°integrated dumping full cover hinge	Code	PWWM0088 ★	Description	Suitable for full-cover doors with a door thickness of 25mm D≤35mm, or cabinets with internal drawers/pull-out baskets. The drawer/pull-out basket should be designed to avoid the door position.
Name	107°integrated dumping half cover hinge																														
Code	PWWM0288A																														
Description	Suitable for half-cover doors with 15mm≤ door thickness D<23mm																														
Name	180°integrated dumping hinge																														
Code	PWWM0047A																														
Description	Suitable for in-line corner cabinets with 15mm ≤ door thickness D<25mm																														
Name	95°integrated dumping aluminum frame																														
Code	PWWM0038																														
Description	Suitable for narrow edge aluminum frame full cover door																														
Name	155°integrated dumping full cover hinge																														
Code	PWWM0088 ★																														
Description	Suitable for full-cover doors with a door thickness of 25mm D≤35mm, or cabinets with internal drawers/pull-out baskets. The drawer/pull-out basket should be designed to avoid the door position.																														

Imported hinges (classic/fashion series)

							
Name	95°quick thick half cover hinge	Name	95°quick thick embedded hinge	Name	95°quick thick full cover hinge	Name	95°quick full cover rebound hinge
Code	PWWM0001A	Code	PWWM0002A	Code	PWWM0003A	Code	PWWM0024A
Description	For thickened half overlay doors, thickness >18mm	Description	For thickened inset doors, thickness >23mm	Description	For thickened full overlay doors, thickness >23mm	Description	For full overlay doors and matching PWVZ0007 Magnetic Rebounder.

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Imported hinges (classic/fashion series)

							
Name	Imported 95° quick assembly rebounding hinge	Name	Imported 95° quick assembly concealed hinge	Name	Imported 100° half quick assembly full overlay hinge	Name	Imported 100° half quick assembly half overlay hinge
Code	PWWM0025A	Code	PWWM0026A	Code	PWWM0027A	Code	PWWM0028A
Description	For half overlay doors (door thickness: 18mm-27mm); matching PWWZ0007 Magnetic Rebounder.	Description	For half overlay doors (door thickness: 18mm-27mm); matching PWWZ0007 Magnetic Rebounder.	Description	For full overlay door with 15mm≤thickness D≤22mm	Description	For half overlay door with 15mm≤thickness D≤18mm

							
Name	100°half quick embedded hinge	Name	110°quick full cover hinge	Name	110°quick full cover hinge	Name	110°quick embedded hinge
Code	PWWM0087A	Code	PWWM0291★	Code	PWWM0292★	Code	PWWM0295★
Description	For inset doors with 15mm≤thicknessD≤22mm	Description	For full overlay door with 15mm≤thickness D≤23mm	Description	For half overlay door with 15mm≤thickness D≤23mm	Description	For inset doors with 15mm≤thicknessD≤23mm

	
Name	Quick aluminum frame full cover hinge
Code	PWWM0034A
Description	Suitable for narrow edge aluminum frame full cover door(No Damping)

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

OPPEIN Hinge

	
Name	Applied to 95° titanium gold aluminum-framed door
Code	PWWM0139
Description	For PWML4023 aluminum framed door

	
Name	Applied to 95° titanium gold aluminum-framed door
Code	PWWM0140
Description	For PWML4023 aluminum framed door

	
Name	Applied to 95° titanium gold aluminum-framed door
Code	PWWM0141
Description	For PWML4023 aluminum framed door

Other hinges

	
Name	Square hinge
Code	PWWM0066
Description	For flap doors

	
Name	Air hinge
Code	PWWM0076
Description	For GWDT024 special cabinets and some aluminum framed glass doors

	
Name	OPPEIN cross hinge
Code	PWWM0020
Description	For dresser tops or lift-up fronts. Matching lift-up fittings.

	
Name	Stainless steel 180° air hinge
Code	PWWM0094
Description	Install the screws on the end face of the door panel, and the hinge edge is flush with the front of the door panel, suitable for YJT095

	
Name	180°bearing type hinge
Code	PWWM0095D ★
Description	1. Only suitable for 18-19mm cabinets; 2. One door panel is equipped with two hinges; 3. Only suitable for door YML040C

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Hinges & Buffers

	
Name	Magnetic rebounder
Code	PWWZ0007
Description	/

	
Name	BLUM hinge damper (full overlay)
Code	PWWZ0002A
Description	Usually matching PWWM0027 or PWWM0003

	
Name	BLUM hinge damper (half overlay)
Code	PWWZ0002B
Description	Usually matching PWWM0028 or PWWM0001

	
Name	BLUM door hinge damper (inset type)
Code	PWWZ0002C
Description	Matching PWWM0087 or PWWM0002 only

	
Name	Hinge damper
Code	PWWZ0027
Description	Matching PWWM0291,PWWM0292 or PWWM0295 only

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Adjustable legs

			
Name White plastic adjustable leg	Name White plastic adjustable leg	Name Adjustable leg (upgrade)	Name Non-adjustable plastic nail
Code PWNC0017B	Code PWNC0017D	Code PWNC0002	Code PWNC0022
Specification Adjustable range: 110mm-120mm	Specification Adjustable range: 160mm-180mm	Specification Adjustable range: 10mm-15mm	Specification After installation, H=5mm
			
Name Al-alloy round leg (adjustable)	Name Al-alloy round leg (adjustable)	Name L-shaped matt black leg (adjustable)	Name Metal adjustable leg
Code PWNC0002	Code PWNC0002A	Code PWNC0052	Code PWNC0053
Specification Adjustable range: 110mm-115mm	Specification Adjustable range: 150mm-155mm	Specification Adjustable range: 110mm-120mm	Specification Adjustable range: 10mm-15mm
	Specification: Size: H152*W68*D68 1. Metal side panel leg, used for balcony washer cabinet for waterproofing; 2. The height range of stainless steel side panel leg is 90-100mm and the height is 95mm. It is installed on the bottom of the 18mm side panel of the balcony cabinet.		
Name Stainless steel side panel leg			
Code PWNC0043			

Shelf Fittings

			
Name Concealed Shelf Bracket	Name In-wall shelf pin	Name Shelf clamp (countertop materials)	Name Super shelf support
Code PWNC0008★	Code PWNC0013	Code PWNC0018	Code PWNC0025
For shelf thickness 36mm, depth 130 ≤ D ≤ 250	Applicable shelf thickness 36mm, depth 130 ≤ D ≤ 250:	For shelf thickness 12-21mm, depth 130 ≤ D ≤ 180	For shelf thickness 18-36mm, depth 130 ≤ D ≤ 200

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Shelf Fittings

			
Name L-shaped matte black metal support	Name Decorating parts of brass metal shelf	Name Brass metal shelf clamp	Name Brass brushed stainless steel layer
Code PWNC0052	Code PWNC0053	Code PWNC0054	Code PWNC0062
Description: 1. Size: 40*100*400mm. 2. Used to install hanging countertop.	Description: 1. Size: Width 298* height 20mm. 2. Usually matching GWCT027 side cabinet module.	Description: 1. Size: Width 500* depth 150* height 100mm. 2. Usually matching 18mm thick straight-side shelf. Shelf size: W495*D135.	1. Installed in front of the shelf 2. Specifications are only 297mm, 780mm

Wall-mounted system

		
Name Functional hanger set 1 of hidden wall-mounted system	Name Functional hanger set 2 of hidden wall-mounted system	Name Wall-mounted system
Code PWNC0031	Code PWNC0032	Code PWNC0033
Note: 1. Functional accessories package 1 of the concealed wall-mounted system include: 2 wood shelf hangers, 3 glass shelf hangers and 1 wine glass hanger; 2. Applicable glass shelf: Thickness =8mm, W=150mm, L ≤1200mm; 3. Applicable wood shelf: Thickness=18mm/19mm, W=150mm, L ≤ 1200mm;	Note: Functional accessories package 2 of the concealed wall-mounted system include: 1 Ipad hanger, 1 hanger and 1 storage hanger.	Note: 1. The concealed wall-mounted system consists of the hanger slot and installation parts. 2. The cut length of the hanger slot is 600mm ≤L ≤ 2400mm and the length of installation parts is 10mm. 3. Size: a. If the length of the hanger slot is 600mm ≤ L≤900mm, 2 installation parts should be configured. b. If the length of the hanger slot is 900mm ≤L≤2400mm, 3 installation parts should be configured.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Door Fittings

Flap door fitting


	Name	Tatami lift support
	Code	PWWF0006
	Description	1. Bearing 60N, for 18mm/25mm thick door panel, suitable for full cover/half cover door hinge. 2. The depth of the wall cabinet is D2230mm. Please refer to the table below for specific door panel dimensions.

Configuration table of supports of 18mm-25mm thick tatami flap doors (W is the opening direction of hinge)									
	300≤W≤400	400<W≤500	500<W≤600	600<W ≤ 700	700<W≤800	800<W≤900	900<W≤1000	1000<W≤1100	1100 <W ≤1200
300≤H ≤350	1	1	1	2	2	2	2	2	2
350<H ≤400	1	1	1	2	2	2	2	2	2
400<H ≤450	1	1	1	2	2	2	2	2	2
450<H ≤500	1	2	2	2	/	/	/	/	/
500<H ≤550	2	2	/	/	/	/	/	/	/
550<H ≤600	2	2	/	/	/	/	/	/	/

	Name	Down-lift door support (medium)
	Code	BWWF0006
	Description:	Applicable to ordinary flap doors Internal height of carcass ≥310mm When the door width is > 600mm, 2 supports should be configured. When the door width is ≤ 600mm, 1 support should be configured

	Name	Down-lift door support (small-sized)
	Code	BWWF0017
	Description:	Applicable to ordinary flap doors Internal height of carcass ≥200mm When the door width is > 600mm, 2 supports should be configured. When the door width is ≤ 600mm, 1 support should be configured.

Lift-up doors fittings

		Name	Imported lid stay
		Code	PWWF0001
		Applicable door material	Applicable to 18-22mm thick lacquered door, melamine, HPL door, solid wood door, molded door, glass door, mirror door, flat laminate and super crystal board.
		Notes	When the door width is 300 ≤ W ≤ 700mm and 300 ≤ H ≤ 400mm, 1 support should be installed; When the door width is 300 ≤ W ≤ 700mm and 400 < H ≤ 450mm, 2 supports should be installed; When the door width is 700 < W ≤ 1200mm and 300 ≤ H ≤ 360mm, 2 supports should be installed; When the door width is 700 < W ≤ 1100mm and 360 ≤ H ≤ 400mm, 2 supports should be installed;

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Door Fittings

HARDWARE ACCESSORIES

Lift-up doors fittings

	Name	BLUM up-lift door support
	Code	PWWF0018
	Applicable door material	1. Applicable carcass material: If the depth is at least 261mm and the height is 265-600mm, it is applicable to carcass whose width is limited to 1800mm.
	Notes	The maximum bearing capacity of two up-lift door supports is 18KG.

	Name	FGV swinging arm flap door fitting
	Code	PWWF0019
	Applicable door material	1. Applicable carcass material: If the depth is at least 150mm and the height is 212-480mm, it is applicable to carcass whose width is limited to 1400mm. Furnished with one set (left and right)
	Notes	Swining arm angle and bearing capacity: 35-50=3Kg-5Kg; 51-75=6Kg-10Kg The maximum bearing capacity is limited to 13Kg

Lift-up-Flap Door Fittings

	Name	2 nd generation lift-up damper of vanity cabinet
	Code	PWWF0025
	Applicable door material	Applicable to 18-22mm thick lacquered door, melamine, HPL door, solid wood door, molded door, glass door, mirror door, flat laminate and super crystal board.
	Notes	1. When the door height is 300mm, the door width is less than or equal to 600mm and an up-lift door support should be installed; when the door width is 600-1200mm, two up-lift door supports should be installed; when the door height is 400mm and the door width is less than or equal to 500mm, an up-lift door support should be installed; when the door width is 500-900mm, two up-lift door supports should be installed. Mirror doors should be furnished with 2 up-lift door supports, the maximum size of up-lift mirror door should be less than 700*500mm, the net height of side panel should be H1 ≥ 135 and the net depth of side panel should be D1 ≥ 125mm;

Bi-fold Doors

			Name	Bi-fold door fitting
			Code	Bi-fold door slide
			Notes	Matching BWWWT001
			Description	Matching BWWWT001 and BWWA0001/BWWA0002
			Name	Blum Up-lift folding door support
			Code	PWWA0001
			Notes	Cabinet size range: Height:480 ≤ H ≤ 800mm; Width: 300 ≤H ≤ 1200mm Depth:D ≥ 278mm,no aluminum frame door.
			Description	Matching BWWWT001 and BWWA0001/BWWA0002

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Door Fittings

Sliding door/ mirror



Name	Sliding door fitting
Code	PWWT0015
Description	Suitable for wall cabinets, base cabinets and top-mounted cabinets.-Suitable for 22mm thick raised wooden door materials: PVC, glass, lacquer, solid wood, and flat laminate. (super crystal board door is applicable to YMC003 craft only).



Name	Wall Cabinet Sliding Door Slide PWWT0029 Wall Cabinet Sliding Door Fitting PWWT0030 Wall Cabinet Sliding Door Damper PWWT0031
Feature	Feature: 1. Door height 500mm ≤ H ≤ 1000mm; Door width: 300mm ≤ W ≤ 550mm; Door thickness: 18mm ≤ D ≤ 25mm; 2. Matched materials: melamine, HPL, PVC, lacquer, flat laminate. (super crystal board door is applicable to YMC003 craft only). 3. For wall cabinets: top/ bottom panel enclosed by side panels. Top/ bottom panel, shelves, middle side panel are D+3mm indented to both side panels.

Sliding door/ mirror



Name	Sliding door damping system
Code	PWWT0019
Description	1. Tailored slides can be installed on top/ bottom track; 2. Silent moving, with integrated concealed damping system.; 3. Max loading capacity is 30KG and available in different shelf thickness.

Swinging door fitting




Name	Swinging door fitting
Code	PWWV0002
Description	/

Decorative accessories for door panel



Name	铂金锌合金门板装饰配件
Code	PWFL0049★
Description	/



Name	PWFL0019
Value D	This accessory is installed on the surface of YMA036, YMA036A and YMA036B
Section	



Name	PWFL0040
Description	Only for YMG176A
Section	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

097

Door Fittings

HARDWARE ACCESSORIES

Aluminum alloy edge band




Name	PWFL0012A
Value D	Used for decoration of front and rear ends of top and bottom panels of the carcass and slotted installation; panel thickness: ≥ 16mm
Section	





Name	PWFL0012B
Value D	Used for decoration of front and rear ends of top and bottom panels of the carcass and slotted installation; panel thickness: ≥ 16mm
Section	




Name	PWFL0012C
Value D	Used for decoration of front and rear ends of top and bottom panels of the carcass and slotted installation; panel thickness: ≥ 16mm
Section	




Power storage and installation guide	When power accessories are stored, the distance from the top panel of the wall cabinet and the shelf bottom to the carcass top should be 45mm, and PWFL0012A/B/C is installed on the front end of shelf, as shown in the picture.
Section	No top panel Front install PWFL0012A 




Name	PWFL0014
Value D	18mm
Section	



Name	PWFL0015
Value D	Matching YMA036, YMA036A and YMA036B door profiles
Section	





Name	PWFL0018
Value D	Suitable for the thickness of 18mm, installed on the front of the side/top/bottom panel, and the aluminum frame is spliced at 45°
Section	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

098

Aluminum Alloy Edge Band


		
Name PWFL0021	Name PWFL0022	Name PWFL0035A/B/C/D/E/F/G★
Description YMA039 is equipped with aluminum edge bandSuitable for 18/ 18.5mm thick door panel	Description	Description Installation of 347/647/697/797/997/447/747 handle grooves
Section 	Section 	Note Suitable for door YMC019, YMK168, matching handle
		Section 


Name PWFL0042★
Description Suitable for door thickness 19, 19.5mm, only for YMK190
Section 

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Aluminum Bar Handles

		
Name PWWK0002 (with decoration cap)	Name PWWK0002B (with decoration cap)	Name PWWK0003 (with decoration cap)
Color Silver	Color Black matte wire	Color 19.5/20.5/21.5
Section 	Section 	Section 










		
Name PWWK0038	Name PWWK0040	Name PWWK0041
Color 398/498/598/1198mm	Color YMA038 melamine door is furnished with aluminum edge banding and is applicable to 18mm thick panel, including left and right end caps	Color 338/385/585/985mm
Section 	Section 	Description YMP012 lacquered door profile is furnished with aluminum edge banding and is applicable to 18.5mm thick panel.

		
Name PWWK0044B	Name PWWK0081★	Name PWWK0082A
Color Installation of door handle and drawer groove; usually matching YMK153	Color Used for YMA048 profile only	Color Used for YMA065,YMC020 profile only
Section 	Section 	Section 

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Door Fittings

Aluminum Bar Handles

	<table><tr><td>Name</td><td>PWWK0082B</td></tr><tr><td>Color</td><td>Used for YMA048 profile only</td></tr><tr><td>Section</td><td></td></tr></table>	Name	PWWK0082B	Color	Used for YMA048 profile only	Section			
Name	PWWK0082B								
Color	Used for YMA048 profile only								
Section									
	<table><tr><td>Name</td><td>PWWK0095A/B/C/D/E/F/G ★</td></tr><tr><td>Color</td><td>Installation of 347/647/697/797/997 handle grooves</td></tr><tr><td>Notes</td><td>For handles of YMC019 door profile</td></tr><tr><td>Section</td><td></td></tr></table>	Name	PWWK0095A/B/C/D/E/F/G ★	Color	Installation of 347/647/697/797/997 handle grooves	Notes	For handles of YMC019 door profile	Section	
Name	PWWK0095A/B/C/D/E/F/G ★								
Color	Installation of 347/647/697/797/997 handle grooves								
Notes	For handles of YMC019 door profile								
Section									
	<table><tr><td>Name</td><td>PWWK0112 ★</td></tr><tr><td>Color</td><td>Suitable for door YMG179, matching handle</td></tr><tr><td>Section</td><td></td></tr></table>	Name	PWWK0112 ★	Color	Suitable for door YMG179, matching handle	Section			
Name	PWWK0112 ★								
Color	Suitable for door YMG179, matching handle								
Section									
	<table><tr><td>Name</td><td>PWWK0115 ★</td></tr><tr><td>Color</td><td>Suitable for door YMK200, matching handle</td></tr><tr><td>Section</td><td></td></tr></table>	Name	PWWK0115 ★	Color	Suitable for door YMK200, matching handle	Section			
Name	PWWK0115 ★								
Color	Suitable for door YMK200, matching handle								
Section									

Aluminum Panels

					
Name	3mm golden aluminum panels	Name	3mm black matte aluminum panel	Name	3mm brass brushed aluminum panel
Color	PWNS0029A	Color	PWNS0029B	Color	PWNS0029C
Description	Side panels (fixed size) for H220*D150mm open units, fixed with connection holes.	Description	Side panels (fixed size) for H840*D150mm open units, fixed with connection holes.	Description	Side panels (fixed size) for H720*D150mm open units, fixed with connection holes.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Installation Accessories

HARDWARE ACCESSORIES

Installation Accessories

	
Name	Plastic Suspension Bracket (Wall Cabinet)
Color	PWNM0001
Description	Equipped with plate and decorative lid.

	
Name	Screw decoration cap and washer
Color	PWNM0006
Description	φ13mm

	
Name	Triangular stationary hook (basin cabinet)
Color	PWNM0007
Description	Single can withstand 100KG vertical suspension force

	
Name	Stationary hook for basin
Color	PWNM0008
Description	Matching noble series

	
Name	Luxurious stationary hook (wall cabinet)
Color	PWNM0009
Description	Including stationary hook and decorative cover (used cooperatively)

	
Name	Hanger behind the mirror
Color	PWNM0013

	
Name	Hanger of shower room mirror
Color	PWNM0014
Description	Used for mirror installation

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Drainer

	OP-P408 Pull type drainer with overflow (odor-resistant)	PBDBH 013 OP-P408C brushed gold pull type drainer
		
Description	Applicable to ceramic basin with overflow function	

	OP-P408-A Pull type drainer without overflow (odor-resistant)	PBDBH 013A OP-P408C-A brushed gold pull type drainer	PBDBH 014A OP-P408D-A gray pull type drainer
			
Description	Applicable to ceramic basin without overflow function		

Drainage System

	PBDBH 001 Pull type drainer with overflow (odor-resistant)	PBDBH 010 OP-P404C brushed gold pull type drainer
		
Description	Applicable to overflow basin	

	PBDBG002A Pull type drainer without overflow (odor-resistant)	PBDBH 010A OP-P404C-A brushed gold pull type drainer	PBDBH 012A OP-P404D-A gray pull type drainer
			
Description	Applicable to ceramic basin without overflow function		

	
Name	Flip cover drainer (no odor barrier function)
Color	OP-P402X
Description	Applicable to basin with/without overflow function

	
Name	Balcony basin drainer
Color	OP-P420
Description	Only suitable for balcony basin drainer PBDPA021,PBDPA022

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Installation Accessories Of Countertop

	
Name	Under-mounted basin fastener
Color	PWNQ0001

Installation accessories of countertop

	
Name	Decorative Caps for Drainer Holes
Color	PBDQ0004
Description	Suitable for carcasses with drain holes, the baseboards opening diameter is 60mm

	
Name	Decorative caps for balcony cabinet
Color	PGWL0032
Description	Suitable for balcony cabinets, the diameter of the panel opening is 65mm

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Storage System-Pull-Out Basket Series



Right side multifunctional storage basket

Specifications	
Code: PBOLC0040250L	Material: Aluminum
Color: Aluminum high-gloss	Size:W215*D460*H364mm
Installation guide	
1. Matched carcass net inner size: W ≥216mm, D ≥ 470mm, H ≥480mm; 2. Only can be installed at the right side of cabinets, and should bypass door hinges when installed.	



Metal pull-out side basket 150

Specifications	
Code:PBOLD00209150A	Material:Metal painting
Color:Gray	Size:D108*W372*H350mm
Installation guide	
Suitable for carcass of W=160mm, D ≥ 450mm and H ≥ 480mm, assemble and deliver according to manual and process specification.	



Metal pull-out side basket 250

Specifications	
Code:PBOL.D00209250A	Material:Metal painting
Color: Gray	Size:D204*W372*H350mm
Installation guide	
Suitable for carcass of W=250mm, D ≥ 450mm and H ≥ 480mm, assemble and deliver according to manual and process specification.	

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Storage System-Pull-Out Basket Series



PP Ratten basket

Specifications	
Code: PBOLC00190450	Material: Aluminum carcass + PP Ratten basket
Color:Gray	Size:W412*D425*H420mm
Installation guide	
Suitable for carcass of W414-418mm, D ≥ 430mm and H ≥450mm.	



Backside basket 250

Specifications	
Code: PBOL.D00210250	Material:Metal painting
Color: Gray	Size:W280*D125*H320mm
Installation guide	
1. Door width ≥ 350mm; 2. Door height ≥ 480mm; 3. Matching full overlay hinges.	



Gray painted pull out basket 350 ★

Specifications	
Code:PBOLD0026	Material: Carbon steel
Color:Gray	Size:W280*D378*H123mm
Installation guide	
1. Suitable for 350mm wide cabinets, 16/18mm side panels are common; 2. Adapted cabinet door: universal for left/right opening, universal for full-cover/half-cover door panels.	

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Storage System-Pull-Out Basket Series



Grey sink flat pull out basket ★

Specifications	
Code: PBOLD0027	Material:Iron spray lacquer
Color: Gray	Size:L746*H93*D410mm

Installation guide
1. The width of cacase ≥ 764mm,and the distance from the basin to the door panel is ≥ 55mm; 2. The size of the basin is ≤ 300mm in depth and ≤ 530mm in width.



Metal wire basket

Specifications	
Code:PBOLT006	Material: Steel
Color:White	Size: W614*D475*H200mm

Installation guide
Matching carcass net inner size 614-650mm.



Banging cabinet linkage pull out basket ★

Specifications	
Code:OP-LK080QA	
Color:White	Size:W768*D287*H538mm

Installation guide
1. The size of carcase is W768* (D ≥300) * (H ≥650) mm 2.Only suitable for swing door or flip-up door wall cabinets

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Storage System-Pull-Out Basket Series



Elegant hanging cabinet pull out basket 900 ★

Specifications	
Code:OP-LK090QF6-1	Material:Iron & Oak
Color:Black+Yellow	Size:W862*D256.5*544mm

Installation guide
1. The size of carcase is W862* (D 300) * (H 650) mm 2.Only suitable for door panels with flat straight edges



Super narrow and tall pull out basket★

Specifications	
Code:OP-LG030HH	Color:Black

Installation guide
Suitable for 300 pull-out narrow and high cabinets.

Storage system-Storage series




Metal divider

Specifications	
Code:PBOFD012A/B/C	Material:Aluminum
Color:Silver	

Ordinary drawer	Carcase width	300≤W<400mm	400≤W<600mm	600≤W<800mm	800≤W<1200mm	W≥1200mm
	Application specification	1 C	1 A	1 B	2 A	2 B
Drawer with U-shaped plastic part	Carcase width	W≥600mm	Installation and operating instructions: Size is customizable, applicable to 350/400mm deep drawer and the following drawer slides only: PWWWP001D(GY-360); PWWWP002D(GY-360B); PWWWZ001D(CG-0103-350); PWWWF001D(CG-0109-360); PWWWP001E(GY-410); PWWWP002E(GY-410B); PWWWZ001E(CG-0103-400); PWWWF001E(CG-0109-400); See PBOFD012 User Guide of Metal Divider for details;			
	Application specification	2 C				


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Storage System-Storage Series



L-shaped drawer partition panel

Specifications		
Code:PBOFD021A/B/C/D/E/F/G		Material: Aluminum
Color:Gray		
Code	Size	Installation adaptation
PBOFD021A	L214*W100*H51.5	Matching with rail PWWWP002A/PWWWS002A
PBOFD021B	L264*W100*H51.5	Matching with railStandard PWWWP002C /PWWWF003C/PWWWS001C
PBOFD021C	L304*W100*H51.5	Matching with rail PWWWZ003D/PWWWZ001D /PWWWZ005D
PBOFD021D	L314*W100*H51.5	Matching with rail PWWWP002D/PWWWF003D /PWWWS001D
PBOFD021E	L322*W100*H51.5	Matching with rail PWWWC001DA/PWWWC001DB /PWWWN001DA/PWWWC011DB/PWWWS007A /PWWWS007C
PBOFD021F	L364*W100*H51.5	Matching with rail PWWWS002E/PWWWF003E /PWWWS001E
PBOFD021G	L372*W100*H51.5	Matching with rail PWWWC001EA/PWWWC001EC /PWWWC011EB/PWWWS007B/PWWWS007D
Installation guide		
Put it in the drawer as a divider		



Tawny gray drawer storage box

Specifications				
Code	PBOH0037	PBOH0038	PBOH0039	PBOH0040
Size	L102*W102*H69	L204*W102*H69	L306*W102*H69	L306*W192*H69
Installation guide				
Directly placed in the drawer.				

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Storage System-Storage Series



Divider of folding mirror of leather drawer

Specifications	
Code: PBOFD018	Material: Aluminum + wrapped with soft leather
Color:Advanced gray	
Installation guide	
1. Suitable for drawer of L ≥ 364mm, W ≥200mm; Matching leather drawer divider; 2. Usually matching full slide drawer.	



Leather drawer divider

Specifications	
Code:PBOFD019	Material: Aluminum + wrapped with soft leather
Color:Advanced gray	
Installation guide	
Suitable for drawer net inner size L ≥ 364mm, W ≥ 100; matching divider of folding mirror of leather drawer.	



Italian jewelry tray

Specifications	
Code: PBOFD014	Material: Aluminum + wrapped with soft leather
Color:Hermes orange	Color: L460*W150*H50mm
Installation guide	
Suitable for drawer of L ≥460mm, W ≥150mm; matching watch tray.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Storage System-Storage Series



Watch tray

Specifications	
Code:PBOFD015	Material: Aluminum + wrapped with soft leather
Color:Hermes orange	Color: L460*W150*H50mm

Installation guide
Suitable for drawer of L ≥460mm, W ≥150mm; matching Italian jewelry tray.



Cylindrical holder

Specifications	
Code:PBOGW023	Material: Stainless steel
Color:Same as materials	Color: φ83*H108mm

Installation guide
1. φ80mm hole should be drilled on the panel.; 2. At least a space of 110mm under the panel shall be reserved for holder installation 3. Can be installed on the shelves/ bottom panels of the carcase.



White rotating hanging box

Specifications	
Code:PBOGW026	Material: PS
Color: White	Color:W295*D137*H46mm

Installation guide
1. Installed in the lower part of the carcase panel, installation space: D 140mm, H 50mm, W 300mm; 2. It is fixed in the lower part of the panel using screw.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Storage System-Storage Series



Pull-out storage bucket

Specifications	
Code:PBOQ0007	Material: PP
Color: Gray	Color:D469*W336*H346mm

Installation guide
1. Placed inside the carcase. Reserved mounting space on bottom panel: D ≥480mm, H ≥360mm, W ≥350mm 2. When installed in basin cabinets, it shall bypass door hinges and drainers; 3. Fixed on the bottom panel with 6 screws.



Storage master

Specifications	
Code: PBOQ0010	Material: Iron
Color: Black	Color:W260*D215*H900mm

Installation guide
Carcase size: D ≥350mm, H >900mm.



Aluminum functional mirror cabinet

Specifications		
Code	PBOQ0017	PBOQ0017A
Size	W550*D145*H720mm	W550*D145*H720mm
Door opening method	Left opening door	Right opening door

Installation guide
1. The mounting bracket is fixed on the wall using screw and the mirror cabinet is installed on the bracket; 2. Fixed parts in the lower part of the mirror cabinet are fixed using screw.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Storage System-Storage Series



Aluminum functional mirror cabinet

Specifications		
Code	PBOQ0022	PBOQ0023
Size	W750*D153*H660mm	W850*D153*H660mm
Installation guide		

Colloidal particles are embedded in the proper position and fixed parts are fixed on the wall. After the mirror cabinet is fixed on the wall, the bottom is fixed.



Aluminum mirror cabinet

Specifications		
Code	PBOQ0024A	PBOQ0024B
Size	W850*D140*H720mm	W750*D140*H720mm
Installation guide		

Colloidal particles are embedded in the proper position and fixed parts are fixed on the wall. After the mirror cabinet is fixed on the wall, the bottom is fixed.



Hanging box behind the door (black)

Specifications	
Code:PBOH0041	Material: ABS
Color:Black	Size: L254*W92*H66mm
Installation guide	

Fix installation parts on the back or the rear door or the side panel using screw, install the hanging box on the fixed part and close the screw cover.

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Storage System-Storage Series



Aluminum alloy door rear storage box ★

Specifications	
Code:PBOH0048	Material: Aluminum
Color:Gray	Size: W300*D80*H80mm
Installation guide	

Fix it behind the door panel with screws, the thickness of the door panel is ≥18mm, and the width of the door panel is W ≥ 390mm.



KESSEBOHMER LZ900FLB 2.0 (left) ★
KESSEBOHMER LZ900FLB 2.0 (right)

Specifications	
Code:LZ900FLB/LZ900FRB	Size:W807*D433*H136mm
Material/Finish: Metal parts - mild steel/gray spray lacquer, wooden parts - particle board, plastic parts - POM/grey	
Installation guide	

1.Suitable for KESSEBOHMER pull-out basket cabinet, cabinet body W=900mm, 525≤D ≤600, 480 ≤H ≤720 (when H≤550, only one pull basket can be installed below), door panel W=450mm.
2.Shipped after assembly.

Hardware Pendant System



Clothes hook

Specifications	
Code:PBOGW001	Material:Zinc alloy
Color:High-gloss zinc alloy color	Size:W31*H29mm
Installation guide	

Installed on any panels in need, fixed with screws, no extra hole cuttings required.

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System



Clothes hook

Specifications	
Code: PBOGW007	Material: Aluminum
Color:Golden	Size:φ30*D25mm
Descriptions	
Installed on any panels in need. Require hole cuttings.	



Aluminum alloy integrated hook ★

Specifications	
Code:PBOGW033	Material: Aluminum
Color: Gray	Size: W300*D20*H25mm
Installation guide	
Fix it on the shelf with screws, and the width of the shelf is W≥350mm	

Storage System-Hanging Rod series



Towel bar

Specifications	
Code:PBOGW011	Material:Stainless steel
Color:High-gloss zinc alloy color	Size: φ14mm
Installation guide	
Require hole cuttings on both sides, towel bar stuck in the holes of side panel; custom size: 200-1000mm.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Storage System-Hanging Rod Series



Towel bar

Specifications	
Code: PBOGW028	Material:Stainless steel
Color: Semi-matte bronzer	Size:W620*D60*H20mm
Installation guide	
fixed with screws, only for PLWY19070.	



Gray L-shaped towel bar

Specifications	
Code: PBOGW030	Material:Stainless steel wire
Color:Gray	Size: 500*130*55mm
Installation guide	
1. Holes are made on the front end and side of the sintered surface integrated basin and the towel bar is fixed on the countertop side using screw and nut;	
2. Suitable for sintered surface integrated basin whose height is≥ 90mm.	



Brushed gold single-pole towel rack

Specifications	
Code: PBOGW031	Material:Stainless steel
Color:Brass brushed	Size:W500*D70*H19mm
Installation guide	
Installed on the drawer panel and fixed using screw.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Storage System-Hanging Rod series



Guard bar

Specifications	
Code: PBOQ0016A (white) /PBOQ0016B (gray)	Material:Iron
Color:White/gray	Size: 250*100*8.0mm
Installation guide	
Use screws to fix it at the shelves on backside.	

Matte black metal round rod



Specifications	
Code: PWNR0002	Material: Aluminum
Color: Matte black	Size: φ10mm
Installation guide	
Counterbore on both sides, ruond bar stuck in counterbore of side plate.	
Customizable size	
200-1000mm.	



Brass-color round tube

Specifications	
Code:PWNR0002A	Material: Aluminum
Color:Gold	Size: φ10*3000mm
Installation guide	
Counterbore on both sides, round bar stuck in counterbore of side plate.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Storage System-Hanging Rod series



Hanging rod

Specifications	
Code: PWNT0008	Material: Aluminum
Color:Champagne gold	Size:Length ≤ 1200mm
Descriptions	
Align the left and right upper corners of the inner side of the cabinet with the installation clamps, fix them with screws, and then fix the towel bar to the installation clamps.	
Installation guide	
200-1000mm.	



Top hanging rod

Specifications	
Code: PWNT0015	Material: Aluminum
Color:Gray	Size:Nonstandard customization
Installation guide	
Fixed on the top panel using screw.	

Hardware Pendant System-Hanging Shelf Series



High-gloss brown stainless steel towel rack

Specifications	
Code:PBOGW006	Material:Stainless steel
Color:Brown	Size:W100*D400*H69mm
Installation guide	
Installed on the side panel of bathroom vanity and fixed with screws.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Matte black metal hook

Specifications	
Code: PBOGW024	Material:Iron
Color: Black matte	Size:W28*D20*H50mm
Installation guide	
Matching PBOGW0027 hanger and placed by the side of the hanger.	



Matte black metal hanging basket

Specifications	
Code: PBOGW025	Material:Iron
Color: Black matte	Size:W76*D120*H83mm
Installation guide	
Matching PBOGW0027 hanger and placed by the side of the hanger.	



Matte black metal hanging rack

Specifications	
Code: PBOGW027	Material:Iron
Color: Black matte	Size: W1050*D110*H70mm
Installation guide	
1.Fixed on the wall or panel using screw; 2.Matching PBOGW024 and PBOGW025.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Silver Side Mount Towel Rack ★

Specifications	
Code: PBOGW035	Material:Iron & plastic
Color: Silver	Size: L400*90*12mm
Installation guide	
1. The thickness of the side panel of the cabinet is d ≥ 16mm, and the depth D ≥410mm; 2. The distance between the holes and the back margin is ≥50mm, and the distance between the top and the side is ≥ 50mm.	



Mop hanger

Specifications	
Code: PBOQ0004	Material: Aluminum
Color: Same as materials	Size: 3 hangers-W400*H50mm
Installation guide	
Suitable for ≥420mm carcass.	



Matte black powdered metal rack

Specifications	
Code: PWNS0009	Material:Iron
Color: Black matte	Size: W220*D170*H720mm (size of back panel 688*188*12mm)
Installation guide	
Fixed on the wall using screw.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Matte black powdered metal rack

Specifications	
Code: PWNS0012 /PWNS0012A/PWNS0012B	Size:W200*D545*H480mm /W230*D545*H480mm /W230*D490*H480mm
Color: Black matte	Material:Iron
Installation guide	
Fixed on the wood panel with screws.	



Matte black powdered metal rack

Specifications	
Code: PWNS0013	Material: Iron
Color: Black matte	Size: W200*D150*H1165mm
Installation guide	
Fixed on the wood panel with screws.	



Matte black powdered metal rack

Specifications	
Code:PWNS0013A	Material:Iron
Color: Black matte	Size: W300*D170*H220mm
Installation guide	
Fixed on the wood panel with screws.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Custom metal open shelf

Specifications	
Code: PWNS0017	Material: Aluminum
Color: Black matte	Size: $200\text{mm} \leq W \leq 1200\text{mm}$, $130\text{mm} \leq D \leq 600\text{mm}$, $200\text{mm} \leq H \leq 2100\text{mm}$
Installation guide	
Installed and fixed on the carcass or the wall using screw	



Metal open shelf t A

Specifications	
Code:PWNS0018A	Material: Aluminum
Color: Black matte	Size: W445*D118*H680mm
Installation guide	
Installed on the bottom panel of the carcass and matching PWNS0018B	



Metal open shelf B

Specifications	
Code:PWNS0018B	Material: Aluminum
Color: Black matte	Size: W445*D210*H680mm
Installation guide	
Installed on the bottom panel of the carcase andmatching PWNS0018A	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Metal open shelf C

Specifications	
Code: PWNS0019/PWNS0019A	Material:Iron
Color: Black matte	Size: W110*D525*H880mm
Installation guide	
Installed on the side panel of the carcass and fixed using screw.	



Balcony metal rack combo

Specifications	
Code: PWNS0027	Material: Iron
Color: Black matte	Size: W990*D250*H400mm
Installation guide	
Installed on the panel and wall and fixed using screw.	



Matte black powdered balcony metal rack combo

Specifications	
Code: PWNS0027A	Material:Iron
Color: Black matte	Size: W1200*D270*H400
Installation guide	
Installed on the panel and wall and fixed using screw.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Matte black metal rack A

Specifications	
Code: PWNS0030	Material:Iron
Color: Black matte	Size:W300*D170*H1550mm
Installation guide	
Installed on the wall or panel and fixed using screw.	



Matte black metal shelves

Specifications	
Code: PWNS0032A	Material:Iron
Color: Black matte	Size: W250*D170*H307mm
Installation guide	
Fixed on the wall using screw.	

Note: Items with ★ are new materials;

the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Black decorative metal rack

Specifications	
Code: PWNS0037	Material:Iron
Color: Black matte	Size: W445*D15*H220mm
Installation guide	
Fixed on the wood panel with screws.	



Metal open rack

Specifications	
Code: PWNS0038	Material:Iron
Color: Gray matte	Size: W350*D175*H240mm
Installation guide	
Fixed on the wood panel with screws.	



Specifications	
Code:PWNS0039A	Material:Iron
Color: Black matte	Size: W400*D150*H40mm
Installation guide	
Directly fixed on the wall using screw.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



800mm black iron box with hanging rod

Specifications	
Code: PWNS0039B	Material:Iron
Color: Black matte	Size: W800*D150*H40mm
Installation guide	
Directly fixed on the wall using screw.	




Mirror cabinet metal hanging shelf combination

Specifications	
Code: PWNS0041	Material: Metal spray
Color: Matt grey	Size: W514*D111*H100mm
Installation guide	
1. It is suitable for cabinets with a width of W514-518mm; 2. The connecting hanging shelf is installed on the two side panels, and then the hanging shelf is installed on the connecting shelf to be fixed, and then put into the adjustable hanging shelf.	

Brown metal shelves of multi-functional hair dryer

Specifications	
Code: PWNS0046	Material:Stainless steel electroplating
Color: Black matte	Size: W400*D120*H60mm
Installation guide	
Installed on the wall and fixed using screw.	

Note: Items with ★ are new materials;



from the actual products.

Hardware Pendant System-Hanging Shelf Series



Brass-colored metal tray

Specifications	
Code: PWNS0053	Material:Stainless steel
Color: Bronze	Size: W60*D148*H170mm

Installation guide
1. Wall-mounted installation, place laminates on the tary, and fix them with screws; 2. When the laminate width is ≤ 800mm, two are required, and when the laminate width is > 800mm, three are required.



Champagne gold aluminum support

Specifications	
Code: PWNS0055	Material: Aluminum + gray glass
Color:Golden	Size: W300*D150*H820mm

Installation guide
Installed on the panel or wall and fixed using screw.



Champagne gold aluminum decoration frame

Specifications	
Code: PWNS0056	Material: Aluminum
Color: Golden	Size: W1100*D545*H15mm

Installation guide
Installed on the left and right side panels of the carcase and wall and fixed using screw.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Brass brushed L-shaped decorative rack

Specifications	
Code: PWNS0066	Material:Stainless steel
Color:Brass brushed	Size: W520*D100*H100mm

Installation guide
Installed in a position with a top panel and fixed with screws.



18mm narrow edge glass wall cabinet

Specifications	
Code: PWNS0068	Material: Aluminum
Color: Gray	Size: 200*1100*170mm

Installation guide
Select the appropriate hanging holes, drive fixing screws on the wall, and then hang the glass cabinet



Brass brushed stainless steel decorative shelf ★

Specifications	
Code: PWNS0069	Material: Stainless steel
Color: Brass brushed	Size: W650*H450*D15mm

Installation guide
Installed between the two sides of the panel, the top/bottom needs to be fixed with a panel and fixed with screws.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Brass brushed stainless steel shelf rack ★

Specifications	
Code: PWNS0070	Material: Stainless steel
Color: Brass brushed	Size: W520*D545*H15mm
Installation guide	
Installed between the side panels of two cabinets and fixed with screws	



Gold stainless steel decorative rack ★

Specifications	
Code: PWNS0090	Material: Electroplated stainless steel
Color: Brass brushed	Size: W300*H450*D15mm
Installation guide	
Installed between the two sides of the panel, the top/bottom needs to be fixed with a panel and fixed with screws.	



Gold stainless steel decorative rack ★

Specifications	
Code: PWNS0091	Material: Electroplated stainless steel
Color: Brass brushed	Size: W970*H250*D150mm
Installation guide	
Mounted on a panel or wall, fixed with screws.	

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Gold stainless steel decorative rack ★

Specifications	
Code: PWNS0092	Material: Stainless steel
Color: Brass brushed	Size: W800*D450mm
Installation guide	
Mounted on a panel or wall, fixed with screws.	



Rowel Rack ★

Specifications	
Code: PWNS0095	Material: Iron
Color: Matt gray	Size: W700*D150*H35mm
Installation guide	
Fix it to the wall or panel with screws.	



Grey metal shelf ★

Specifications	
Code: PWNS0105A	Material: Aluminum alloy
Color: Gray	Size: 700*120*30mm
Installation guide	
Fix it to the wall or panel with screws.	

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Hardware Pendant System-Hanging Shelf Series



Gold aluminum alloy shelf ★

Specifications

Code: PWNS0106A

Material:Aluminum alloy

Color:Gold

Size: 295*120*30mm

Installation guide

Fix it to the wall or panel with screws.



Blank shelf ★

Specifications

Code: PWNS0106B

Material:Iron

Color: Matt black

Size: W295*D120*H30mm

Installation guide

Fix it to the wall with screws or nail-free glue



Gray aluminum alloy shelf ★

Specifications

Code: PWNS0106C

Material: Iron

Color:Gray

Size: L295*D120*H30mm

Installation guide

1. Fix it on the wall or the back panel of the cabinet with screws

2 Cabinet size: W2350mm, D2120mm.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

131

Functional accessories

FUNCTIONAL ACCESSORIES

Hardware Pendant System-Hanging Shelf Series



Gold Stainless Steel Shelf ★

Specifications

Code: PWNS0108

Material: Stainless steel

Color: Gold

Size: L850*H35*D130mm

Installation guide

Mounted on the wall with screws.



Bronze Stainless Steel Shelf ★

Specifications

Code: PWNS0109

Material:Stainless steel

Color:Bronze

Size: 1460*150mm

Installation guide

Mounted on the wall with screws.



Faucet Wall Mounting Rack ★

Specifications

Code: PWNS0114

Material: Aluminum

Color:Matte Brass

Size:W800*D100*H30mm

Installation guide

Fix it to the wall with screws or nail-free glue

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.


132

Hardware Pendant System-Hanging Shelf Series




Slipper rack ★

Specifications	
Code: PBOGW032	Material: Aluminum alloy
Color: Gray	Size: W300*D41*H25mm
Installation guide	
Fix it on the panel with screws, the width of the panel is W 350mm	



Black wine glass rack ★

Specifications	
Code: PWNN0004	Size: W110*D330*H70mm
Installation guide	
Fix it on the panel with screws.	



Board with holes ★

Specifications	
Code: PWNQ0054	Color: White
Size: 398*598mm(14+hook100)	
Installation guide	
Suitable for backboards such as balcony cabinets, bathroom cabinets, etc.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Other



Cooling vents ★

Specifications	
Code: PWNQ0052	Color: Brown
Size: W257*D68mm	
Installation guide	
The cut-out dimension is 254.5*65mm, and installing with adhesive.	



Grey Leather Seat Cushion ★

Specifications	
Code: PWMI4032	Material: Aluminum alloy & PP
Color: Gray	Size: W440*D360*H35mm
Installation guide	
Fix it on the stool with 3M double-sided tape.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.


Functional Electrical System -Lighting series

Note:


1. The lamps of each MN power port must be matched with the power supply of the MN power port;

2. Customized embedded LED lights (PBZC0010) and customized drawer lights (PBZT00080400/600/800/1000) have their own inductive switches, which only need to be equipped with a power supply. Other light strips need to be equipped with a power supply and a switch at the same time. See below;

3. Switch PBZP0042 and PBZP0043 can connect 3 light strips at the same time; PBZP0088 can connect 6 light strips at the same time; PBZP0055, PBZP0075, PBZP0089, PBZP0090, PBZP0101 can connect anti-fog film, light strip, power supply PBZP0041 and PBZP0054 at the same time The rated power is 36W , the total power of the connected light strips cannot be greater than 36W.




Hardware match figure 1 (power supply & switch & light strip)



Hardware match figure 2 (power supply & switch & light strip)

Note: Items with ★ are new materials;


the pictures above are for reference only for they may differ from the actual products.



Hardware match figure 1 (power supply & switch & anti-fog film)

Hardware match figure 2 (power supply & switch & anti-fog film)

Functional Electrical System -Lighting series (power port type)



LED monochrome light strip (120 lights) ★

Specifications				
Code	PBZL00271000	PBZL00272000	PBZL00273000	PBZL00274000
Size	1m	2m	3m	4m
Code	PBZL00275000	PBZL00276000		
Size	5m	6m		
Interface type: MN power port			Voltage:12V	Power: 8-9W/m
Color temperature: 4500K			Material:Sleeving-LED	
Installation guide				

Note: Items with ★ are new materials;

the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System
-Lighting series



Casing light strip (60 lights) ★

Specifications			
Code	PBZL00251000	PBZL00252000	PBZL00253000
Size	1m	2m	3m
Code	PBZL00255000	PBZL00256000	
Size	5m	6m	

Interface type: MN power port

Voltage:12V

Power: 6W/m


Color temperature: 4500K

Material:Sleeving-LED

Installation guide

1. Can be cut to fit size;

2. 3M glue or only fixed with a buckle



LED bi-color strip (192 beads) ★

Specifications			
Code	PBZL00281000	PBZL00282000	PBZL00283000
Size	1m	2m	3m
Code	PBZL00285000	PBZL00286000	
Size	5m	6m	

Interface type: MN power port

Voltage:12V

Power:14W/m

Color temperature:3000-6000K

Material:LED

Installation guide

1. Can be cut to fit size;

2. 3M glue or only fixed with a buckle

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System
-Lighting series



Mirror decorative light strip

Specifications			
Code	PBZC00330800	PBZC003301000	PBZC003301200
Specification/power	800*31.5*28.9mm	1000*31.5*28.9mm	1200*31.5*28.9mm
Matched Carcase Width	W≤ 800mm	800 < W ≤1000mm	1000 < W≤1200mm

Interface type: MN power port

Power:10W/m

Color temperature: 4500K

Installation guide

Stick with 3M glue. Installed on the back of the wooden shelf for local lighting.



Wooden shelf light strip

Specifications			
Code	PBZC00340300	PBZC00340600	PBZC00340800
Specification/power	262mm	562mm	762mm
Matched Carcase Width	W≤ 300mm	300 < W ≤600mm	600 < W≤ 800mm

Interface type: MN power port

Power: 6W/m

Color temperature: 4500K

Installation guide

3M adhesive-backed installation, installed on the back of the Wood shelf, suitable for local lighting of Wood shelves.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System
-Lighting series



Customizable inset type light strip

Specifications

Code	PBZQ00500300	PBZQ00500600	PBZQ00500900
Specification/power	264mm	564mm	864mm
Matched Carcase Width	$W \leq 300\text{mm}$	$300 < W \leq 600\text{mm}$	$600 < W \leq 900\text{mm}$
Code	PBZQ00501200		PBZQ00502000
Specification/power	1164mm		1964mm
Matched Carcase Width	$900 < W \leq 1200\text{mm}$		$1200 < W \leq 2000\text{mm}$
Interface type: MN power port		Power:10W/m	
Color temperature: 4500K		Material:Sleeving-LED	

Installation guide

Groove the panel according to technological requirements and install the fastener and light strip in the panel.



Aluminum alloy clothing light ★

Specifications		
Code: PBZG00090564	Size:564mm	
Interface type: MN power port	Voltage:12V	Power:8W/m
Color temperature: 4500K	Material: Aluminum	
Installation guide		
Top mounted or side mounted.		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System
-Lighting series



Vanity mirror lamp ★

Specifications

Code	PBZG00120720	PBZG00120780	PBZG00120840
Specification/power	720mm	780mm	840mm
Matched Carcase Width	200 < H ≤ 720mm	720 < H ≤ 780mm	780 < H ≤ 840mm
Code	PBZG00120960		
Specification/power	960mm		
Matched Carcase Width	840 < H ≤ 960mm		
Interface type: MN power port		Power: 9W/m	
Color temperature: 4500K		Material: Aluminum & PVC	
Installation guide			
1. Only installed on the side panel of 18mm-20mm cabinet;			
2. Fix the metal fasteners in the side panel with screws (60mm from the upper and lower sides of the side panel);			
3. The light is fastened to the metal fastener, and the cable end of the light bar is facing upwards - turn on the power and test the light.			



Adhesive LED strip ★

Specifications

Code	PBZG00160840	PBZG00160940	PBZG00161795
Specification/power	840mm,Power 5W	940mm,Power 6W	1795mm,Power 11W
Interface type: MN power port		Switch type:Infrared sensor switch	
Color temperature: 4500K		Material: Aluminum	
Installation guide			
Paste it on the countertop or board with 3M glue.			

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System
-Lighting Series



UV lamp in cabinet ★

Specifications	
Code: PBZG00170400	Size: W364*D22*H12
Interface type: MN power port	Voltage:12V
Color temperature: 4500K	Material: LED
Power:UV lamp 2W/m, illumination 7.5W/M	
Installation guide	
It is suitable for the net width of the cabinet W ≥400mm, and the width of the door panel W ≥397mm.	

Custom Recessed LED Lights

Specifications	
Code: PBZC0010	Voltage: 12V
Size: D*22*H11.87mm (D means length, can be customized)	Interface type: MN power port

Installation guide
The lamp trough needs to be made (refer to the detailed process drawing), the power supply needs to be connected, and the 12V power supply of the MN power port is additionally configured.

Lighted black matt metal shelf

Specifications	
Code:PBZC00120300/0950	Size: W300/950*D150*H50mm
Color temperature: 4500K	Color:Black
Power:3W/m	Material: Metal + Glass
Installation guide	
Fixed on the wall, with MN power port 12v driver	



Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System
-Lighting Series



Custom glass shelf lights

Specifications

Code	PBZC00180300	PBZC00180600	PBZC00180800
Specification/power	262mm	562mm	762mm
Matched Carcase Width	W≤ 300mm	300 < W ≤600mm	600 < W≤ 800mm
Interface type: MN power port		Power:7.5W/m	
Color temperature: 4500K		Material:LED	
Installation guide			
Installation instructions: Installed at the rear of the glass panel, only suitable for 8mm thick glass panels, see "PBZC0018 Custom Glass Layer Lamp Instructions" for details.			

Platinum aluminum alloy shelf light ★

Specifications	
Code: PBZC0064	Size:W364*D300*H35mm
Interface type: MN power port	Voltage:12v
Color temperature: 4000K	Material: Aluminum
Power:5W/M	
Installation guide	
Fix the installation parts to the inner side of the carcass, fix it with screws, and then install the aluminum alloy shelf light to the parts.	



Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System
-Lighting Series



Round panel light ★

Specifications	
Code: PBZC0067	Size: Ø65*D6mm
Interface type: MN power port	Voltage:12V
Color temperature: 4500K	Power:2W/m
Material: Aluminum	

Installation guide			
1. Drill an 8mm hole at the top of the cabinet;			
2. Then fix the mounting seat with screws;			
3. Pass the power cord out of the top of the cabinet through the 8mm wire hole;			
4. Snap the lamp body into the mounting seat.			



Custom drawer light

Specifications			
Code	PBZT00080400	PBZT00080600	PBZT00080800
Specification/power	400mm/3.4w	600mm/5.0w	800mm/7.7w
Matched Carcase Width	200≤W < 400mm	400 ≤W < 600mm	600 ≤ W < 800mm
Code	PBZT00081000		
Specification/power	1000mm/9.8w		
Matched Carcase Width	800 ≤ W < 1000mm		
Interface type: MN power port		Switch type:Infrared sensor switch	
Color temperature: 4500K		Material:LED	

Installation guide			
Fix the installation parts to be flush with the left and right upper corners of the inner side of the cabinet, fix them with screws, and then fix the lights to the installation parts.			

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System
-Lighting Series




Magnetic light

Specifications	
Code: PBZC0011	Size: W130*D75*H13mm
Color temperature: 4500K	Color:White
Material: Plastics	

Installation guide	
Centered at the bottom of shelves. Used for vanities, wardrobes, etc. No need electricity and driver.	

Functional Electrical System-Switch-
ing power supply series



Mirror 220V touch sensor switch

Specifications	
Code: PBZP0021	Size: 220V
Material:Flame retardant plastics	

Installation guide	
Usually matching YPH001 and YPH002 anti-fogging lights.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System-Switching Power Supply Series



Wire clip

Specifications	
Code: PBZP0030	Size: W100*D10*H18mm
Material:PC+ Flame retardant nylon	Color: Black
Installation guide	
Stick to the object surface.	



36W integrated transformer (with five-port divider)

Specifications	
Code: PBZP0041	Size:138*55*18mm
Material: Flame retardant material	Interface type: MN power port
Installation guide	
Matching MN power ports.	



Hand-sweep sensor switch set

Specifications	
Code: PBZP0042	Size:60*40*10mm
Material: Flame retardant material	Interface type: MN power port
Installation guide	
1. Matching accessories with MN power port;	
2. Equipped with three-port divider, and can control 3 lights at most.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System-Switching Power Supply Series



Gate-controlled switch set

Specifications	
Code: PBZP0043	Interface type: MN power port
Material:Flame retardant material	
Installation guide	
1. Matching accessories with MN power port; 2. Equipped with three-port divider, and can control 3 lights at most.	



Power supply of LED light strip

Specifications	
Code: PBZP0054	Interface type: MN power port
Size: 36W (input 220V output 12V)	
Installation guide	
Matching MN power ports.	




Touch sensor switch

Specifications	
Code: PBZP0055	Size: 12V
Interface type: MN power port	
Installation guide	
Matching MN power ports.	


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System-Switch-
ing Power Supply Series



Two-button touch switch ★

Specifications		
Code: PBZP0075		Size: 12V
Interface type: MN power port		
Installation guide		
Fix on the back of the mirror with 3M glue.		



Slim touch switch ★

Specifications		
Code: PBZP0077		Size: 12V
Interface type: MN power port		
Installation guide		
Fix on the back of the mirror with 3M glue.		



Pen-shaped human body sensor switch ★

Specifications		
Code: PBZP0088		Size: 12V
Interface type: MN power port		
Installation guide		
1. Hole-in embedded installation, aperture 10mm, depth 50MM; 2. Surface snap-on installation, screws are used to fix the mounting base, and the switch can be snapped in and fixed.		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System-Switch-
ing Power Supply Series



YH-JZD03★
(Hand sensor double color light strip + anti-fog)

Specifications		
Code: PBZP0089		Size: 12V
Interface type: MN power port		
Installation guide		
Secure to the back of the mirror with 3M glue.		



Hand sensor monochrome ★
light strip + anti-fog

Specifications		
Code: PBZP0090		Size: 12V
Interface type: MN power port		
Installation guide		
Secure to the back of the mirror with 3M glue.		



Touch control double color ★
light strip + anti-fog switch

Specifications		
Code: PBZP0101		Size: 12V
Interface type: MN power port		
Installation guide		
Secure to the back of the mirror with 3M glue.		

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System-Switching Power Supply Series



XMD-SZDK-1 One-button time display switch ★

Specifications	
Code: PBZP0102	Size: 12V
Interface type: MN power port	
Installation guide	
Secure to the back of the mirror with 3M glue.	



Long distance wireless charger ★

Specifications	
Code: PBZP0104	Size: 12V
Interface type: MN power port	
Installation guide	
Fixed with double-sided tape or screwed under the counter-top/panel.	




Gliding cabinet ★

Specifications	
Code: PWWJ0007A	Color: Black glass panel
Size: W600*H780*D140mm	
Installation guide	
Suspension bracket installed on the wall/ wood panel	

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System-Switching Power Supply Series



Ea12Intelligent constant temperature refrigerator ★

Specifications	
Code:PBEW0003	Color: Black
Size:W265*H675*D147mm	
Installation guide	
Suitable for W300*D150*H720mm cabinet.	



Folding ironing board ★

Specifications	
Code: OP-JPLP25	Color: Black
Size:W310*H1050*D60mm	
Installation guide	
Hang on the OP-JPLP26 iron hanger.	



Ironing board holder ★

Specifications	
Code: OP-JPLP26	Color: Black
Size:W142*H105*D422mm	
Installation guide	
Installed on the side panel, matching with OP-JPJD058 electric iron and OP-JPLP25 folding ironing board.	

Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System-Switching Power Supply Series



Ironing board holder ★

Specifications

Code:OP-JPJD058 Color:Purple
Size:W300*H177*D144mm

Installation guide

Fixed on ironing board holder OP-JPLP26.

Functional Electrical System-Switching power supply series



Rotating adapter multi-Outlet

Specifications

Code: PBZP0028 Color: White
Size: W190*H90*D10mm Material: PP & flame retardant nylon

Installation guide

Install on the panel inside or outside the cabinet, the panel needs to be cut, and then the socket and the panel can be fixed with screws.

D02(5-hole wall socket) ★

Specifications

Code: PBZP0099 Size: W69*H69*D35mm

Installation guide

Insert into the DL0166-2M power rail



Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System-Switching Power Supply Series



DL03USB(Wall socket) ★

Specifications

Code: PBZP0100 Size: W69*H69*D35mm

Installation guide

Insert into the DL0166-2M power rail.



Household connector (three-wire) ★

Specifications

Code: PBZP0108 Size: 18.5*33*15mm

Installation guide

Matching with DL0166-2M power rail.

DL0166-2M(Power track) ★

Specifications

Code: PBZP0109 Size:L512*D66*H18mm

Installation guide

1. Cabinet net width $W \geq 515\text{mm}$;
2. Install and fix with two-in-one hardware and laminate;
3. The back panel needs to open a $\phi 10\text{mm}$ through hole.



Note: Items with ★ are new materials; the pictures above are for reference only for they may differ from the actual products.

Functional Electrical System-Switch-
ing Power Supply Series



220V Electric heating anti-fog film

Specifications			
Code	YPH001	YPH002	YPH005 ★
Size	W350*H450mm	W600*H450mm	W800*1100mm
Code	YPH006 ★	YPH007 ★	
Size	W700*700mm	W700*900mm	
Material:PET alloy heating wire 3C certified sheath wire			

Installation guide

Tear off the protective layer of the double-sided tape, stick it directly on the back of the functional mirror or ordinary mirror, and use it with 220V electricity.



12V Electric heating anti-fog film ★

Specifications			
Code	YPH003	YPH004	
Size	W200*H300mm	W300*H400mm	
Material:PET alloy			
Installation guide			
Tear off the protective layer of the double-sided tape, stick it directly on the back of the functional mirror or ordinary mirror, and use it with 220V electricity.			

Health And Care System
-Health And Care



Intelligent wash and care

Specifications	
Code: PBHM0015	Size: W398*D125*H73.5mm
Installation guide	
1. Installed below the carcass parallel and level with the carcass door; 2. Accessories such as clothes hook and towel rack can be installed in the cabinet according to design requirements.	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Health And Care System
-Health And Care



Bathroom sterilization heater ★

Specifications	
Code:PBHM0016	Size: W113*D250*H105mm
Color:White	
Installation guide	
The bottom panel opening is W120*D222mm for installation, which can only be installed on the bottom panel of the washbasin cabinet	



Bathroom dryer sterilizer

Specifications	
Code: PBZP0043	Color:White
Size: Display control panel: 350*65*21mm; bathroom dryer sterilizer: 260*141*42mm	
Installation guide	
1. Install the display screen with a hole slot on the door or panel, the hole size: 270*50mm; 2. Snap the display control panel into the slot; 3. Open the back and side panels according to the size, and then put them into the bathroom cabinet and fix them. The size of the opening: 90*70mm.	



Smart toothbrush sterilizer ★

Specifications	
Code:PBHM0020	
Installation guide	
1. Gently remove the hanging parts from the back and remove the dust; 2. Tear off the adhesive protective film, install the fixed hanging panel, and install the host after 24 hours;	

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Health And Care System
-Health And Care



Sensor soap pump ★

Specifications

Code:PBHM0021A

Installation guide

Matching with PBHM0021B




B6(Sensor soap pump canister) ★

Specifications

Code:PBHM0021B

Installation guide

Matching with PBHM0021A.



Blum folding platform ★

Specifications

Code:PWWWT005

Installation guide

1. The foot adjuster should be at least 2mm from the ground (when the platform is fully opened);
2. The bottom of the panel is at least 10mm from the ground (when the ladder is completely closed);
3. Size range: 500mm≤Ws700mm, 525mmsD≤600mm, 200mmsH≤270mm.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Health And Care System
-Barrier-Free Series



Handrail 3 in 1 for the aged

U-shaped handle

Code: PWNF0001 (ET-0501-001A)

Material: White al-alloy handrail, wall-mounted. Interior is alloy bracket, exterior is thickened PT nonslip cover

Size: W720*H28mm Color: White

Linear handle

Code: PWNF0002 (ET-0501-001B)

Material: White al-alloy handrail, wall-mounted. Interior is alloy bracket, exterior is thickened PT nonslip cover

Size: W480*H28mm Color: White

L-shaped handle

Code: PWNF0003 (ET-0501-001C)

Material: White al-alloy handrail, wall-mounted. Interior is alloy bracket, exterior is thickened PT nonslip cover

Size: W675*H28mm Color: White



White Nylon Shower Stool ★

Specifications

Code: PWNQ0186 Size: 425*350*450mm

Installation guide

Secure in place with screws.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Beauty System
-Beauty Mirror Series



Induction function mirror ★

Specifications		
Code: YJN012(Black)	YJN012A(White)	YJN012B(Gold)
Material: Aluminum		Size: Ø600*D40mm

Installation guide
Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.

Narrow aluminum frame dressing mirror

Specifications		
Code: PBHJ0022	Color: Champagne Gold	
Size: W250*D47*H1100mm	Material: Aluminum	

Installation guide
Installed on the side panel of the carcase and fixed using screw.

Grey copper-free rotatable full-length mirror ★

Specifications	
Code: PBHJ0057	
Size: W300*D19*H900mm	

Installation guide
1. It is suitable for the back of the door panel of the hinged door of the medium and high cabinet with the thickness of the door panel ≥ 18mm 2. It is required that the width of the door panel is $W \geq 400\text{mm}$, the height $H \geq 1640\text{mm}$, the distance between the mounting hole of the corner part and the side $A \geq 55\text{mm}$, and the distance between the handle and the side $B \geq 250\text{mm}$.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Beauty System
-Beauty Mirror Series



Runway type functional mirror

Specifications	
Code: PBHJ0027B	
Size: W600*H1080mm	

Installation guide
Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



Silk-screen functional mirror

Specifications	
Code: PBHJ0028	
Size: Ø750mm	

Installation guide
Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



Brass brushed frame functional mirror

Specifications	
Code: PBHJ0031	
Size: W500*H960mm	

Installation guide
Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Beauty System
-Beauty Mirror Series



Narrow frame functional mirror

Specifications
Code: PBHJ0032
Size: Ø600mm

Installation guide
Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



Champagne gold hexagon mirror

Specifications
Code: PBHJ0034
Size: W831*H720mm

Installation guide
Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



Hexagon tunnel mirror

Specifications
Code: PBHJ0035
Size: H=720mm

Installation guide
Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Beauty System
-Intelligent Mirror Series



Light smart mirror

Specifications
Code: YJN009
Size: W550*H720*D36mm/W550*H840*D36mm

Installation guide
Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



1100mm gray aluminum ★
frame smart sliding mirror

Specifications	
Code: PBHJ0024	Color:Grey
Size: W400*D55*H1100mm	

Installation guide
Installed on the left or right side of the cabinet. The inner width of the cabinet is ≥100mm, the inner height is ≥1150mm, and the inner depth is ≥420mm. Use self-tapping screws to fix the lead holes on the left/right side panels on site.



Square intelligent mirror (OPPEIN Logo)

Specifications
Code: PBHJ0029A
Size: W1300*H840mm

Installation guide
Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Beauty System -Intelligent Mirror Series



OPPEIN aluminum alloy square touch switch smart mirror ★

Specifications	
Code: PBHJ0029B	Size: W550*H720mm

Installation guide

Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



OPPEIN crescent-shaped round mirror

Specifications	
Code: PBHJ0030A	Color:Gold
Size: Ø900mm	

Installation guide

Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



Golden semi-circle functional mirror ★

Specifications	
Code: PBHJ0043	Size: W1600*H960mm

Installation guide

Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



Copper double connected round mirror ★

Specifications	
Code: PBHJ0046	Size: W1516*H1100mm

Installation guide

Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.

Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Beauty System -Intelligent Mirror Series




OPPEIN smart mirror ★

Code: PBHJ0054A Size: W1014*H1470mm

Installation guide

Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



**OPPEIN aluminum alloy square ★
three-tone light function mirror**

Code: PBHJ0054B Size: W1014*H438mm

Installation guide

Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



Brown round smart mirror ★

Specifications		
Code: PBHJ0058	Color:Brown	Size: Ø500mm

Installation guide

Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.



Black Square Smart Mirror ★

Specifications		
Code: PBHJ0059	Color:Black	Size: W600*H800mm

Installation guide

Drill holes on the wall, and puts in fixed screws. Then hang the mirror on it.


Note: Items with ★ are new materials;
the pictures above are for reference only for they may differ from the actual products.

Ceramic Sink (Vessel Bathroom Sink)


Note:
The size of the ceramic sink is ≤ 800mm, and the tolerance is ±5mm; when the size is > 800mm, the tolerance is ±8mm.




Code	PBDPC015(OP-WY35XS)	Size	595*500*155mm
Description	Vessel Bathroom Sink		




Code	PBDPC002(OP-WY23)	Size	480*390*170mm
Description	Vessel Bathroom Sink		




Code	PBDPC003(OP-WY25)	Size	555*425*165mm
Description	Vessel Bathroom Sink		



Code	PBDPC004(OP-WY28)	Size	425*425*140mm
Description	Vessel Bathroom Sink		



Code	PBDPC028(OP-Y31-A)	Size	395*395*140mm
Description	Vessel Bathroom Sink		



Code	PBDPC035(OP-WY51)	Size	415*415*135mm
Description	Vessel Bathroom Sink		



Code	PBDPC038 ★	Size	380*380*110mm
Description	Vessel Bathroom Sink		
Note	This basin includes a drainer		


Note: Items with ★ are new materials.

Ceramic Sink


FUNCTIONAL ACCESSORIES

Note:
The size of the ceramic sink is ≤ 800mm, and the tolerance is ±5mm; when the size is > 800mm, the tolerance is ±8mm.

Drop-In Bathroom Sink




Code	PBDPB009(OP-WTZ15)	Size	550*405*135mm
Description	Drop-in Bathroom Sink		




Code	PBDPB009(OP-WTZ15)	Size	550*405*135mm
Description	Drop-in Bathroom Sink		


Under-Mount Bathroom Sink




Code	PBDPA001(DT-0103-001A)	Size	500*405*195mm
Description	Under-mount Bathroom Sink		



Code	PBDPA002(P-C2301B)	Size	555*420*195mm
Description	Under-mount Bathroom Sink		



Code	PBDPA004(OP-WTX17-A)	Size	540*385*205mm
Description	Under-mount Bathroom Sink		




Code	PBDPA006(OP-WTX16)	Size	555*400*205mm
Description	Under-mount Bathroom Sink		

Note: Items with ★ are new materials.

Ceramic Sink (Under-mount Bathroom Sink)

Note:
The size of the ceramic sink is ≤ 800mm, and the tolerance is ±5mm; when the size is > 800mm, the tolerance is ±8mm.



Code


PBDPA010(OP-WTX23)

Size

615*430*215mm

Description

Under-mount Bathroom Sink



Code


PBDPA020(OP-WTX33)

Size

600*450*200mm

Description

Under-mount Bathroom Sink



Code


PBDPA023(OP-WTX31)

Size

PBDPA021

Description

Under-mount Bathroom Sink



Code


PBDPA021

Size

645*415*180mm

Description

Under-mount Bathroom Sink



Code

PBDPA022

Size

535*415*180mm

Description

Under-mount Bathroom Sink

Note: Items with ★ are new materials.

Ceramic Sink(Vanity Top Bathroom Sink)

FUNCTIONAL ACCESSORIES

Note:
The size of the ceramic sink is ≤ 800mm, and the tolerance is ±5mm; when the size is > 800mm, the tolerance is ±8mm.



Code

PBDPDO03Z(DT-0104-017A)

Size

805*485*220mm

Description

Vanity Top Bathroom Sink



Code

PBDPDO04Z(DT-0104-023)

Size

610*460*210mm

Description

Vanity Top Bathroom Sink



Code

PBDPDO05L(P-9090AZ)

Size

910*500*205mm

Description

Vanity Top Bathroom Sink



Code

PBDPDO16Z(OP-WGP08M)

Size

695*450*190mm

Description

Vanity Top Bathroom Sink



Code

PBDPDO24Z(OP-WGP15M)

Size

805*495*205mm

Description

Vanity Top Bathroom Sink



Code

PBDPDO25Z(OP-WGP15L)

Size

908*495*205mm

Description

Vanity Top Bathroom Sink



Code

PBDPDO31Z(OP-WGP15S)

Size

700*485*200mm

Description

Vanity Top Bathroom Sink



Code

PBDPDO44Z(OP-WGP19M)

Size

805*505*220mm

Description

Vanity Top Bathroom Sink



Code

PBDPDO43Z(OP-WGP19L)

Size

905*500*228mm

Description

Vanity Top Bathroom Sink

Note: Items with ★ are new materials.

Ceramic Sink(Vanity Top Bathroom Sink)

Note:
 The size of the ceramic sink is ≤800mm, and the tolerance is ±5mm; when the size is >800mm, the tolerance is ±8mm.



Code	PBDPD050Z(OP-WGP25XS)
Size	600*495*230mm
Description	Vanity Top Bathroom Sink



Code	PBDPD052Z(OP-WGP25M)
Size	805*495*225mm
Description	Vanity Top Bathroom Sink



Code	PBDPDO53Z(OP-WGP25L)
Size	910*495*225mm
Description	Vanity Top Bathroom Sink



Code	PBDPD054Z(OP-WGP25XL)
Size	1005*495*225mm
Description	Vanity Top Bathroom Sink



Code	PBDPD055L(OP-WGP25ZL)
Size	905*495*225mm
Description	Vanity Top Bathroom Sink



Code	PBDPD048(R/L)OP-WGP23(R/L)-1200 PBDPD047(R/L)OP-WGP23(R/L)-1200
Size	1200*630*300mm
Description	Vanity Top Bathroom Sink



Code	PBDPD042(R/L)OP-WGP22(R/L)-1200 PBDPD041(R/L)OP-WGP22(R/L)-1200
Size	1200*630*300mm
Description	Vanity Top Bathroom Sink







Note: Items with ★ are new materials.

Main cabinet module of mounted basin

MODULE







CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Main cabinet module of mounted basin	1	GWBD001	Main cabinet with single door		L/R	300 ≤ W ≤ 600	525/450 360 ≤ D ≤ 650	480/600 300 ≤ H ≤ 720
	2	GWBD003	Main cabinet with fix drawer and single door		L/R	300 ≤ W ≤ 600	525/450 360 ≤ D ≤ 650	480/720 380 ≤ H ≤ 720
	3	GWBS001	Main cabinet with double door		/	500 ≤ W ≤ 1200	525/450 360 ≤ D ≤ 650	480/720 300 ≤ H ≤ 800
	4	GWBS001A	Main cabinet with double door			700 ≤ W ≤ 1200	525/450 360 ≤ D ≤ 650	480/720 460 ≤ H ≤ 800
	5	GWBS003	Main cabinet with single fixed door Main cabinet with single fixed door		/	400 ≤ W ≤ 1000	525/450 360 ≤ D ≤ 650	480/720 300 ≤ H ≤ 720
	6	GWBS005	Main cabinet with fix drawer and double door		/	500 ≤ W ≤ 1200	525/450 360 ≤ D ≤ 650	480/720 380 ≤ H ≤ 800







Main cabinet module of mounted basin







CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Main cabinet module of mounted basin	7	GWBS005B	Main cabinet with fix drawer and double door		/	$500 \leq W \leq 1200$	525 $525 \leq D \leq 650$	720 $510 \leq H \leq 800$
	8	GWBS005C	Main cabinet with fix drawer and double door		/	$700 \leq W \leq 1200$	525/450 $360 \leq D \leq 650$	720 $540 \leq H \leq 800$
	9	GWBS006	Main cabinet with fix drawer and single fixed door		/	$500 \leq W \leq 1200$	525/450 $360 \leq D \leq 650$	480/720 $380 \leq H \leq 700$
	10	GWBB001	Main cabinet with single drawer		/	$400 \leq W \leq 1000$	525/450 $360 \leq D \leq 650$	250/480 $200 \leq H \leq 480$
	11	GWBB002	Halved main cabinet with double drawer (top and bottom U-shaped drawers)		/	$400 \leq W \leq 1000$	525/450 $360 \leq D \leq 650$	480/720 $400 \leq H \leq 720$
	12	GWBB003	Main cabinet with single fix drawer		/	$400 \leq W \leq 1000$	525/450 $360 \leq D \leq 650$	480/720 $350 \leq H \leq 720$

Main cabinet module of mounted basin



MODULE

CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Main cabinet module of mounted basin	13	GWBB004	Main cabinet with single fix drawer		/	$400 \leq W \leq 1000$	525/450 $360 \leq D \leq 650$	480/720 $350 \leq H \leq 720$
	14	GWBB005	Main cabinet with single fix drawer		/	$400 \leq W \leq 1000$	525/450 $360 \leq D \leq 650$	480/720 $450 \leq H \leq 720$
	15	GWBB006	Framed main cabinet with fix drawer		/	$400 \leq W \leq 1000$	525/450 $300 \leq D \leq 650$	480/550 $150 \leq H \leq 550$
	16	GWBB007	Bottom open cabinet with single fix drawer		/	$400 \leq W \leq 1000$	525/450 $360 \leq D \leq 650$	480/720 $450 \leq H \leq 720$
	17	GWBB008	Bottom open cabinet with filler and single drawer		/	$400 \leq W \leq 1000$	525/450 $360 \leq D \leq 650$	480/720 $400 \leq H \leq 720$
	18	GWBB009	Halved main cabinet with double drawer (top U-shaped bottom drawer)		/	$400 \leq W \leq 1000$	525/450 $360 \leq D \leq 650$	480/720 $400 \leq H \leq 720$

CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Main cabinet module of mounted basin	19	GWBE001	Main cabinet with single flap door		/	$400 \leq W \leq 1200$	525/450 $360 \leq D \leq 650$	480/720 $400 \leq H \leq 720$
	20	GWBE002	Main cabinet with double flap door		/	$300 \leq W \leq 1000$	525/450 $360 \leq D \leq 650$	480/720 $480 \leq H \leq 720$
	21	GWBZ001	Main corner cabinet with single door		/	$750 \leq W \leq 1000$	525/450 $360 \leq D \leq 650$	480/720 $400 \leq H \leq 700$
	22	GWBZ002	Equilateral pentagon cabinet		/	$700 \leq W \leq 1000$	$250 \leq D \leq 350$	480/720 $480 \leq H \leq 720$
	23	GWBT001	Special cabinet		/	870	470	480/720 $400 \leq H \leq 720$
	24	GWBT004	Special cabinet		/	$800 \leq W \leq 1000$	525/490 $490 \leq D \leq 525$	480/720 $480 \leq H \leq 720$







CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Main cabinet module of mounted basin	25	GWBT013	Special cabinet		/	1000	525	600
	26	GWBT016	Balcony cabinet		L/R	1170	605	930
	27	GWBT018	Half-open special main cabinet with single drawer		/	$600 \leq W \leq 1000$	525	480
	28	GWBT019	Front top open special main cabinet with double drawer		/	$400 \leq W \leq 1000$	$500 \leq D \leq 650$	480/720 $480 \leq H \leq 720$
	29	GWBT036	Special main cabinet of open cabinet		/	$800 \leq W \leq 1600$	$450 \leq D \leq 600$	$180 \leq H \leq 480$
	30	GWBT040	Special cabinet		/	$300 \leq W \leq 1000$	$360 \leq D \leq 600$	$450 \leq H \leq 720$

Main cabinet module of mounted basin







CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Main cabinet module of mounted basin	31	GWBT041	Special cabinet		/	$300 \leq W \leq 1000$	$360 \leq D \leq 600$	480/720 $450 \leq H \leq 720$
	32	GWBT045	Special cabinet		L/R	$500 \leq W \leq 1000$	$360 \leq D \leq 650$	$240 \leq H \leq 480$

Side cabinet module of mounted basin

MODULE






CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Side cabinet module of mounted basin	1	GWCD001	Side cabinet with single door		L/R	$150 \leq W \leq 600$	525/450 $130 \leq D \leq 650$	480/720 $300 \leq H \leq 800$
	2	GWCD002	Side cabinet with genuine drawer and single door		L/R	$250 \leq W \leq 600$	525/450 $300 \leq D \leq 650$	480/720 $400 \leq H \leq 720$
	3	GWCS001	Side cabinet with double door		/	$400 \leq W \leq 1200$	525/450 $130 \leq D \leq 650$	480/720 $300 \leq H \leq 720$
	4	GWCS003	Side cabinet with genuine drawer and double door		/	$500 \leq W \leq 1200$	525/450 $300 \leq D \leq 650$	480/720 $450 \leq H \leq 720$
	5	GWCS004	Side cabinet with fix drawer and double door		/	$500 \leq W \leq 1200$	525/450 $130 \leq D \leq 650$	480/720 $450 \leq H \leq 800$
	6	GWCB001	Side cabinet with single drawer		/	$300 \leq W \leq 1200$	525/450 $300 \leq D \leq 650$	160/480 $160 \leq H \leq 550$







Side cabinet module of mounted basin







CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Side cabinet module of mounted basin	7	GWCB002	Side cabinet with double drawer		/	$300 \leq W \leq 1200$	525/450 $300 \leq D \leq 650$	480/720 $300 \leq H \leq 720$
	8	GWCB003	Side cabinet with three drawers		/	$300 \leq W \leq 1200$	525/450 $300 \leq D \leq 650$	480/720 $450 \leq H \leq 720$
	9	GWCB004	Side cabinet with four drawers		/	$300 \leq W \leq 1200$	525/450 $300 \leq D \leq 650$	600/720 $600 \leq H \leq 720$
	10	GWCB007	Side cabinet with single fix drawer		/	$300 \leq W \leq 1200$	525/450 $300 \leq D \leq 650$	250/480 $240 \leq H \leq 550$
	11	GWCB008	Side cabinet with double fix drawer		/	$300 \leq W \leq 1200$	525/450 $300 \leq D \leq 650$	480/720 $450 \leq H \leq 720$
	12	GWCB010	Bottom open side cabinet with single drawer		/	$300 \leq W \leq 1200$	525/450 $300 \leq D \leq 650$	400/480 $350 \leq H \leq 720$







Side cabinet module of mounted basin







MODULE

CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Side cabinet module of mounted basin	13	GWCB023	Removable built-in drawer cabinet		/	$400 \leq W \leq 800$	$360 \leq D \leq 600$	480/720 $300 \leq H \leq 550$
	14	GWCL002B	Single pull-out basket cabinet		/	445	$475 \leq D \leq 600$	$500 \leq H \leq 720$
		GWCL002C			/	160	$450 \leq D \leq 600$	$480 \leq H \leq 720$
		GWCL002D			/	250	$450 \leq D \leq 600$	$480 \leq H \leq 720$
		GWCL002E			/	$655 \leq W \leq 675$	$510 \leq D \leq 600$	$300 \leq H \leq 550$
	15	GWCE001	Side cabinet with flap door		/	$300 \leq W \leq 1000$	525/450 $300 \leq D \leq 650$	480 $350 \leq H \leq 480$
	16	GWCE002	Side cabinet with double flap door		/	$300 \leq W \leq 1000$	525/450 $300 \leq D \leq 650$	550/720 $480 \leq H \leq 720$
	17	GW CZ001	Side cabinet with single door		L/R	$750 \leq W \leq 1200$	525/450 $300 \leq D \leq 650$	480/720 $400 \leq H \leq 720$







CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Side cabinet module of mounted basin	18	GWCM001	Side cabinet with sliding door		/	$400 \leq W \leq 1400$	160/300 $160 \leq D \leq 650$	480/720 $200 \leq H \leq 720$
	19	GWCM002	Side cabinet with double sliding door		/	$500 \leq W \leq 1400$	250/300 $250 \leq D \leq 650$	480/720 $200 \leq H \leq 750$
	20	GWCM004	Side cabinet with double folding door		L/R	$600 \leq W \leq 1200$	450/600 $300 \leq D \leq 650$	600/900 $500 \leq H \leq 1000$
	21	GWCK001	Open cabinet with double side panels		/	$150 \leq W \leq 1400$	250/300 $100 \leq D \leq 650$	480/720 $250 \leq H \leq 720$
	22	GWCK002	Rectangular open cabinet with single side panel		L/R	$150 \leq W \leq 800$	250/300 $100 \leq D \leq 350$	480/720 $300 \leq H \leq 720$
	23	GWCK003	Rounded open cabinet with single side panel		L/R	$150 \leq W \leq 800$	250/300 $100 \leq D \leq 350$	480/720 $300 \leq H \leq 750$

CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Side cabinet module of mounted basin	24	GWCK004	Standard open cabinet		/	$150 \leq W \leq 650$	250/525 $130 \leq D \leq 650$	480/720 $300 \leq H \leq 720$
	25	GWCK005	Open cabinet with front cut angle and double side panel		/	$200 \leq W \leq 600$	250/525 $250 \leq D \leq 650$	480/720 $300 \leq H \leq 720$
	26	GWCK006	Open cabinet with side panel		/	$100 \leq W \leq 600$	450/525 $150 \leq D \leq 650$	480/720 $250 \leq H \leq 720$
	27	GWCK007	45° spliced open cabinet		/	$150 \leq W \leq 1000$	450/250 $150 \leq D \leq 650$	480/600 $250 \leq H \leq 600$
	28	GWCW001	Side cabinet with single enclosure		/	$250 \leq W \leq 1200$	450/525 $150 \leq D \leq 600$	480/720 $300 \leq H \leq 720$
	29	GWCT002	Special cabinet		/	130	$460 \leq D \leq 560$	480/720 $400 \leq H \leq 720$

CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Side cabinet module of mounted basin	30	GWCT004	Top open drawer with single bottom drawer		/	$300 \leq W \leq 600$	450/525 $300 \leq D \leq 650$	480/720 $400 \leq H \leq 720$
	31	GWCT009	Special cabinet		/	$130 \leq W \leq 600$	200/400 $200 \leq D \leq 600$	480/720 $250 \leq H \leq 720$
	32	GWCT010	Special cabinet		/	$400 \leq W \leq 600$	257	1665
	33	GWCT010A	Special cabinet		/	400	257	1720
	34	GWCT014	Special cabinet		/	$500 \leq W \leq 700$	450	$600 \leq H \leq 720$
	35	GWCT015	Special side cabinet with three drawers		/	$250 \leq W \leq 600$	$490 \leq D \leq 545$	$480 \leq H \leq 720$







CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Side cabinet module of mounted basin	36	GWCT020	Front top open special side cabinet with double drawer		/	$250 \leq W \leq 600$	$490 \leq D \leq 545$	$480 \leq H \leq 720$
	37	GWCT021	Special cabinet		/	$250 \leq W \leq 600$	525	$480 \leq H \leq 720$
	38	GWCT022	Special cabinet		/	$300 \leq W \leq 600$	$450 \leq D \leq 650$	$480 \leq H \leq 720$
	39	GWCK015	Bottom open inset type side cabinet with top drawer		/	$300 \leq W \leq 1200$	$300 \leq D \leq 650$	$350 \leq H \leq 720$
	40	GWCT026	Special cabinet		L/R	$300 \leq W \leq 400$	$350 \leq D \leq 550$	560
	41	GWCT028	Special cabinet		/	500	$525 \leq D \leq 600$	$480 \leq H \leq 720$







Side cabinet module of mounted basin







CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Side cabinet module of mounted basin	42	GWCT029	Special cabinet		L/R	600	300 ≤ D ≤ 600	450 ≤ H ≤ 550
	43	GWCD009	Drying accessory cabinet		L/R	450 ≤ W ≤ 600	490 ≤ D ≤ 600	480 ≤ H ≤ 720
	44	GWCE005	Side open cabinet with double flap door		/	500 ≤ W ≤ 1000	150 ≤ D ≤ 600	480 ≤ H ≤ 600
	45	GW CZ004	BMW UFO pull-out basket cabinet		L/R	900	525 ≤ D ≤ 600	480 ≤ H ≤ 720 When H ≤ 550, only one pull basket can be installed below
	46	GWBB010	BLUM Cloud Platform heightening drawer		/	500 ≤ W ≤ 900	525 ≤ D ≤ 600	200 ≤ H ≤ 270
	47	GWCB024	Side cabinet with heavy drawer slide		/	200 ≤ W ≤ 400	550 ≤ D ≤ 650	720 ≤ H ≤ 1800








Wall cabinet module








MODULE

CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Wall cabinet module	1	GWDD001	Wall cabinet with single door		L/R	200 ≤ W ≤ 650	150/300 100 ≤ D ≤ 650	480/720 300 ≤ H ≤ 1440
	2	GWDD002	Wall cabinet with top and bottom single doors		L/R	200 ≤ W ≤ 650	150/300 100 ≤ D ≤ 650	600/720 600 ≤ H ≤ 1680
	3	GWDD003	Bottom open wall cabinet with single door		L/R	200 ≤ W ≤ 650	150/300 100 ≤ D ≤ 650	500/720 450 ≤ H ≤ 1440
	4	GWDD004	Top open wall cabinet with single door		L/R	200 ≤ W ≤ 650	150/300 100 ≤ D ≤ 650	600/720 450 ≤ H ≤ 1440
	5	GWDD005	Middle open wall cabinet with top and bottom single doors		L/R	200 ≤ W ≤ 650	150/300 100 ≤ D ≤ 650	800/1000 750 ≤ H ≤ 2100
	6	GWDS001	Wall cabinet with double door		/	400 ≤ W ≤ 1300	150/300 100 ≤ D ≤ 650	480/720 300 ≤ H ≤ 1440







CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Wall cabinet module	7	GWDS003	Bottom open wall cabinet with double door		/	$400 \leq W \leq 1300$	150/300 $100 \leq D \leq 650$	500/720 $450 \leq H \leq 1440$
	8	GWDS004	Top open wall cabinet with double door		/	$400 \leq W \leq 1300$	150/300 $100 \leq D \leq 650$	600/720 $450 \leq H \leq 1440$
	9	GWDU001	Wall cabinet with single up-lift door		/	$300 \leq W \leq 1200$	150/300 $150 \leq D \leq 600$	300/400 $280 \leq H \leq 400$
	10	GWDU002	Wall cabinet with double up-lift door		/	$300 \leq W \leq 1200$	150/300 $150 \leq D \leq 600$	560/720 $560 \leq H \leq 800$
	11	GWDU003	Bottom open wall cabinet with single up-lift door		/	$300 \leq W \leq 1200$	150/300 $150 \leq D \leq 600$	500/720 $500 \leq H \leq 800$
	12	GWDM001	Wall cabinet with single sliding door		/	$400 \leq W \leq 1400$	150/300 $150 \leq D \leq 650$	480/720 $200 \leq H \leq 1000$

CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Wall cabinet module	13	GWDM002	Bottom open cabinet with double sliding doorBottom open cabinet with double sliding door		/	$150 \leq W \leq 1400$	250/300 $170 \leq D \leq 650$	480/720 $200 \leq H \leq 1000$
	14	GWDM003	Special cabinet		/	$500 \leq W \leq 1400$	200/300 $180 \leq D \leq 650$	600/720 $600 \leq H \leq 1000$
	15	GWDM004	Wall cabinet with single sliding door		/	$400 \leq W \leq 1400$	150/300 $150 \leq D \leq 650$	480/720 $200 \leq H \leq 1000$
	16	GWDM005	Open cabinet with double side panels		/	$500 \leq W \leq 1400$	150/300 $150 \leq D \leq 650$	480/720 $350 \leq H \leq 1000$
	17	GWDK001	Rectangular open cabinet with single side panel		/	$150 \leq W \leq 1400$	150/300 $100 \leq D \leq 650$	480/720 $200 \leq H \leq 1500$
	18	GWDK002	Straight open cabinet with single side panel		L/R	$150 \leq W \leq 800$	150/300 $100 \leq D \leq 350$	480/720 $250 \leq H \leq 1200$

CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Wall cabinet module	25	GWDT008	Special cabinet		L/R	$400 \leq W \leq 900$	150/300 $107 \leq D \leq 600$	500/720 $500 \leq H \leq 1500$
	26	GWDT017	One-piece toilet cabinet		L/R	$300 \leq W \leq 700$	150/300 $130 \leq D \leq 300$	720/1000 $250 \leq H \leq 1000$
	27	GWDT019	Special cabinet		L/R	$300 \leq W \leq 600$	150/300 $130 \leq D \leq 300$	480/720 $400 \leq H \leq 1000$
	28	GWDT020	Special cabinet		L/R	$500 \leq W \leq 1200$	150/180 $130 \leq D \leq 180$	600/720 $600 \leq H \leq 1200$
	29	GWDT021	Side cabinet with single sliding door		/	$400 \leq W \leq 1400$	150/300 $150 \leq D \leq 300$	480/720 $300 \leq H \leq 1200$
	30	GWDT024	Special cabinet		/	370	221	750
	31	GWDK003	Rounded open cabinet with single side panel		L/R	$150 \leq W \leq 800$	150/300 $100 \leq D \leq 350$	480/720 $250 \leq H \leq 1200$

CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Wall cabinet module	32	GWDK006	Open matts cabinet		/	$300 \leq W \leq 1000$	150/300 $100 \leq D \leq 650$	250/480 $300 \leq H \leq 840$
	33	GWDK007	Open cabinet with thick back panel and double side panel		/	$600 \leq W \leq 1000$	150/300 $100 \leq D \leq 650$	480/600 $250 \leq H \leq 840$
	34	GWDW001	Side cabinet with single enclosure		/	$250 \leq W \leq 1200$	150/300 $150 \leq D \leq 600$	480/720 $300 \leq H \leq 1200$
	35	GWDT001	Special cabinet		L/R	$300 \leq W \leq 600$	150/300 $130 \leq D \leq 300$	480/720 $400 \leq H \leq 1000$
	36	GWDT007	Special cabinet		/	$500 \leq W \leq 1200$	150/180 $107 \leq D \leq 150$	150/250 $150 \leq H \leq 400$
	37	GWDT029	Special cabinet		/	$600 \leq W \leq 1200$	150/130 $150 \leq D \leq 300$	600/720 $600 \leq H \leq 1000$
	38	GWDT033	Special cabinet		/	$400 \leq W \leq 700$	275	600/720 $600 \leq H \leq 840$

Wall cabinet module

CATEGORY	NO.	CODE	NAME	ILLUSTRATION	DIRECTION	WIDTH	DEPTH	HEIGHT
Wall cabinet module	39	GWDM006	Bottom open wall cabinet with double door		L/R	$700 \leq W \leq 1200$	$150/300$ $150 \leq D \leq 330$	$480/720$ $300 \leq H \leq 1200$
	40	GWDM008	Top open wall cabinet with double door		/	$600 \leq W \leq 1600$	300 $175 \leq D \leq 300$	720 $500 \leq H \leq 1200$
	41	GWDM009	Wall cabinet with single up-lift door		/	$600 \leq W \leq 1600$	300 $175 \leq D \leq 300$	720 $500 \leq H \leq 1200$
	42	GWCT027	Wall cabinet with double up-lift door		/	350	275	1400
	43	GWDT035	Bottom open wall cabinet with single up-lift door		/	400	$130 \leq D \leq 150$	$300 \leq H \leq 840$
	44	GWDS005	Wall cabinet with single sliding door		/	$650 \leq W \leq 900$	$130 \leq D \leq 200$	$680 \leq H \leq 900$

2022 Matching Table for ceramic basins and drainers

NO.	SERIES	OLD SALE CODE	NEW SALE CODE	WITH OVERFLOW? (YES/NO)	DRAINER
1	Vessel Bathroom Sink	OP-WY23	PBDPC002	No	OP-P402X、PBDBG002A、OP-P408-A、PBDBH010A、PBDBH012A、PBDBH013A、PBDPH014A
2	Vessel Bathroom Sink	OP-WY25	PBDPC003	No	OP-P402X、PBDBG002A、OP-P408-A、PBDBH010A、PBDBH012A、PBDBH013A、PBDPH014A
3	Vessel Bathroom Sink	OP-WY28	PBDPC004	No	OP-P402X、PBDBG002A、OP-P408-A、PBDBH010A、PBDBH012A、PBDBH013A、PBDPH014A
4	Vessel Bathroom Sink	OP-WY35XS	PBDPC015	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
5	Vessel Bathroom Sink	OP-WY31-A	PBDPC028	No	OP-P402X、PBDBG002A、OP-P408-A、PBDBH010A、PBDBH012A、PBDBH013A、PBDPH014A
6	Vessel Bathroom Sink	OP-WY51	PBDPC035	No	OP-P402X、PBDBG002A、OP-P408-A、PBDBH010A、PBDBH012A、PBDBH013A、PBDPH014A
7	Vessel Bathroom Sink	/	PBDPC038	No	With drainer
8	Vessel Bathroom Sink	OP-WTZ10	PBDPB005	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
9	Drop-in Bathroom Sink	OP-WTZ15	PBDPB009	No	OP-P402X、PBDBG002A、OP-P408-A、PBDBH010A、PBDBH012A、PBDBH013A、PBDPH014A
10	Under-mount Bathroom Sink	DT-0103-001A	PBDPA001	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
11	Under-mount Bathroom Sink	P-C2301B	PBDPA002	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
12	Under-mount Bathroom Sink	OP-WTX17-A	PBDPA004	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
13	Under-mount Bathroom Sink	OP-WTX16	PBDPA006	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
14	Under-mount Bathroom Sink	OP-WTX23	PBDPA010	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
15	Under-mount Bathroom Sink	OP-WTX33	PBDPA020	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
16	Under-mount Bathroom Sink	/	PBDPA021	Yes	OP-P420
17	Under-mount Bathroom Sink	/	PBDPA022	Yes	OP-P420
18	Under-mount Bathroom Sink	OP-WTX31	PBDPA023	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
19	Vanity Top Bathroom Sink	DT-0104-017A	PBDPD003Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
20	Vanity Top Bathroom Sink	DT-0104-023	PBDPD004Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
21	Vanity Top Bathroom Sink	P-9090AZ	PBDPD005L	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
22	Vanity Top Bathroom Sink	OP-WGP08M	PBDPD0016Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
23	Vanity Top Bathroom Sink	OP-WGP15M	PBDPD024Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
24	Vanity Top Bathroom Sink	OP-WGP15L	PBDPD025Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
25	Vanity Top Bathroom Sink	OP-WGP15S	PBDPD031Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
26	Vanity Top Bathroom Sink	OP-WGP19L	PBDPD043Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
27	Vanity Top Bathroom Sink	OP-WGP19M	PBDPD044Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
28	Vanity Top Bathroom Sink	OP-WGP25XS	PBDPD050Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
29	Vanity Top Bathroom Sink	OP-WGP25M	PBDPD052Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
30	Vanity Top Bathroom Sink	OP-WGP25L	PBDPD053Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
31	Vanity Top Bathroom Sink	OP-WGP25XL	PBDPD054Z	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
32	Vanity Top Bathroom Sink	OP-WGP25ZL	PBDPD055L	Yes	OP-P402X、OP-P408、PBDBH013、PBDBH001、PBDBH010
33	Vanity Top Bathroom Sink	OP-WGP22(L/R)-1200		Yes	With drainer
34	Vanity Top Bathroom Sink	OP-WGP22(L/R)-1200		Yes	With drainer
35	Vanity Top Bathroom Sink	OP-WGP23(L/R)-1200		Yes	With drainer
36	Vanity Top Bathroom Sink	OP-WGP23(L/R)-1200		Yes	With drainer

2022 Matching Table for ceramic basins & carcasses (version A1)

NO.	CERAMIC BASINS TYPE (CRAFT NAME)	NEW SALE CODE	OLD SALE CODE	APPEARANCE AND SIZE OF BASIN			SIZE OF WASH BASIN			SIZE OF APPLICABLE CABINET				INSTALLATION METHOD OF BASIN	THE FRONT BRACE OF THE ONE-PIECE BASIN MOVES DOWNWARD	THE REAR BEAM OF THE ONE-PIECE BASIN MOVES DOWNWARD
				WIDTH W	HEIGHT H	DEPTH D	WIDTH	HEIGHT	DEPTH	WIDTH 1	WIDTH 2	DEPTH	HEIGHT			
1	Under-mount Bathroom Sink	PBDPA001	DT-0103-001A	500	195	400	450(+10,-0)	177±5	390(+5,-0)	≥620	≥570	≥525	≥400	Installed under the countertop	/	/
2	Under-mount Bathroom Sink	PBDPA002	P-C2301B	555	198	420	515(+10,-0)	183±5	395(+5,-0)	≥625	≥625	≥540	≥400	Installed under the countertop	/	/
3	Under-mount Bathroom Sink	PBDPA004	OP-WTX17-A	540	205	383	513(+10,-0)	185±5	370(+5,-0)	≥695	≥615	≥500	≥405	Installed under the countertop	/	/
4	Under-mount Bathroom Sink	PBDPA006	OP-WTX16	550	200	400	510(+10,-0)	185±5	380(+5,-0)	≥700	≥620	≥525	≥400	Installed under the countertop	/	/
5	Under-mount Bathroom Sink	PBDPA010	OP-WTX23	620	215	430	565±5	187±5	360±5	≥690	≥690	≥555	≥400	Installed under the countertop	/	/
6	Under-mount Bathroom Sink	PBDPA011	OP-WTX24	550	185	405	505±5	147±5	355±5	≥700	≥620	≥525	≥400	Installed under the countertop	/	/
7	Under-mount Bathroom Sink	PBDPA013	OP-WTX26	560	160	490	560±5	160±5	490±5	≥710	≥630	≥550	≥400	Installed under the countertop	/	/
8	Under-mount Bathroom Sink	PBDPA023	OP-WTX31 (OPPEIN Logo)	700	188	395	700±5	188±5	395±5	≥860	≥780	≥525	≥440	Installed under the countertop	/	/
9	Under-mount Bathroom Sink	PBDPA019	OP-WTX32	600	200	430	600±5	200±5	430±5	≥750	≥670	≥560	≥450	Installed under the countertop	/	/
10	Under-mount Bathroom Sink	PBDPA020	OP-WTX33	600	200	445	600±5	200±5	445±5	≥750	≥670	≥570	≥450	Installed under the countertop	/	/
11	Under-mount Bathroom Sink	PBDPB006	OP-WTZ11	600	198	418	600±5	198±3	418±5	≥750	≥670	≥550	≥400	Installed under the countertop	/	/
12	Drop-in Bathroom Sink	PBDPB001	DT-0101-014A	560	187	390	492(+10,-0)	86±5	346(+10,-0)	≥605	/	≥475	≥240	Countertop mount	/	/
13	Drop-in Bathroom Sink	PBDPB004	DT-0102-006A	560	215	420	505(+10,-0)	125±5	355(+10,-0)	≥615	/	≥505	≥240	Countertop mount	/	/
14	Drop-in Bathroom Sink	PBDPB005	OP-WTZ10	585	183	465	535(+10,-0)	92±5	330(+10,-0)	≥645	/	≥470	≥350	Countertop mount	/	/
15	Drop-in Bathroom Sink	PBDPB006	OP-WTZ11	600	198	418	600±5	198±3	418±5	≥660	/	≥505	≥300	Countertop mount	/	/
16	Drop-in Bathroom Sink	PBDPB009	OP-WTZ15	550	160	400	490(+10,-0)	110±5	340(+10,-0)	≥610	/	≥485	≥300	Countertop mount	/	/
17	Vessel Bathroom Sink	PBDPC001	OP-WY20	585	170	400	/	/	/	≥500	/	≥450	≥250	Countertop mount	/	/
18	Vessel Bathroom Sink	PBDPC002	OP-WY23	485	175	395	/	/	/	≥400	/	≥400	≥250	Countertop mount	/	/

2022 Matching Table for ceramic basins & carcasses (version A1)

NO.	CERAMIC BASINS TYPE (CRAFT NAME)	NEW SALE CODE	OLD SALE CODE	APPEARANCE AND SIZE OF BASIN			SIZE OF WASH BASIN			SIZE OF APPLICABLE CABINET				INSTALLATION METHOD OF BASIN	THE FRONT BRACE OF THE ONE-PIECE BASIN MOVES DOWNWARD	THE REAR BEAM OF THE ONE-PIECE BASIN MOVES DOWNWARD
				WIDTH W	HEIGHT H	DEPTH D	WIDTH	HEIGHT	DEPTH	WIDTH 1	WIDTH 2	DEPTH	HEIGHT			
19	Vessel Bathroom Sink	PBDPC003	OP-WY25	552	165	420	/	/	/	≥550	/	≥515	≥250	Countertop mount	/	/
20	Vessel Bathroom Sink	PBDPC004	OP-WY28	430	155	430	430±5	160±5	430±5	≥450	/	≥525	≥250	Countertop mount	/	/
21	Vessel Bathroom Sink	PBDPC010	OP-WY32	450	168	450	450±5	168±5	450±5	≥450	/	≥545	≥250	Countertop mount	/	/
22	Vessel Bathroom Sink	PBDPC011	OP-WY33	450	168	450	450±5	168±5	450±5	≥450	/	≥545	≥250	Countertop mount	/	/
23	Vessel Bathroom Sink	PBDPC012	OP-WY34	600	168	430	600±5	170±5	430±5	≥450	/	≥525	≥250	Countertop mount	/	/
24	Vessel Bathroom Sink	PBDPC015	OP-WY35XS	600	153	500	600±8	153±8	500±5	≥600	/	≥500	≥250	Countertop mount	/	/
25	Vessel Bathroom Sink	PBDPC028	OP-WY31-A	390	145	390	390±5	145±5	390±5	≥390	/	≥485	≥250	Countertop mount	/	/
26	Vessel Bathroom Sink	PBDPC029	OP-WY50	550	130	400	550±6	120±4	400±5	≥560	/	≥490	≥250	Countertop mount	/	/
27	Vessel Bathroom Sink	PBDPC035	OP-WY51	416	130	416	416±5	120±5	416±5	≥425	/	≥510	≥250	Countertop mount	/	/
28	Vanity Top Bathroom Sink	PBDPD005L	P-9090AZ	912	200	507	520(+10,-0)	184±5	355(+10,-0)	880	/	470	≥400	The carcass is installed vertically	/	115
29	Vanity Top Bathroom Sink	PBDPD003Z	DT-0104-017A	805	228	485	505(+10,-0)	168	335(+10,-0)	780	/	450	≥400	The carcass is installed vertically	≥60	/
30	Vanity Top Bathroom Sink	PBDPD016Z	OP-WGP08M	705	193	445	605(+10,-0)	138±5	445±5	660	/	410	≥400	The carcass is installed vertically	≥85	130
31	Vanity Top Bathroom Sink	PBDPD004Z	DT-0104-023	610	215	460	460(+10,-0)	175±5	340(+10,-0)	590	/	425	≥400	The carcass is installed vertically	≥60	/
32	Vanity Top Bathroom Sink	PBDPD018Z	OP-WGP10	810	297	575	705(+10,-0)	232±5	445(+0,-8)	760	/	425	≥400	The carcass is installed vertically	/	/
33	Vanity Top Bathroom Sink	PBDPD019Z	OP-WGP11M	810	200	530	620(+10,-0)	138±5	334(+0,-8)	745	/	300	≥480	The carcass is installed vertically	145	150
34	Vanity Top Bathroom Sink	PBDPD024Z	OP-WGP15M	802	200	490	510(+10,-0)	175±5	350(+10,-0)	770	/	450	≥400	The carcass is installed vertically	≥60	/
35	Vanity Top Bathroom Sink	PBDPD025Z	OP-WGP15L	898	200	487	500(+10,-0)	175±5	350(+10,-0)	870	/	455	≥400	The carcass is installed vertically	≥60	/
36	Vanity Top Bathroom Sink	PBDPD031Z	OP-WGP15S	700	200	490	500(+10,-0)	180±5	350(+10,-0)	670	/	460	≥400	The carcass is installed vertically	≥60	/

2022 Matching Table for ceramic basins & carcasses (version A1)

NO.	CERAMIC BASINS TYPE (CRAFT NAME)	NEW SALE CODE	OLD SALE CODE	APPEARANCE AND SIZE OF BASIN			SIZE OF WASH BASIN			SIZE OF APPLICABLE CABINET				INSTALLATION METHOD OF BASIN	THE FRONT BRACE OF THE ONE-PIECE BASIN MOVES DOWNWARD	THE REAR BEAM OF THE ONE-PIECE BASIN MOVES DOWNWARD
				WIDTH W	HEIGHT H	DEPTH D	WIDTH	HEIGHT	DEPTH	WIDTH 1	WIDTH 2	DEPTH	HEIGHT			
37	Vanity Top Bathroom Sink	PBDPD032Z	OP-WGP16L	900	195	490	590(+10,-0)	138±5	350(+10,-0)	870	/	450	≥400	The carcass is installed vertically	≥60	/
38	Vanity Top Bathroom Sink	PBDPD034Z	OP-WGP16M	800	195	490	590(+10,-0)	138±5	350(+10,-0)	770	/	450	≥400	The carcass is installed vertically	≥60	/
39	Vanity Top Bathroom Sink	PBDPD035Z	OP-WGP16S	700	195	486	490(+10,-0)	138±5	350(+10,-0)	670	/	440	≥400	The carcass is installed vertically	≥60	/
40	Vanity Top Bathroom Sink	PBDPD043Z	OP-WGP19L	910	227	505	510(+10,-0)	195±5	345(+10,-0)	880	/	470	≥400	The carcass is installed vertically	≥60	/
41	Vanity Top Bathroom Sink	PBDPD044Z	OP-WGP19M	805	227	505	505(+10,-0)	195±5	345(+10,-0)	780	/	460 /470	≥400	The carcass is installed vertically	≥60	/
42	Vanity Top Bathroom Sink	PBDPD042(R/L) PBDPD041(R/L)	OP-WGP22(R/L)	1200	300	630	/	/	/	1170	/	605	930	The carcass is installed vertically	See special cabinet for details	See special cabinet for details
43	Vanity Top Bathroom Sink	PBDPD048(R/L) PBDPD047(R/L)	OP-WGP23(R/L)	1200	300	630	/	/	/	1170	/	610	915	The carcass is installed vertically	See special cabinet for details	See special cabinet for details
44	Vanity Top Bathroom Sink	PBDPD061Z	OP-G-WGP27XS	610	500	500	490(+10,-0)	172±5	345(+10,-0)	580	/	460	≥400	The carcass is installed vertically	≥60	/
45	Vanity Top Bathroom Sink	PBDPD055Z	OP-G-WGP27M	800	200	500	540(+10,-0)	172±5	345(+10,-0)	780	/	460	≥400	The carcass is installed vertically	≥60	/
46	Vanity Top Bathroom Sink	PBDPD056Z	OP-G-WGP27L	910	200	500	610(+10,-0)	172±5	341(+10,-0)	880	/	460	≥400	The carcass is installed vertically	≥60	/
47	Vanity Top Bathroom Sink	PBDPD057Z	OP-G-WGP27XL	1005	200	496	635(+10,-0)	172±5	345(+10,-0)	980	/	460	≥400	The carcass is installed vertically	≥60	/
48	Vanity Top Bathroom Sink	PBDPD050Z	OP-WGP25XS	605	223	495	499(+10,-0)	175±5	336(+ 10,-0)	570	/	450	≥400	The carcass is installed vertically	≥60	/
49	Vanity Top Bathroom Sink	PBDPD051Z	OP-WGP25S	705	223	495	561(+10,-0)	175±5	334(+ 10,-0)	670	/	450	≥400	The carcass is installed vertically	≥60	/
50	Vanity Top Bathroom Sink	PBDPD052Z	OP-WGP25M	805	223	495	539(+10,-0)	175±5	334(+ 10,-0)	770	/	450	≥400	The carcass is installed vertically	≥60	/
51	Vanity Top Bathroom Sink	PBDPD053Z	OP-WGP25L	905	223	495	555(+10,-0)	175±5	334(+ 10,-0)	870	/	450	≥400	The carcass is installed vertically	≥60	/
52	Vanity Top Bathroom Sink	PBDPD054Z	OP-WGP25XL	1005	223	495	555(+10,-0)	175±5	334(+ 10,-0)	970	/	450	≥400	The carcass is installed vertically	≥60	/
53	Vanity Top Bathroom Sink	PBDPD059Z	OP-WGP19XL	1005	Ø3	505	506(+10,-0)	202±5	341(+ 10,-0)	970	/	460	≥400	The carcass is installed vertically	≥60	/
54	Vanity Top Bathroom Sink	PBDPD055L	OP-WGP25ZL	905	225	495	554(+10,-0)	169±5	334(+ 10,-0)	870	/	450	≥420	The carcass is installed vertically	/	/
55	Vanity Top Bathroom Sink	PBDPD060Z	OP-G-WGP27S	710	200	500	530(+10,-0)	172±5	3 60(+10,-0)	680	/	460	≥400	The carcass is installed vertically	/	≥60