OPPEIN

OPPEIN Bangkok

Add : 226 T.C.Green Building G Rama 9 Huai Khwangyun,Huai Khwang District Bangkok Thailand 10310

www.oppeinbangkok.com

+66-82-7000068 oppeinbangkok@gmail.com

Oppeinbangkok

360° Kitchen Showroom

360° Bathroom Showroom

360° Door Showroom



KITCHENS

The World's Largest Cabinetry Manufacturer

2022 Design Manual

CONTENTS

001 Wood Veneer
003 Lacquer
020 UV Lacquer
026 PVC Foil/PP Foil
047 High Pressure Laminate
049 Melamine
057 Flat Laminate
059 Wood Framed Glass Doors
064 Aluminum Framed Glass
070 Decorative Accessories
081 Countertop Profiles
082 Sink Hole and Installation
083 Materials Collection
099 Glass
100 Laser Edge Banding
100 Wood Veneer Edge Banding
101 PVC Edge Bands
103 Aluminum Edge Bands
105 Quartzstone
107 Aluminum Bar Handles
110 Handles & Knobs
115 Hinges & Buffers
118 Door Fittings, Drawers, Slides
135 Aluminum Racks
Kickboards
Metal/Plastic Leg
Bartop Legs
Functional Accessories
Base Cabinet(metric)
Middle Cabinet(metric)
High Cabinet(metric)
Wall Cabinet(metric)
On-Worktop Cabinet(metric)
Refrigerator Top Cabinet(metric)
Open Cabinet(metric)

DECLARATION:

Due to printing variations and limitations, textur es, grains, finishes and color s shown in this manual are for representation only. We can not guarantee they per fectly match the actual samples or pr oducts.

Carcase General-Sturdy & Safe

Using high-quality panels, adhesive and hardware, plus with the highest processing precision guaranteed by HOMAG woodworking machines, OPPEIN produces eco-friendly and rigid carcases, which are durable and even can adapt to tough conditions.





LACQUERED DOORS ▸

Features

-18/21/25mm thick MDF as core
-High gloss and matt lacquer is PU lacquer
-Flash lacquer is PU lacquer with shiny powders
-Front face or both faces lacquered

Size limits:

-Door W≤650mm, H≤2340mm
-Drawer front W≤1200mm, H≤600mm
-Lift Up Door/Flap Door W≤1200mm, H≤600mm
-Glass Door W≤650mm, H≤1660mm
-False Door W≤2340mm, H≤2340mm



UV LACQUERED DOORS▸

Features

-18mm thick MDF as base
-Front face laminated with melamine, then UV lacquered
-Back face coated with white melamine
-Edges sealed with PVC

Size limits:

-Door W≤650mm, H≤2340mm
-Drawer front W≤1200mm, H≤600mm
-Lift Up Door/Flap Door W≤1200mm, H≤600mm
-Glass Door W≤650mm, H≤1660mm
-False Door W≤2340mm, H≤2340mm



PVC FOIL COATED DOORS▸

Features

-18/21/25mm thick MDF as core
-Front face coated with PVC, back face coated with white melamine
-High quality PVC foil, mainly supplied by Renolit and Riken

Size limits:

-Door W≤650mm, H≤2340mm
-Drawer front W≤1200mm, H≤600mm
-Lift Up Door/Flap W≤1200mm, H≤600mm
-Glass Door W≤650mm, H≤1660mm
-False Door W≤2340mm, H≤2340mm





PP FOIL COATED DOORS ▸

Features

-21/25mm thick MDF as core
-Both faces coated with PP
-Fine wood grain, affordable and often used as the alternative of solid wood.

Size limits:

-Door W≤650mm, H≤2340mm
-Drawer front W≤1200mm, H≤600mm
-Lift Up Door/Flap W≤1200mm, H≤600mm
-Glass Door W≤650mm, H≤1660mm
-False Door W≤2340mm, H≤2340mm

HPL COATED DOORS ▸

Features

-18mm thick particle board as core
-Edges sealed with 2mm thick REHAU PVC
-The decorative sheet thickness is 0.6~0.8mm

Size limits:

-Door W≤650mm, H≤2340mm
-Drawer front W≤1200mm, H≤600mm
-Lift Up Door/Flap Door W≤1200mm, H≤600mm
-Glass Door W≤650mm, H≤1660mm
-False Door W≤2340mm, H≤2340mm



MELAMINE COATED DOORS ▸

Features

-18mm thick particle board as core
-Edges sealed with 2mm thick REHAU PVC,
-High quality German SCHATTDECOR and
-Spain LAMIGRAF impregnated decor paper

Size limits:

-Door W≤650mm, H≤2340mm
-Drawer front W≤1200mm, H≤600mm
-Lift Up Door/Flap Door W≤1200mm, H≤600mm
-Glass Door W≤650mm, H≤1660mm
-False Door W≤2340mm, H≤2340mm



FLAT LAMINATE DOORS ▸

Features

-18mm thick MDF as base
-Front face laminated with 0.7~1.2mm thick painted acrylic, or 0.4~0.5mm thick PVC or PETG decor paper.
-Back face coated with white melamine paper.
-Edges sealed with ABS or PVC

Size limits:

-Door W≤650mm, H≤2340mm
-Drawer front W≤1200mm, H≤600mm
-Lift Up Door/Flap Door W≤1200mm, H≤600mm
-Glass Door W≤650mm, H≤1660mm
-False Door W≤2340mm, H≤2340mm


YMN001


PWMM3068


PWMM3069


PWMM3066


PWMM3067



For door panels:
W≤600mm, H≤1680mm

For drawer fronts/flap doors:
W≤1200mm，H≤400mm (H≤500mm if for flap doors)

Notes:
-Door thickness: 19 mm
-Base: MDF, both faces coated with wood veneer.
-Matched wood-framed glass door: YMB001, YMB011, YMB063, YMB064


YMN049


PWMM4007


PWMM4008


PWMM4009


PWMM4010




For door panels:
-Equipped with Handle PWWL0398 and metal plate, sealed with al-alloy edge bands.
-When 147mm≤W≤650mm, 197mm≤H≤1050mm, door profile is same as the shown diagram.
-When W < 147mm or H < 197mm, doors will not be equipped with handle and metal plate and door profile is same as YMN055.

For drawer fronts/flap doors:
-When 147mm≤W≤1200mm, 197mm≤H≤400mm (drawer)/ 500mm (flap door), door profile is same as the shown diagram.
-When W < 147mm or H < 197mm, doors will not be equipped with handle and metal plate and door profile is same as YMN055.

Notes:
-Door thickness: 23.6 mm -Base: MDF, both faces coated with wood veneer.
-Not available for any wood-framed glass doors

YMN0052



PWMM3066

For door panels:
-97mm≤W≤650mm, 160mm≤H≤1680mm
-When W < 97mm or H < 160mm, door is 18mm thick flat panels.

For drawer fronts/flap doors:
-97mm≤W≤1200mm, 60mm≤H≤400mm (H≤500mm if for flap doors)
-When W < 97mm or H < 160mm, door is 18mm thick flat panels.

Notes:
-Door thickness: 18 mm
-Base: MDF, both faces coated with wood veneer
-Not available for any wood-framed glass doors


YMN053


PWMM4007


PWMM4008


PWMM4009

PWMM4010



For door panels:
-When 97mm≤W≤650mm, 97mm≤H≤2340mm, door profile is same as the shown diagram.
-When used as filler, the structure is same as door panel. And W≥27mm or H≥27mm.

For drawer fronts/flap doors:
-When 97mm≤W≤1200mm, 97mm≤H≤400mm (H≤500mm if for flap doors), door profile is same as the shown diagram.
-When W < 97mm or H < 97mm, drawer fronts and flap doors are not available.

Notes:
-Door thickness: 18 mm
-Base: MDF, both faces coated with wood veneer
-Matching YMB006, YMB008, YMB011, YMB063, YMB064


YMN055


PWMM4007


PWMM4008


PWMM4009


PWMM4010




For door panels:
-When 97mm≤W≤650mm, 97mm≤H≤2340mm, door profile is same as the shown diagram.
-When W < 97mm or H < 97mm, door is 18mm thick flat panels without al-alloy edge banding.

For drawer fronts/flap doors:
-When 97mm≤W≤1200mm, 97mm≤H≤400mm (H≤500mm if for flap doors), door profile is same as the shown diagram.
-When W < 97mm or H < 97mm, door is 18mm thick flat panels without al-alloy edge banding.

Notes:
-Door thickness: 23.6 mm
-Base: MDF, both faces coated with wood veneer
-Matching YMB006, YMB008, YMB011, YMB063, YMB064

YMN0054



For door panels:
-When 147mm≤W≤600mm, 127mm≤H≤900mm, door profile is same as the shown diagram.
-When W < 147mm or H < 127mm, door is 22mm thick flat panels.

For drawer fronts/flap doors:
-When 147mm≤W≤800mm, 127mm≤H≤400mm (H≤500mm if for flap doors), door profile is same as the shown diagram.
-When W < 147mm or H < 127mm, door is 22mm thick flat panels.

Notes:
-Door thickness: 22 mm -Base: MDF + solid wood
-Not available for any wood-framed glass doors

YMK001/YMK001G

Benley Auto Lacquer


PWMK5001


PWMK5002


PWMK5003


PWMK4001


PWMK5004


PWMK5005

Flash Lacquer & High Gloss Lacquer & Matt Lacquer

PWMK3007


PWMK3010

PWMK3022

PWMK2002


PWMK2006


PWMK2008


PWMK2090


BWMK2011


PWMK2112


PWMK2125


BWMK2010

PWMK1001


PWMK1002

PWMK1011


PWMK1053

High Gloss Lacquer (Only for YMK001)


PWMK1018


PWMK1018


PWMK2074



For door panels:

-97≤W≤600mm and 97≤H≤1680mm

For drawer fronts/flap doors:

-97≤W≤1200mm, 97≤H≤400mm (H≤500mm if for flap doors)

Notes:

-Door thickness: 19 mm for YMK001, 22mm for YMK001G
-Base: MDF -Finishes: single face or both faces lacquered.
-Matched wood-framed glass doors: YMB001, YMB005, YMB011, YMB063, YMB064

YMK002

Benley Auto Lacquer


PWMK5001


PWMK5002


PWMK5003


PWMK4001


PWMK5004


PWMK5005

Flash Lacquer & High Gloss Lacquer & Matt Lacquer


PWMK3007


PWMK3010


PWMK3022


PWMK2002


PWMK2006


PWMK2008


PWMK2090


BWMK2011


PWMK2112

PWMK2125

BWMK2010

PWMK1001

PWMK1002

PWMK1011

PWMK1053

For door panels:

-97≤W≤600mm and 97≤H≤1680mm

For drawer fronts/flap doors:

-97≤W≤1200 and 97≤H≤400mm

Notes:

-Door thickness: 19mm
-Front face or both faces lacquered
-Aluminum bar handle: PWMK0003, PWMK0008, PWMK0027
-Optional framed glass door: YMB001, YMB005, YMB011, YMB063, YMB064

YMK004

Benley Auto Lacquer


PWMK5001


PWMK5002


PWMK5003


PWMK4001


PWMK5004


PWMK5005

Flash Lacquer & High Gloss Lacquer & Matt Lacquer


PWMK3007


PWMK3010


PWMK3022


PWMK2002


PWMK2006


PWMK2008


PWMK2090


BWMK2011


PWMK2112


PWMK2125



BWMK2010


PWMK1001


PWMK1002


PWMK1011


PWMK1053



For door panels:

-97≤W≤600mm and 97≤H≤1680mm

For drawer fronts/flap doors:

-W≤1200 and H≤400mm

Notes:

-Door thickness: 22mm
-Front face or both faces lacquered
-Optional framed glass door: YMB001, YMB005, YMB011, YMB063, YMB064

YMK103

Matt Lacquer


PWMK2002


PWMK2006

PWMK2007


PWMK2008



PWMK2090


BWMK2011


PWMK2112


PWMK2125


BWMK2010



For door panels:


-When W≥130mm and H≥130mm, door panel /drawer fronts /flap doors show in the figure.
-When 60≤W < 130mm or 60≤H < 130mm, door panel /drawer fronts /flap doors: 18mm flat MDF, corner rounded.
-When W < 60mm or H < 60mm, door panel /drawer fronts /flap doors: 18 mm flat MDF. Surrounded by a R2 mm shape.

Notes:

-Door thickness: 19mm ;
-Base Material: MDF,
-Both faces wrapped with: lacquered;
-Optional framed glass door: YMB001, YMB003, YMB011, YMB063, YMB064, YMB052A.
Except for PWMK2006, PWMK2002. All other colors are not depicted with gold.

YMK120


PWMK2090



For door panels/drawer fronts/flap doors:

-When W≥197mm and H≥97mm, door profile is same as the left diagram.
-When W < 197mm or H < 97mm, door is 18mm thick flat panel, with rounded edges.

Notes:

-Door thickness:19mm
-Front face or both faces lacquered
-Optional framed glass door: YMB011, YMB063, YMB064

YMK144(without handles)


PWMK5004


PWMK5005


PWMK2112


PWMK2090


PWMK2008



PWMK2006

PWMK2002


BWMK2011


PWMK2125


BWMK2010



For door panels/drawer fronts/flap doors

-When W≥97mm and H≥97mm, door panel /drawer fronts /flap doors show in the figure
-When W < 97mm or H < 97mm, door panel /drawer fronts /flap doors: 22mm flat board, surrounded by a R2 mm shape.

Notes:

-Door thickness: 22mm;
-Base material: MDF,
-Both faces wrapped with: lacquered;
-Optional framed glass door: YMB001, YMB003, YMB005, YMB008, YMB011, YMB063, YMB064

YMK145(with handles)


PWMK5004


PWMK5005


PWMK2112


PWMK2090


PWMK2008



PWMK2006


PWMK2002


BWMK2011


PWMK2125


BWMK2010



For door panels:

-When 297mm≤W≤650mm, 97mm≤H≤1680mm, with handle PWWL0295.
-When 97≤W < 297mm、97mm≤H≤1680mm, door shape is YMK144
-When W < 97mm or H < 97mm, door is 22mm flat board.

Notes:

-Door thickness: 22mm;
-Base material: MDF,
-Both faces wrapped with: lacquered;
-Optional framed glass door: YMB001, YMB003, YMB005, YMB008, YMB011, YMB063, YMB064

For drawer fronts/flap doors

-When 297mm≤W≤650mm, 97mm≤H≤400mm (When flap doors is 500mm), drawer fronts /flap doors shown in the figure, with handle PWWL0295A.
-When 650mm < W≤1200mm, 97mm≤H≤400mm(When flap doors is 500mm), drawer fronts /flap doors shown in the figure, with handle PWWL0295B.
-When 97≤W < 297mm、97mm≤H≤400mm (flap doors is 500mm), drawer fronts /flap doors are YMK144.
-When W < 97mm or H < 97mm, drawer fronts /flap doors: 22mm flat board.

YMK146A(without handles)


PWMK3022


PWMK2112


PWMK2090


PWMK2008



PWMK2006


PWMK2002


BWMK2011


PWMK2125


BWMK2010



For door panels/drawer fronts/flap doors

-When H≥97mm, door panel /drawer fronts /flap doors: This is shown in the figure;
-When H < 97mm, door panel /drawer fronts /flap doors: 22mm flat board, surrounded by a R2 shape.

Notes:

-Door thickness: 22mm;
-Base material: MDF,
-Both faces wrapped with lacquered+PWMK3022
-Optional framed glass door: YMB001, YMB003, YMB005, YMB011, YMB063, YMB064.

YMK146B(with handles)


PWMK3022


PWMK2112


PWMK2090


PWMK2008



PWMK2006


PWMK2002


BWMK2011


PWMK2125


BWMK2010



For door panels/drawer fronts/flap doors

-When H≥97mm, door panel /drawer fronts /flap doors: This is shown in the figure;
-When H < 97mm, door panel /drawer fronts /flap doors: 22mm flat board, surrounded by a R2 shape.

Notes:

-Door thickness: 22mm;
-Base material: MDF,
-Both faces wrapped with lacquered+PWMK3022
-Optional framed glass door: YMB001, YMB003, YMB005, YMB011, YMB063, YMB064.

YMK148A(half handle)


PWMK5001


PWMK2112


PWMK2090


PWMK2008



PWMK2006

PWMK2002


BWMK2011


PWMK2002


BWMK2010



For door panels:

-Door panel with handle PWWK0074, Handle installation orientation: upper left, lower left, upper right, lower right, upper left, upper right, lower left and lower right, but not many ends are set;
-When handle is installed in the door panel: upper left, lower left, upper right. And lower right, 97mm≤W≤650mm and 157mm≤H≤1680mm, with handle; When W < 97mm or H < 157mm: 18mm flat board, with no handle;
-When handle is installed in the door panel: upper left end, lower left end, upper right end and lower right end, 157mm≤W≤650mm and
- 7mm≤H≤1680mm, with handle;
When W < 157mm or H < 97mm: 18mm flat board, with no handle.

For drawer fronts:

-For drawer front with handle PWWK0074, Handle installation orientation: drawer fronts of the upper left end, the lower left end, the upper right end and the lower right end, but not many ends are set up;
-When 157mm≤W≤1200mm and 97mm≤H≤400mm, drawer fronts show in the figure, with handle;
-When W < 157mm or H < 97mm, drawer fronts: 18mm flat board, with no handle,
-This gate type does not do flap doors.

Notes:

-Door thickness: 19mm;
-Base material: MDF;
-Both faces wrapped with lacquered;
-Optional framed glass door: YMB001, YMB003, YMB005, YMB008, YMB011, YMB063, YMB064

YMK148B(whole handle)


PWMK3022


PWMK2112


PWMK2090


PWMK2008



PWMK2006

PWMK2002


BWMK2011


PWMK2125


BWMK2010



For door panels:

-Door panel with handle PWWK0074. Handle installation orientation: The upper, lower, left. And right ends of the door panel
but not multiple ends are set up;
-When 97mm≤W≤650mm and 97mm≤H≤1680mm, door pane show in the figure, with handle;
-When W < 97mm or H < 97mm: 18mm flat board, with no handle


For drawer fronts:

-For drawer front with handle PWWK0074. Handle installation orientation: drawer fronts of top and bottom
-When 97mm≤W≤1200mm and 97mm≤H≤400mm, drawer fronts show in the figure, with handle;
-When W < 97mm or H < 97mm, drawer fronts: 18mm flat board, with no handle
-This gate type does not do flap doors.


Notes:

-Door thickness: 19mm;
-Base material: MDF;
-Both faces wrapped with lacquered;
-Optional framed glass door: YMB001, YMB003, YMB005, YMB008, YMB011, YMB063, YMB064

YMK150A



PWMK2112




For drawer fronts:

-This gate type does not do drawer fronts and flap doors;
-When 147mm≤W≤1200mm and 127mm≤H≤400mm, drawer fronts shown in the figure;
-When W < 147mm or H < 127mm, drawer fronts: 21mm flat board;


Notes:

-Door thickness: 22mm;
-Base material: MDF;
-Both faces wrapped with PWMK2112.
-Not available for framed glass door.

YMK150B



PWMK2112



For drawer fronts:

-This gate type does not do drawer fronts and flap doors;
-When 147mm≤W≤1200mm and 127mm≤H≤400mm, drawer fronts shown in the figure;
-When W < 147mm or H < 127mm, drawer fronts: 21mm flat board;


Notes:

-Door thickness: 22mm;
-Base material: MDF;
-Both faces wrapped with PWMK2112.
-Not available for framed glass door.

YMK165A



BWMK2010



For door panels:

-When 237mm≤W≤650mm and 237mm≤H≤1680mm, door panel show in the figure, the width of the frame is 80mm;
-When 137mm≤W < 237mm and 237mm≤H≤1680mm, door panel: The left and right border width is 50mm, the up and down border width is 80mm;
-When W < 137mm or H < 237mm, door panel: 22mm flat board,

For drawer fronts/flap doors:

-When 237mm≤W≤1200mm and 137mm≤H≤400mm(flap doors up to 500mm), drawer fronts /flap doors: The left and right border width is 80mm, the up and down border width is 50mm;
-When W < 237mm or H < 137mm, drawer fronts: 22mm flat board.


Notes:

-Door thickness: 22mm; -Base material: MDF; -Both faces wrapped with: BWMK2010
-Optional framed glass door: YMB001, YMB003, YMB005, YMB009

YMK165B



PWMK2125



For door panels:

-When 237mm≤W≤650mm and 237mm≤H≤1680mm, door panel show in the figure, the width of the frame is 80mm
-When 137mm≤W < 237mm and 237mm≤H≤1680mm, door panel: The left and right border width is 50mm, the up and down border width is 80mm;
-When W < 137mm or H < 237mm, door panel: 22mm flat board

For drawer fronts/flap doors:

-When 237mm≤W≤1200mm and 137mm≤H≤400mm(flap doors up to 500mm), drawer fronts /flap doors: The left and right border width is 80mm, the up and down border width is 50mm;
-When W < 237mm or H < 137mm, drawer fronts: 22mm flat board,


Notes:

-Door thickness: 22mm; -Base material: MDF; -Both faces wrapped with: PWMK2125
-Not available for framed glass door

YMK166A



BWMK2010



For door panels:

-For door panel size: 237mm≤W≤650mm, 447mm≤H≤1680mm;
-When 447mm≤H < 657mm, the height direction is divided into two grids;
657mm≤H≤1680mm, the height direction is divided into three grids;
-This gate type does not do drawer fronts and flap doors.


Notes:

-Door thickness: 22mm;
-Base material: MDF;
-Both faces wrapped with: BWMK2010
-Not available for framed glass door.

YMK166B



BWMK2010



For door panels:

-For door panel size: 237mm≤W≤650mm, 447mm≤H≤1680mm;
-When 447mm≤H < 657mm, the height direction is divided into two grids;
657mm≤H≤1680mm, the height direction is divided into three grids;
-This gate type does not do drawer fronts and flap doors.

Notes:

-Door thickness: 22mm;
-Base material: MDF;
-Both faces wrapped with: BWMK2010
-Not available for framed glass door.

YMK121



PWMK7001



For door panels/drawer fronts/flap doors:

-When W≥197mm and H≥97mm, door profile is same as the left diagram.
-When W < 197mm or H < 97mm, door is 18mm thick flat panel, with rounded edges.

Notes:

-Door thickness: 22mm
-Front face or both faces spray lacquered
-Optional Framed Glass Door: YMB011



PWMK7001



PWMK7004



PWMK7005



PWMK7006



PWMK7008



PWMK7020




PWMK7021

YMK122A



PWMK7005



For door panels/drawer fronts/flap doors:

-When W≥347mm and H≥57mm, door profile is same as the left diagram.
-When 57≤W < 347mm and H≥57mm, door profile is YMK122B
-When W < 57mm or H < 57mm, door is 22mm thick flat panel, with rounded edges.

Notes:

-Door thickness: 22mm
-Front face or both faces spray lacquered
-Optional Framed Glass Door: YMB001, YMB005



PWMK7005



PWMK7001



PWMK7004



PWMK7006



PWMK7008



PWMK7020




PWMK7021

YMK122B



PWMK7005



For door panels/drawer fronts/flap doors:

-When W≥57mm and H≥57mm, door profile is same as the left diagram.
-When W < 57mm or H < 57mm, door is 22mm thick flat panel, with rounded edges.

Notes:

-Door thickness: 22mm
-Front face or both faces spray lacquered
-Optional framed glass door: YMB001, YMB005



PWMK7001



PWMK7004



PWMK7005



PWMK7006



PWMK7008



PWMK7020




PWMK7021

YMK143



PWMK7001



For door panels:

-When 147mm≤W≤650mm, 217mm≤H≤1680mm, ;
-When W < 147mm or H < 217mm, door panel: 22mm flat board. To make flat board, you need to choose a handle separately.

For drawer fronts/flap doors:

-When 197mm≤W≤1200mm, 217mm≤H≤400 mm (height of flap doors is 500mm), drawer fronts /flap doors: show in the figure.
-When W < 197mm or H < 217mm, drawer fronts /flap doors: 22mm flat board. To make flat board, you need to choose a handle separately.

Notes:

-Door thickness: 22mm -Base material: MDF -Front face or both faces spray lacquered
-Not available for Framed Glass Door



PWMK7005



PWMK7001



PWMK7004



PWMK7006



PWMK7008




PWMK7020



PWMK7021

YMK185A



PWMK7004

For door panels:

When 127mm≤W≤650mm, 127mm≤H≤2340mm, When W < 127mm or H < 127mm, door panel: 22mm flat board.

For drawer fronts/flap doors:

-When 127mm≤W≤1200mm, 127mm≤H≤400mm (flap doors up to 500mm); When W < 127mm or H < 127mm, door panel: 22mm flat board.

Notes:

-Door thickness: 22mm -Base material: MDF
-Front face or both faces spray lacquered
-Door type open to do YMB001, YMB005 door type, require special approval



PWMK7001 PWMK7004 PWMK7005 PWMK7006 PWMK7008 PWMK7020 PWMK7021

YMK186A



PWMK7021

For door panels:

-When the door panel is shaped in the width direction, 237mm≤W≤650mm, 127mm≤H≤2340mm, When W < 237mm or H < 127mm, door panel: 22mm flat board;
-When the door panel is shaped in the height direction, 127mm≤W≤650mm, 237mm≤H≤2340mm, When W < 127mm or H < 237mm, door panel: 22mm flat board;
-When the door panel is shaped in the height direction, 127mm≤W≤650mm, 237mm≤H≤2340mm. Show in the figure.
-Other W < 127mm or H < 237mm, door panel:18mm flat board

For drawer fronts/flap doors:

-When 127mm≤W≤1200mm, 127mm≤H≤400mm(drawer)/500mm(flap doors) Show in the figure.
-When W < 127mm or H < 127mm, door panel: 18mm flat board.




PWMK7005 PWMK7001 PWMK7004 PWMK7006 PWMK7008 PWMK7020 PWMK7021

Notes:

-Door thickness: 22mm
-Base material: MDF
-Front face or both faces spray lacquered
-Door type open to do YMB001, YMB005 door type, require special approval

YMK188A



PWMK7020

For door panels:

-When 97mm≤W≤650mm, 97mm≤H≤1680mm. Show in the figure.
-When W < 97mm or H < 97mm, door panel is 22mm flat board. This door arc and line modeling can be designed for the position: left or right.

For drawer fronts/flap doors:

-When 97mm≤W≤1200mm, 97mm≤H≤400mm(drawer)/500mm(flap doors). Show in the figure;
-When W < 97mm or H < 97mm, door panel: 22mm flat board; This door arc and line modeling can be designed for the position: left or right.


Notes:

-Door thickness: 22mm -Base material: MDF
-Front face or both faces spray lacquered -Not available for Framed Glass Door



PWMK7001 PWMK7004 PWMK7005 PWMK7006 PWMK7008 PWMK7020 PWMK7021

YMK188B



PWMK7020

For door panels:

-When 147mm≤W≤650mm, 97mm≤H≤1680mm. Show in the figure.
-When W < 147mm or H < 97mm, door panel: 22mm flat board.

For drawer fronts/flap doors:

-When 147mm≤W≤1200mm, 97mm≤H≤400mm(drawer)/500mm(flap doors).
-When W < 147mm or H < 97mm, door panel: 22mm flat board.


Notes:

-Door thickness: 22mm -Base material: MDF
-Front face or both faces spray lacquered -Not available for Framed Glass Door



PWMK7005 PWMK7001 PWMK7004 PWMK7006 PWMK7008 PWMK7020 PWMK7021

YMK192



PWMK7020

For door panels:

-When 97mm≤W≤650mm, 97mm≤H≤1680mm, When W < 97mm or H < 97mm, door panel is 22mm flat board.

For drawer fronts/flap doors:

-When 97mm≤W≤1200mm, 97mm≤H≤400mm(drawer)/500mm(flap doors). Show in the figure.
-When W < 97mm or H < 97mm, door panel: 22mm flat board.

Notes:

-Door thickness: 22mm
-Base material: MDF
-Front face or both faces spray lacquered
-Not available for framed glass door


PWMK7005


PWMK7001


PWMK7004


PWMK7006


PWMK7008


PWMK7020


PWMK7021

YMC001P

UV Lacquer Grade B


PWMC0003
PWFJ0024


PWMC0015
PWFJ0014


PWMC0032
PWFJ0036


PWMC0060
PWFP0598

PWMC0061
PWFP0599


PWMC0063
PWFP0601


PWMC0012
PWFP0492


PWMC0013
PWFP0493


PWMC0009
PWFP0494


PWMC0081
PWFP0662


PWMC0080
PWFP0635


PWMC0112

UV Lacquer Grade C


PWMC0022
PWFP0496


PWMC0008
PWFP0495



PWMC0029
PWFP0440


PWMC0031
PWFP0442


PWMC0064
PWFP0600


PWMC0110


PWMC0111



Notes:

-Door thickness: 22mm
-Base: particle board
-Finish: UV lacquer
-Matched wood-framed glass doors: YMB006, YMB008, YMB011, YMB063, YMB064
-Sealed with al-alloy edge banding PWFL0001 (FB-F10)

YMC003P

UV Lacquer Grade B




PWMC0003 PWFJ0024 | PWMC0015 PWFJ0014 | PWMC0032 PWFJ0036 | PWMC0060 PWFP0598 | PWMC0061 PWFP0599 | PWMC0063 PWFP0601 | PWMC0012 PWFP0492 | PWMC0013 PWFP0493 | PWMC0009 PWFP0494

PWMC0081 PWFP0662 | PWMC0080 PWFP0635 | PWMC0112

UV Lacquer Grade C



PWMC0022 PWFP0496 | PWMC0008 PWFP0495 | PWMC0029 PWFP0440 | PWMC0031 PWFP0442 | PWMC0064 PWFP0600 | PWMC0110 | PWMC0111



Notes:

-Door thickness: 19mm
-Base: particle board.
-Finish: UV lacquer
-Matched wood-framed glass doors: YMB006, YMB008, YMB011, YMB063, YMB064. Sealed with PVC edge banding.

YMC010P

UV Lacquer Grade B




PWMC0003 PWFJ0024 | PWMC0015 PWFJ0014 | PWMC0032 PWFJ0036 | PWMC0060 PWFP0598 | PWMC0061 PWFP0599 | PWMC0063 PWFP0601 | PWMC0012 PWFP0492 | PWMC0013 PWFP0493 | PWMC0009 PWFP0494

PWMC0081 PWFP0662 | PWMC0080 PWFP0635 | PWMC0112

UV Lacquer Grade C



PWMC0022 PWFP0496 | PWMC0008 PWFP0495 | PWMC0029 PWFP0440 | PWMC0031 PWFP0442 | PWMC0064 PWFP0600 | PWMC0110 | PWMC0111



Notes:

-Door thickness: 19mm
-Base: particle board. Finish: UV lacquer
-Al-alloy handles: PWWK0003 (FB-K08), PWWK0008(WWLK41), PWWK0027(WWLK40 Black Matt)
-PVC edge banding
-Matched wood-framed glass doors: YMB006, YMB008, YMB011, YMB063, YMB064

YMC017P

UV Lacquer Grade B




PWMC0003 PWFJ0024 | PWMC0015 PWFJ0014 | PWMC0032 PWFJ0036 | PWMC0060 PWFP0598 | PWMC0061 PWFP0599 | PWMC0063 PWFP0601 | PWMC0012 PWFP0492 | PWMC0013 PWFP0493 | PWMC0009 PWFP0494

UV Lacquer Grade C



PWMC0081 PWFP0662 | PWMC0080 PWFP0635 | PWMC0112 | PWMC0022 PWFP0496 | PWMC0008 PWFP0495 | PWMC0029 PWFP0440 | PWMC0031 PWFP0442 | PWMC0064 PWFP0600 | PWMC0110 | PWMC0111



For door panels:

-Door panel: with handle PWWK0071. Handle installation orientation: horizontal/ vertical.;
-Vertical installation: When W≥97mm and H≥247mm, door panel: show in the figure, with handle PWWK0071;
-Vertical installation: When W < 97mm or H < 247mm, door panel: 19mm UV lacquer flat board, with no handle;
-Horizontal installation: When W≥177mm and H≥97mm, door panel show in the figure. With handle PWWK0071;
-Horizontal installation: When W < 177mm or H < 97mm, door panel: 19mm UV lacquer flat board, with no handle

For drawer fronts/flap doors:

-For drawer fronts: with handle PWWK0071, (horizontal installation only);
-When 177mm≤W≤1200mm and 97mm≤H≤400mm, drawer fronts: show in the figure, with PWWK0071;
-When W < 177mm or H < 97mm, drawer fronts:19mm UV lacquer flat board, with no handle;
-Not available for flap doors.

Notes:

-Door thickness: 19mm -Base material: particle board
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMC018P

UV Lacquer Grade B



PWMC0003 PWFJ0024 | PWMC0015 PWFJ0014 | PWMC0032 PWFJ0036 | PWMC0060 PWFP0598 | PWMC0061 PWFP0599 | PWMC0063 PWFP0601 | PWMC0012 PWFP0492 | PWMC0013 PWFP0493 | PWMC0009 PWFP0494




PWMC0081 PWFP0662 | PWMC0080 PWFP0635 | PWMC0112

UV Lacquer Grade C



PWMC0022 PWFP0496 | PWMC0008 PWFP0495 | PWMC0029 PWFP0440 | PWMC0031 PWFP0442 | PWMC0064 PWFP0600 | PWMC0110 | PWMC0111



For door panels/drawer fronts/flap doors:

-Matched with handle PWWL0297 (horizontal installation only);
-When W≥287mm and H≥97mm, door panel /drawer fronts /flap doors show in the figure. Handle PWWL0297;
-When W < 287 or H < 97mm, door panel /drawer fronts /flap doors: 19mm UV lacquer flat board, with no handle.

Notes:

-Door thickness: 19mm
-Base material: particle board
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMC020P

UV Lacquer Grade B


PWMC0003
PWFJ0024


PWMC0015
PWFJ0014


PWMC0032
PWFJ0036


PWMC0060
PWFP0598


PWMC0061
PWFP0599


PWMC0063
PWFP0601


PWMC0012
PWFP0492


PWMC0013
PWFP0493


PWMC0009
PWFP0494

UV Lacquer Grade C


PWMC0081
PWFP0662


PWMC0080
PWFP0635


PWMC0112


PWMC0022
PWFP0496


PWMC0008
PWFP0495


PWMC0029
PWFP0440


PWMC0031
PWFP0442


PWMC0064
PWFP0600


PWMC0110


PWMC0111



For door panels:

-Door panel: with handle PWWK0071. Handle installation orientation: horizontal/ vertical.;
-Vertical installation: When W≥97mm and H≥247mm, door panel: show in the figure, with handle PWWK0071;
-Vertical installation: When W < 97mm or H < 247mm, door panel: 19mm UV lacquer flat board, with no handle;
-Horizontal installation: When W≥177mm and H≥97mm, door panel show in the figure. With handle PWWK0071;
-Horizontal installation: When W < 177mm or H < 97mm, door panel: 19mm UV lacquer flat board, with no handle

For drawer fronts/flap doors:


-For drawer fronts: with handle PWWK0071, (horizontal installation only);
-When 177mm≤W≤1200mm and 97mm≤H≤400mm, drawer fronts: show in the figure, with PWWK0071;
-When W < 177mm or H < 97mm, drawer fronts:19mm UV lacquer flat board, with no handle;
-Not available for flap doors.

Notes:

-Door thickness: 19mm -Base material: particle board
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMG002

PWMG0010



For door panels:

- 97≤W≤650mm and 97≤H≤1680mm

For drawer fronts/flap doors:

- 97≤W≤1200mm and 97≤h≤600mm

Notes:

-Door thickness: 18mm
-Base: MDF. Finish: coated with PVC foil.
-Door is 18mm thick flat panel, edges rounded. Edge size: 20≤W<97 and 97≤H≤1680, 20≤H<97 and 97≤W≤1680.
-Matched wood-framed glass doors: YMB001, YMB003, YMB005, YMB008, YMB011, YMB063, YMB064

PVC foil grade A


PWMG0210

PVC foil grade C


PWMG0257


PWMG0266

PVC foil grade B

PWMG0061


PWMG0102


PWMG0134


PWMG0156


PWMG0157


PWMG0209


PWMG0254


PWMG0255



PWMG0258


PWMG0260


PWMG0261

YMG005





PWMG0017

For door panels:

-When 145mm≤W≤650mm, door profile is same as the left diagram.
-When 210mm≤H≤650mm, and 230mm≤H≤1680mm corners are square
-When 145mm≤W＜210mm,and 230mm≤H≤1680mm corners are rounded
-When 20≤W＜145mm and 97mm≤H≤2400mm,door is flat, edges routed

For drawer fronts/flap doors:

-When 157≤H≤600mm and 197≤W≤1200mm, drawer front/flap door profile is same as the left diagram.
-When 20≤H＜157mm and 97≤H≤2400mm, drawer front/flap door is18mm thick flat MDF, edges routed

Notes:

-Door thickness: 19mm
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB009, YMB003, YMB005, YMB011, YMB063, YMB064

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258




PWMG0260



PWMG0261

YMG019





PWMG0105

For door panels:

-When 97mm≤W≤650mm and 97mm≤H≤1680mm, door profile is same as the left diagram.
-When 20mm≤W＜97mmm and 97mm≤H≤2400mm, door is 22mm thick flat MDF, corner rounded.

For drawer fronts/flap doors:

-When 97mm≤H≤600mm and 97mm≤W≤1200mm, door pattern is shown in the left diagram.
-When 20mm≤H＜97mm and 97mm≤W＜2400mm, drawer front and flap door is 22mm thick flat MDF, corner rounded.

Notes:

-Door thickness: 21mm
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005, YMB011, YMB063, YMB064

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B

PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258




PWMG0260



PWMG0261

YMG058





PWMG0102

For door panels:

-Frame is 18 thick MDF and core is 7mm thick MDF
-When 147mm≤W≤650mm and 147mm≤H≤1680mm door profile is same as the left diagram, edges routed
-When 166mm≤W < 197mm or 20mm≤H < 147, door panel is 25mm thick flat MDF, edges rounded

For drawer fronts/flap doors:

-Frame is 18 thick MDF and core is 7mm thick MDF
-When 147mm≤W≤1200mm and 147mm≤H≤600mm, drawer front/flap door profile is same as the left diagram, edges -routed
When 20mm≤W < 147mm or 20mm≤H < 147, drawer front/flap door is 25mm thick flat MDF, edges rounded

Notes:

-Door thickness: 25mm
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB002, YMB003, YMB005

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B

PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258




PWMG0260



PWMG0261

YMG065





PWMG0061

For door panels/drawer fronts/flap doors:

-When 157mm≤W≤650mm and 157mm≤H≤1680mm, door/drawer front/flap door profile is same as the left diagram
-When W < 157mm or H < 157mm, door panel/drawer front/flap door is 22mm thick flat MDF, edges routed

Notes:

-Door thickness: 25mm
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258



PWMG0260



PWMG0261


YMG077



PWMG0157



PWMG0156



For door panels/drawer fronts/flap doors:

-When 97mm≤W≤650mm and 97mm≤H≤1680mm, door/drawer front/flap door profile is same as the left diagram;
-When 20≤W < 97mm or 20≤H < 97mm, door panel/drawer front/flap door is 22mm thick flat MDF, edges routed


Notes:

-Door thickness: 22mm
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005, YMB009, YMB011, YMB063, YMB064

YMG076



PWMG0154



For door panels/drawer fronts/flap doors:

-When 650mm≥W≥97mm, 1680mm≥H≥97mm, door panel /drawer fronts /flap doors: ;
-When W<97mm or H<97mm, door panel /drawer fronts /flap doors: is 22 mm thick flat board, edges routed.

Notes:

-Door thickness: 25mm;
-Base material: MDF;
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005, YMB002, YMB011, YMB063, YMB064

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B

PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258




PWMG0260



PWMG0261

YMG087





PWMG0061

For door panels/drawer fronts/flap doors:

-For door panel /drawer fronts /flap doors are 18mm+12mmMDF;
-When W≥137mm and H≥137mm, door panel /drawer fronts /flap doors:;
-When W < 137mm or H < 137mm, door panel /drawer fronts /flap doors are 25mm, edges routed.

Notes:

-Door thickness: 25mm;
-Base material: MDF;
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005, YMB008, YMB009
-Need to be equipped with a thick door hinge.

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258




PWMG0260



PWMG0261

YMG088





PWMG0061

For door panels/drawer fronts/flap doors:

-Frame is 18 thick MDF and core is 7mm thick MDF, inlaid metal strip
-When 157mm≤W and 157mm≤H, door/drawer front/flap door profile is same as the left diagram
-When W < 157mm or H < 157mm, door panel/drawer front/flap door is 25mm thick flat MDF, edges routed

Notes:

-Door thickness: 25mm;
-Base material: MDF;
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005, YMB008, YMB009
-Need to be equipped with a thick door hinge.

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B

PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258



PWMG0260



PWMG0261

YMG132





PWMG0210

For door panels:

-Matched with handle PWWL0299 (on-site installation). Position of the handle: top center/bottom center/left center/right center.
-Handle at top/ bottom center: When W≥217mm and H≥97mm, door panel is shown in the left diagram. Matched with handle -PWWL0299.
-Handle at top/ bottom center: When W < 217mm or H < 97mm, door panel is 18mm thick flat MDF. Handle PWWL0299 is not available.
-Handle at left/ right center: When W≥97mm and H≥217mm, door panel is shown in the left diagram. Matched with handle PWWL0299.
Handle at left/ right center: When W < 97mm or H < 217mm, door panel is 18mm thick flat MDF. Handle PWWL0299 is not available.

For drawer fronts/flap doors:

-Matched with handle PWWL0299 (on-site installation).
-Position of the handle: top center/ bottom center/ left center/ right center.
-When W≥217mm and H≥97mm, drawer front/ flap door is shown in the left diagram. Matched with handle PWWL0299.
-When W < 217mm or H < 97mm, drawer front/ flap door is 18mm thick flat MDF. Handle PWWL0299 is not available.

Notes:

-Door thickness: 19mm
-Base material: MDF
-Both faces wrapped with PVC foil
-Optional Framed Glass Door: YMB001, YMB003, YMB005, YMB008, YMB011

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258




PWMG0260



PWMG0261

YMG139



PWMG0258

For door panels:

-When 97mm≤W≤650mm, 97mm≤H≤1680mm, When W < 97mm or H < 97mm, door panel is an 18mm thick flat board

For drawer fronts/flap doors:

-When 97mm≤W≤1200mm, 97mm≤H≤400mm(drawer)/500mm(flap doors)
-When W < 97mm or H < 97mm, door panel is an 18mm flat board.

Notes:

-Door thickness: 19.5mm -Base material: MDF
-Both faces wrapped with PVC foil
-Not available for framed glass door

PVC foil grade A



PWMG0210

PVC foil grade C

PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258




PWMG0260



PWMG0261

YMG135D22



PWMG0258

For door panels:

-When 97mm≤W≤600mm, 97mm≤H≤1200mm, When W < 97mm or H < 97mm, door panel is an 22mm thick flat board

For drawer fronts/flap doors:

-When 97mm≤W≤1000mm, 97mm≤H≤400mm(drawer)/500mm(flap doors)
-When W < 97mm or H < 97mm, door panel is an 22mm flat board.

Notes:

-Door thickness: 22mm -Base material: MDF
-Both faces wrapped with PVC foil
-Not available for framed glass door

PVC foil grade A



PWMG0210

PVC foil grade C

PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258



PWMG0260



PWMG0261

YMG167



PWMG0254

For door panels:

-Matched with handle PWWL0389; Position of the handle: top center/bottom center.
-When 237mm≤W≤650mm, 147mm≤H≤1680mm, When W < 237mm or H < 147mm, door panel is 18mm flat board. Separate handles are available.

For drawer fronts/flap doors:

-When 237mm≤W≤1200mm, 147mm≤H≤400mm(drawer)/500mm(flap doors), When W < 237mm or H < 147mm, door panel is 18mm thick flat board. Separate handles are available.

Notes:

-Door thickness: 18mm -Base material: MDF
-Both faces wrapped with PVC foil
-Not available for framed glass door

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258



PWMG0260



PWMG0261

YMG168



PWMG0255

For door panels:

-Matched with handle PWWK0044B. Position of the handle: top center/bottom center.
-When 127mm≤W≤650mm, 127mm≤H≤1680mm, When W < 127mm or H < 127mm, door panel is 22mm flat board.

For drawer fronts/flap doors:

-When 127mm≤W≤1200mm, 127mm≤H≤400mm(drawer)/500mm(flap doors), When W < 127mm or H < 127mm, door panel is 2mm flat board.

Notes:

-Door thickness: 21mm
-Base material: MDF
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258



PWMG0260



PWMG0261

YMG170



PWMG0257

For door panels:

-157mm≤W≤650mm, 157mm≤H≤1680mm, When W < 157mm or H < 157mm is 25mm flat board.

For drawer fronts/flap doors:

-157mm≤W≤1200mm, 157mm≤H≤400mm (flap doors up to 500mm),
When W < 157mm or H < 157mm, door is 25mm flat board.

Notes:

-Door thickness: 25.5mm
-Base material: MDF
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005, YMB011, YMB063, YMB064

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258



PWMG0260



PWMG0261

YMG171



PWMG0258

For door panels:

-When 147mm≤W≤650mm, 147mm≤H≤1200mm; When W < 147mm or H < 147mm is 22mm flat board.

For drawer fronts/flap doors:

-147mm≤W≤900mm, 147mm≤H≤400mm(flap doors up to 500mm), When W < 147mm or H < 147mm is 22mm flat board.

Notes:

-Door thickness: 22mm
-Base material: MDF
-Both faces wrapped with PVC foil
-This door type is not suitable for making wooden frame glass doors and loading external handles.

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258




PWMG0260



PWMG0261

YMG172



PWMG0266

For door panels:

-157mm≤W≤650mm, 157mm≤H≤1680mm, When W < 157mm or H < 157mm is 25mm flat board.

For drawer fronts/flap doors:

-157mm≤W≤1200mm, 157mm≤H≤400mm(flap doors up to 500mm),
When W < 157mm or H < 157mm is 25mm flat board.

Notes:

-Door thickness: 25.5mm
-Base material: MDF
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005, YMB011, YMB063, YMB064

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258



PWMG0260



PWMG0261

YMG173



PWMG0260



For drawer fronts /flap doors:

-The front of the door is fitted with a metal decorative strip;
-Door size: H=150mm, 97mm≤ W≤1200mm.

Notes:

-Door thickness: 22mm
-Base material: MDF
-Both faces wrapped with PVC foil
-Made drawer faces and fade door only

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B



PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258



PWMG0260




PWMG0261

YMG174



PWMG0260



For door panels:

-97mm≤W≤650mm, 97mm≤H≤1680mm; When W < 97mm or H < 97mm is 22mm flat board.

For drawer fronts/flap doors:

-97mm≤W≤1200mm, 97mm≤H≤400mm (flap doors up to 500mm);
When W < 97mm or H < 97mm is 22mm flat board.

Notes:

-Door thickness: 22mm;
-Base material: MDF,
-Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005, YMB063, YMB064

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B

PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258




PWMG0260



PWMG0261

YMG175





PWMG0261

For door panels:

-The arc shape is set on the upper and lower sides, the size range: 97mm≤W≤650mm, 197mm≤H≤1680mm;
When W < 97mm or H < 197mm is 22mm flat board.
-The arc shape is set on the left and right sides, the size range: 197mm≤W≤650mm, 97mm≤H≤1680mm;
When W < 197mm or H < 97mm is 22mm flat board.

For drawer fronts/flap doors:

-The arc shape is set on the upper and lower sides(not applicable flap doors),the size range: 97mm≤W≤1200mm, 197mm≤H≤400mm; When W < 97mm or H < 197mm is 22mm Flat board.
-The arc shape is set on the left and right sides, the size range: 197mm≤W≤1200mm, 97mm≤H≤400mm (flap door is 500mm); When W < 197mm or H < 97mm is 22mm Flat board.

Notes:

-Door thickness: 22mm -Base material: MDF -Both faces wrapped with PVC foil
-Optional framed glass door: YMB001, YMB003, YMB005, YMB063, YMB064

PVC foil grade A



PWMG0210

PVC foil grade C



PWMG0257



PWMG0266

PVC foil grade B

PWMG0061



PWMG0102



PWMG0134



PWMG0156



PWMG0157



PWMG0209



PWMG0254



PWMG0255



PWMG0258



PWMG0260




PWMG0261

YMD007



PWMD0005



For door panels/drawer fronts/flap doors:

-When W≥247mm, H≥247mm, frame width is 70mm, core thickness is 12mm and door profile is same as the shown diagram.
-When 157mm≤W<247mm or 157mm≤H<247mm, frame width is 70mm, core is 5mm thick flat panel.
-When W<157mm or H<157mm, door profile is 18mm thick flat MDF with edge banding in same color.

Notes:

-Door thickness: 22mm
-Base: MDF, finish: PWMD0005
-Matched wood-framed glass doors: YMB001, YMB002, YMB003, YMB005
-only PWMD0005 has Distressed craftsmanship+decorative line

YMF001P

PWMF0003
PWFP0028



PWMF0017
PWFP0067


PWMF0047
PWFP0034


PWMF0064
PWFP0596


PWMF0065
PWFP0597


PWMF0074
PWFP0657



Notes:

-Door thickness: 19mm
-Base: particle board
-Front face or both faces laminated
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMF002P


PWMF0003
PWFP0028



PWMF0017
PWFP0067


PWMF0047
PWFP0034


PWMF0064
PWFP0596


PWMF0065
PWFP0597


PWMF0074
PWFP0657



Notes:

-Door thickness: 19mm -Base: particle board
-Front face or both faces laminated
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064
-Al-alloy handles: PWWK0003, PWWK0008, PWWK0027
-PVC edge banding

YMF018P


PWMF0072
PWFP0597




For door panels/drawer fronts/flap doors:

-Base: 18mm thick particle board, coated with 1.2mm thick HPL. 4 edge at front side with 1.5mm wide, 0.3mm deep groove.
-When W≥97mm and H≥127mm, door panel/ drawer front/ flap door is same as the shown diagram.
-When W < 97mm or H < 127mm, door panel/ drawer front/ flap door without edge groove
-Door thickness: 21mm
-Base: particle board. Finish: PWMF0072.
-Matched wood-framed glass doors: YMB006, YMB008, YMB011, YMB063, YMB064

Notes:

YMF019P


PWMF0072
PWFP0597



For door panels/drawer fronts/flap doors:

-Door panel /drawer fronts /flap doors: 18mm particle board, double sided sticker 2mm HPL.

Notes:

-Door thickness: 21mm
-Base: particle board
-Front face or both faces PWMF0072
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMA001P

Melamine Grade A


PWMA0113
PWFP0391


PWMA0119
PWFP0399

PWMA0218
PWFP0592


PWMA0189


PWMA0352


PWMA0360

Melamine


BWMA0025
BWFP0045


BWMA0026
BWFP0047


PWMA0060
PWFP0063


PWMA0103
PWFP0369


PWMA0122
PWFP0404


PWMA0131
PWFP0391


PWMA0152
PWFP0463


PWMA0155
PWFP0438


PWMA0156
PWFP0439


PWMA0164
PWFP0446


PWMA0212
PWFP0593


PWMA0215
PWFP0589


PWMA0216
PWFP0591


PWMA0217
PWFP0590


PWMA0255
PWFP0658


PWMA0256
PWFP0659


PWMA0257
PWFP0660


PWMA0269
PWFP0663


PWMA0297


PWMA0350


PWMA0351


PWMA0353


PWMA0354



Notes:

-Door thickness: 18mm
-Base: particle board
-Front face or both faces melamine
-4 edges sealed with PVC
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMA009P

Melamine Grade A


PWMA0113
PWFP0391


PWMA0119
PWFP0399

PWMA0218
PWFP0592


PWMA0189


PWMA0352


PWMA0360

Melamine


BWMA0025
BWFP0045


BWMA0026
BWFP0047


PWMA0060
PWFP0063


PWMA0103
PWFP0369

PWMA0122
PWFP0404

PWMA0131
PWFP0391

PWMA0152
PWFP0463

PWMA0155
PWFP0438

PWMA0156
PWFP0439

PWMA0164
PWFP0446

PWMA0212
PWFP0593

PWMA0215
PWFP0589

PWMA0216
PWFP0591

PWMA0217
PWFP0590

PWMA0255
PWFP0658

PWMA0256
PWFP0659

PWMA0257
PWFP0660

PWMA0269
PWFP0663

PWMA0297

PWMA0350

PWMA0351


PWMA0353

PWMA0354

Notes:

-Door thickness: 18mm
-Base: particle board
-Finish: melamine
-Matched wood-framed glass doors: YMB006, YMB008, YMB011, YMB063, YMB064
-Al-alloy handles: PWWK0003, PWWK0008, PWWK0027
-PVC edge banding

YMA022




PWMA0259
PWFJ0096

Notes:
-Door thickness: 18mm
-Base: particle board
-Front face or both faces melamine PWMA0259
-ABS edging
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMA022A






PWMA0188
PWFJ0059

Notes:
-Door thickness: 25mm
-Base: particle board
-Both faces wrapped with: PWMA0188
-Optional framed glass door: YMB011

YMA026P





PWMA0119
PWFP0399

Notes:
-Handleless design
-a 45 degree cut on one edge and then 0.4mm thick PVC sealed
-Other edges sealed with 1.2mm thick PVC
-Door thickness: 18mm
-Both faces coated with melamine
-Optional finishes: PWMA0119


YMA029



PWMA0115
PWFJ0015/PWFJ0016



PWMA0258
PWFJ0095/PWFJ0102




Notes:
-Door thickness: 18mm
-Both faces coated with melamine
-Base: particle board
-ABS edging
-Optional finishes: PWMA0115, PWMA0258
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMA029A



PWMA0252
PWFJ0098/PWFJ0099



For door panels:

-When 97≤W≤650mm, 97≤H≤1680mm, door is same as the shown diagram.

For drawer fronts/flap doors:

-97≤W≤1200mm, 97≤H≤400mm (H≤500mm if for flap doors)


Notes:

-Door thickness: 25mm
-Base: particle board
-Finish: PWMA0252
-Not available for glass doors and Imitation woven door
-Equipped with thickened hinge.

YMA038



PWMA0187
PWFJ0058



For door panels/drawer fronts/flap doors:

-When W≥115mm and H≥157mm, can make door panel, drawer faces, flap doors with handle;
-When W < 115mm or H < 157mm, door panel, drawer faces, flap doors is 18mm flat board, with no handle.


Notes:

-Door thickness: 18mm
-Base material: particle board
-with PWWK0057 handle

YMA049A



PWMA0218



For door panels/drawer fronts/flap doors:

-Door Core Base Material: 18mm particle board.
-Base Material: wood edge banding;
-Matched with handle. Position of the handle: size is 200mm; top center/bottom center
-When W≥297mm and H≥97mm, door panel、drawer faces、flap doors show in the figure;
-When 97mm≤W < 297mm and H≥97mm, door panel, drawer faces, flap doors is YMA050A. Without handles.
-When W < 97mm or H < 97mm, door panel /drawer fronts /flap doors: 18mm melamine flat board.


Notes:

-Door thickness: 23mm
-Base material: particle board
-Both faces wrapped with: PWMA0218
-Not available for framed glass door
-Need to be equipped with a thick door hinge and door hinge washers

YMA049B



PWMA0218



For door panels/drawer fronts/flap doors:


-Door Core Base Material is 18mm particle board.
-Base Material: solid wood edge banding;
-Matched with handle, Position of the handle: size is 200mm; top center/bottom center
-A golden horn flower is installed on the left and upper and lower ends of the frontal facade of the door;
-When W≥297mm and H≥197mm, door panel、drawer faces、flap doors show in the figure.
-When W≥297mm and 97mm≤H < 197, door panel、drawer faces、flap doors is YMA049A, With handles, with no horn flower.
-When 97mm≤W < 297mm and H≥97mm, door panel, drawer faces, flap doors is YMA050A, without handles and with no horn flower.
-When W < 97mm or H < 97mm, door panel /drawer fronts /flap doors: 18mm melamine flat board.

Notes:

-Door thickness: 23mm
-Base material: particle board
-Both faces wrapped with: PWMA0218
-Not available for framed glass door
-Need to be equipped with a thick door hinge and door hinge washers

YMA049C





PWMA0218

For door panels/drawer fronts/flap doors:


-Door Core Base Material: 18mmparticle board,
-Base Material: solid wood edge banding;
-Matched with handle. Position of the handle: size is 200mm; top center/bottom center
-A golden horn flower is installed on the left and upper and lower ends of the frontal facade of the door;
-When W≥297mm and H≥197mm, door panel, drawer faces, flap doors show in the figure.
-When W≥297mm and 97mm≤H < 197, door panel, drawer faces, flap doors is YMA049A, With handles, with no horn flower -;
-When 97mm≤W < 297mm and H≥97mm, door panel, drawer faces, flap doors: YMA050A. Without handles and horn flower;
When W < 97mm or H < 97mm, door panel /drawer fronts /flap doors: 18mm melamine flat board.

Notes:

-Door thickness: 23mm
-Base material: particle board
-Both faces wrapped with: PWMA0218
-Not available for framed glass door
-Need to be equipped with a thick door hinge and door hinge washers

YMA050A





PWMA0218

For door panels/drawer fronts/flap doors:


-Door Core Base Material: 18mm particle board,
-Base Material: solid wood edge banding;
-When W≥97mm and H≥97mm, door panel、drawer faces、flap doors show in the figure;
-When W < 97mm or H < 97mm, door panel /drawer fronts /flap doors: 18mm melamine flat board.

Notes:

-Door thickness: 23mm
-Base material: particle board
-Both faces wrapped with: PWMA0218
-Not available for framed glass door
-Need to be equipped with a thick door hinge and door hinge washers

YMA050B





PWMA0218

For door panels/drawer fronts/flap doors:


-Door Core Base Material: 18mm particle board,
-Base Material: solid wood edge banding. A golden horn flower is installed in each of the four corners of the face;
-When W≥197mm and H≥197mm, door panel, drawer faces, flap doors show in the figure;
-When 97mm≤W < 197mm or97mm≤H < 197mm, door panel, drawer faces, flap door is YMA050A, with no
-When W < 97mm or H < 97mm, door panel /drawer fronts /flap doors: 18mm melamine flat board.

Notes:

-Door thickness: 23mm
-Base material: particle board
-Both faces wrapped with: PWMA0218
-Not available for framed glass door
-Need to be equipped with a thick door hinge and door hinge washers

YMA079





PWMA0352
PWFP0785

For door panel:

-When 257mm≤W≤650mm, 97mm≤H≤1680mm; When W < 257mm or H < 97mm is 18mm Flat board.

For drawer fronts/flap doors:

-When 257mm≤W≤1200mm, 97mm≤H≤400mm(flap doors up to 500mm),
When W < 97mm or H < 97mm is 18mm Flat board.

Notes:

-Door thickness: 18mm ;
-Base material: particle board;
-Both faces wrapped with: PWMA0352
-Optional framed glass door: YMB006, YMB008, YMB011

YMP001P


PWMP2005
PWFP0396


PWMP2007
PWFP0436


PWMP2009
PWFP0481


PWMP2010
PWFP0664


PWMP2024
PWFP0798


PWMP2025
PWFP0799



Notes:

-Door thickness: 19mm -Edges sealed with PVC
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMP002P


PWMP2005
PWFP0396



PWMP2007
PWFP0436


PWMP2009
PWFP0481


PWMP2010
PWFP0664


PWMP2024
PWFP0798


PWMP2025
PWFP0799



Notes:

-Door thickness: 19mm -Bar handle: PWMK0003/PWMK0008/PWMK0027
-3 edges sealed with PVC -Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMP006P


PWMP2005
PWFP0396



PWMP2007
PWFP0436


PWMP2009
PWFP0481


PWMP2010
PWFP0664


PWMP2024
PWFP0798


PWMP2025
PWFP0799




Notes:

-Door thickness: 19mm
-Up side / down side / both up&down side insert PWFL0005 aluminum bar,
suitable for wood frame glass door YMB006, YMB008, YMB011, YMB063, YMB064

YMP011P


PWMP2007
PWFP0436




Notes:

-Door thickness: 18mm
-A 45 degree cut on one edge and then 0.4mm thick PVC sealed
-Other edges sealed with PVC
-Door finish: PWMP2007
-Optional framed glass door: YMB006, YMB008, YMB011, YMB063, YMB064

YMP027P


PWMP2010
PWFP0664



For door panels:

-When 97mm≤W≤650mm, H = 2337mm, the door profile is same as the diagram


Notes:

- Door thickness: 18mm
- Base: MDF
- Door finish: PWMP2010
- Not suitable for wood frame glass door

WOOD FRAMED GLASS DOORS

YMB001





Technics:


-Glass insert is sealed with plastic trim while door finish is lacquer/PVC/PP, and sealed with solid wood trim while door is solid wood.

Notes:

-Thickness, base materials, finishes are subject to door panels.

YMB002





Technics:


Size limits:
296mm≤W≤650mm and 357mm≤H≤1680mm.
Door structure:
-When 447mm≤H < 600mm, door has 2 horizontal bars.
-When 600mm≤H≤1200mm, door has 3 horizontal bars.
-When 1200mm < H≤1680mm, door has 4 horizontal bars.

Notes:

-Thickness, base materials, finishes are subject to door panels.

YMB003





Technics:


-When the door material is solid wood, the frame and core is solid wood as shown in the diagram.
-When the door is PP-coated, the frame is PP-coated and the core is MDF as shown in the diagram.
-When the door is PVC-coated, the frame is PVC-coated and the core is MDF as shown in the diagram.

Notes:

-Thickness, base materials, finishes are subject to door panels.

YMB005





Technics:


-Only suitable for lacquer, PVC, PP, Solid wood, Front side with gloss golden glass sticker

Notes:

-Thickness, base materials, finishes are subject to door panels.

YMB006





Technics:


-Single-sided aluminum alloy and single-sided plastic built-in glass door, Suitable for melamine.

Notes:

-Thickness, base materials, finishes are subject to door panels.

YMB009





Technics:


-When 447mm ≤ H < 600mm, door has 2 bars in vertical direction
-When 600mm ≤ H ≤1200mm, door has 3 bars in vertical direction
-When 1200mm < H ≤1680mm, door has 4 bars in vertical direction

Notes:

-Door thickness: 19mm
-Base: MDF
-Door finish: PVC

YMB008






Technics:
-Not suitable for solid wood or surface-grooved door styles.

Notes:
-Door thickness: 18~20mm.

YMB011






Technics:
-Available finish: lacquer/PVC foil/melamine/UV lacquer.

Notes:
-Door thickness: 18~20mm.

YMB012






Technics:
-Only for PVC weave door, door frame is MDF base PVC, core is MDF base lacquer

Notes:
-Thickness: subject to door panels
-Base: MDF
-Door finish: PVC foil PWMG0010

YMB052A






Technics:
-Only suitable for door profile YMK103, finish door panel size: W≥238mm, H≥397mm

Notes:
-Thickness: 19mm
-Base: MDF
-Door finish: subject to door panels
-Front side with matte golden glass sticker

YMB065






Technics:
-Only suitable for YMK165A, Size is R475mm*H717mm*D22.5mm, non-customized

Notes:
-Thickness: 22.5mm
-Base: MDF
-Door finish: subject to door panels

YMB063






Technics:
-Suitable for lacquer, PVC, melamine, UV lacquer, thickness is 18-22mm
-Suitable for size W≥297mm, H≥197mm
-Installed with 3 sets of φ42mm stainless steel breathable mesh throughout both front and back side

Notes:
-Thickness, base materials, finishes are subject to door panels.

YMB064






Technics:
-Suitable for lacquer, PVC, melamine, UV lacquer, thickness is 18-22mm
-When 197≤W < 397mm, H≥397mm, breathable mesh installed vertically. When W≥397mm, H≥197mm, breathable mesh installed horizontally
-Breathable mesh is installed throughout both front and back side

Notes:
-Thickness, base materials, finishes are subject to door panels.

YMB067






Technics:
-R300 curved door, only suitable to make double sides wooden veneer

Notes:
-Base: MDF
-Door finish: double sides wooden veneer
-Thickness: 18mm

YML002B






Technics:
-Only available for hinged doors. Size limits: 247mm≤W≤650mm, 297mm≤H≤2340mm
-Handle hole drilling is not available for glass core.

Notes:
-Frame: black aluminum, insert: glass.

YML003






Technics:
-Size limits: 157≤W≤650mm, 157≤H≤1680mm
-Surface-mounted handle is not available.
-Equipped with narrow-frame hinge.

Notes:
-Frame: silver aluminum, insert: al-alloy shutter, glass.
-Only available for hinged doors.

YML003C






Technics:
-Door panel includes the handle itself (length is 120mm); handle installation position options are installed horizontally/ vertically in the middle; with narrow used hinges.
-Normal door panel size: 237≤W≤650mm, 297≤H≤1680mm;
-Lift up door panel size: 297≤W≤1200mm, 237≤H≤500mm; (with narrow support bar)

Notes:
-Black aluminum frame
-Middle material: aluminum louver & glass. (Can't be used for open-together door)

YML027A






Technics:
-Size limits: 207mm≤W≤650mm，127mm≤H≤2400mm
-No handle

Notes:
-Frame: black aluminum, insert: 5mm thick glass.

YML027B






Technics:
-Size limits: 207mm≤W≤650mm, 297mm≤H≤2400mm
-Equipped with handle.

Notes:
-Frame: black aluminum, insert: 5mm thick glass.
-Only available for hinged doors.

YML028






Technics:
-Door panel includes the handle itself (length is 120mm); handle installation position options are installed horizontally/ vertically in the middle; with narrow used hinges.
-Normal door panel size: 237≤W≤650mm, 297≤H≤1680mm;
-Lift up door panel size: 297≤W≤1200mm, 237≤H≤500mm; (with narrow support bar)

Notes:
-Black aluminum frame
-Middle material: glass (Can't be used for open-together door)

YML028A






Technics:
-Door panel includes the handle itself (length is 120mm); handle installation position options are installed horizontally/ vertically in the middle; with narrow used hinges.
-Normal door panel size: 237≤W≤650mm, 297≤H≤1680mm;
-Lift up door panel size: 297≤W≤1200mm, 237≤H≤500mm; (with narrow support bar)

Notes:
-Black aluminum frame
-Middle material: glass (Can't be used for open-together door)

YML030






Technics:
-Only for hinge door, includes the handle itself (length is 120mm), should use SLICE Air Hinge.
-Door size: 197≤W≤650mm and 297≤H≤2400mm
-Suitable for carcase panel thickness 18-19mm

Notes:
-Red champagne tone color frame
-Middle material: glass. Cabinet top and bottom panel leave 47mm for aluminum bar installation; aluminum bar width=Cabinet width-37/39mm

YML030A






Technics:
-Only for hinge door, includes the handle itself (length is 120mm), should use SLICE Air Hinge.
-Door size: 197≤W≤650mm and 297≤H≤2400mm
-Suitable for carcase panel thickness 18-19mm

Notes:
-Red champagne tone color frame
-Middle material: glass. Cabinet top and bottom panel leave 47mm for aluminum bar installation; aluminum bar width=Cabinet width-37/39mm

YML037





Technics:


-Finish color: matt black. Only for hinge door, can not be a open-together door.
With hinge itself, hinge is installed vertically on one side of the door.
-Door panel size: 257mm≤W≤600mm, 297mm≤H≤2400mm.

Notes:

-Middle material: glass door.
-Only for hinge door, can not be a open-together door

YML038





Technics:


-Only for hinge door, includes the handle itself (length is 160mm), handle installation position options are installed horizontally/vertically in the middle; should use SLICE Air Hinge.
-Door panel size: 257mm≤W≤600mm, 297mm≤H≤2400mm
-Suitable for cabinet carcase panel thickness: 18-19mm

Notes:

-Brass-tone color aluminum.
-Middle material: glass. Cabinet top and bottom panel leave 47mm for aluminum bar installation; aluminum bar width=Cabinet width-37/39mm

YML038A





Technics:


-Only for hinge door, includes the handle itself (length is 160mm), handle installation position options are installed horizontally/vertically in the middle; should use SLICE Air Hinge.
-Door panel size: 257mm≤W≤600mm, 297mm≤H≤2400mm
-Suitable for cabinet carcase panel thickness: 18-19mm

Notes:

-Grey color aluminum.
-Middle material: glass. Cabinet top and bottom panel leave 47mm for aluminum bar installation; aluminum bar width=Cabinet width-37/39mm

YML040A





Technics:


-Brass-tone color
-Includes the handle itself , should use Bearing type hinge (brass-tone)
-Door panel size: 247mm≤W≤600mm, 347mm≤H≤2400mm

Notes:

-Middle material: 4mm thickness black color glass or 4mm thickness black striped pattern glass
-Only for hinge door, can not be a open-together door
-Suitable for cabinet carcase panel thickness: 18-19mm

YML040B





Technics:


-Grey color
-Includes the handle itself, should use Bearing type hinge (gray)
-Door panel size: 247mm≤W≤600mm, 347mm≤H≤2400mm

Notes:

-Middle material: 4mm thickness black color glass or 4mm thickness black striped pattern glass
-Only for hinge door, can not be a open-together door
-Suitable for cabinet carcase panel thickness: 18-19mm

YML060





Technics:

-Includes the handle itself, should use narrow hinges.
-Aluminum frame color is coffee-tone brass color
-Door panel size:
A. If the handle on left/right: 157mm≤W≤650mm, 297mm≤H≤2340mm
B. If the handle on top/bottom: 157mm≤W≤650mm, 327mm≤H≤2340mm
-Not suitable for drawer front panel or open-together door


Notes:

-Middle material: glass

ALUMINUM FRAMED GLASS DOORS

YML061A






Technics:
-Use handle PWWL0410, should use SLICE Air Hinge
-Aluminum frame color is grey color
-Suitable for cabinet carcase panel thickness: 18-19mm
-Door panel size 197mm≤W≤650mm, 297mm≤H≤2340mm
-Not suitable for drawer front panel or open-together door

Notes:
-Middle material: glass

YML061B





Technics:
-Use handle PWWL0404, should use SLICE Air Hinge
-Aluminum frame color is brown brass color
-Suitable for cabinet carcase panel thickness: 18-19mm
-Door panel size 197mm≤W≤650mm, 297mm≤H≤2340mm
-Not suitable for drawer front panel or open-together door

Notes:
-Middle material: glass

YML062




Technics:
-Sliding door type, Aluminum frame glass door, use with accessories: PWWT0050A/B
-Aluminum frame color is brass-tone
-Suitable for cabinet carcase panel thickness: 18-19mm
-Door panel size 580mm≤W≤650mm, 297mm≤H≤2226mm
-Not suitable for drawer front panel or open-together door

Notes:
-Middle material: glass

Crown Mouldings






Code YSL026 **Size** L≤2200mm/PC

Base/Finish/Technics
-Base: MDF, -Finish: PVC/PP foil coated
-Match wall cabinets, high cabinets






Code YSL076 **Size** L≤2300mm/PC

Base/Finish/Technics
-Base: MDF, -Finish: lacquer
-Match wall cabinets, rang hood covers and high cabinets






Code YSL077 **Size** L≤2300mm/PC

Base/Finish/Technics
-Base: MDF, -Finish: PVC foil coated
-Match wall cabinets, rang hood covers and high cabinets






Code YSL086A **Size** L≤2300mm/PC

Base/Finish/Technics
-Base: MDF -Finish: lacquer
-Match wall cabinets, rang hood covers and high cabinets
-Optional light strip PBZL0018






Code YSL086B **Size** L≤2300mm/PC

Base/Finish/Technics
-Base: MDF -Finish: lacquer
-Match wall cabinets, rang hood covers and high cabinets
-Optional light strip PBZL0018

Light Cornice






Code
YSR006

Base/Finish/Technics
-Base: MDF -Finish: PVC foil
-High gloss PVC excluded






Code
YSR007

Base/Finish/Technics
-Base: MDF -Finish: PVC foil
-High gloss PVC excluded






Code
YSR008

Base/Finish/Technics
-Base: MDF -Finish: PVC foil
-High gloss PVC excluded

Crown Mouldings



Code
YSD008

Base/Finish/Technics
-Base: MDF -Length=2300mm/pc
-Installed at the top of wall cabinets and high cabinets. Also available for MDF.
-Avaible for lacquer PWMK1011(WBMK126), with gold decorative line.

Decorative Columns



Code
YSZ062



Base/Finish/Technics
-Base: MDF
-Finish: lacquer

Note:
-W=50mm, 600≤D≤1200mm, 400≤H≤800mm
-Arc size=R45



Code
YSZ064




Base/Finish/Technics
-Base: MDF
-Finish: lacquer

Note:
-W=150mm, and the column is lacquered



Code
YSZ066



Base/Finish/Technics
-Base: MDF
-Finish: PVC foil coated

Note:
-W= 38mm
-Decorative metal parts should be embedded in column ends.



Code
YSZ063



Base/Finish/Technics
-Base: MDF
-Finish: lacquer

Note:
-W=50mm, 100≤H≤2400mm, 100≤D≤900mm
-Arc size=R45



Code
YSZ065



Base/Finish/Technics
-Base: MDF
-Finish: lacquer

Note:
-W=80mm, and the column is lacquered



Code
YSZ074



Base/Finish/Technics
-Base: MDF
-Finish: PVC foil coated

Note:
-W=50mm, 400≤H≤2340mm, 300≤D≤800mm
-Decorative metal parts should be embedded in column ends.

Decorative Columns



Code
YSZ075



Base/Finish/Technics
-Base: MDF
-Finish: PVC foil coated

Note:
-W=38mm, 400≤H≤2340mm, 300≤D≤800mm
-Decorative metal parts should be embedded in column ends.




Code
YSZ078



Base/Finish/Technics
-Base: Particle board
-Finish: Melamine, HPL, UV lacquer, flat laminate.

Note:
-W=(25+d)mm, 250≤H≤1200mm,
250≤D≤1200mm. D refers to panel thickness.
-45° jointing for panel connection.



Code
YSZ080




Base/Finish/Technics
-Base: MDF
-Finish: Wood veneer

Note:
-W=1150mm, 500 < H≤1000mm, D=250
-Left/right arc = R200




Code
YSZ077




Base/Finish/Technics
-Base: Particle board
-Finish: UV lacquer

Note:
-W=38mm, 400≤H≤2340mm, 300≤D≤800mm
-Decorative metal parts should be embedded in column ends, and gold paint line in the middle.



Code
YSZ079A/B



Base/Finish/Technics
-Base for the main column: MDF
-Finish: Wood veneer
-Base for light column:
Al-alloy coated with PVC foil

Note:
-For YSZ079A:
W=50mm, 300≤H≤720mm, 100≤D≤800mm.
-For YSZ079B:
W=50mm, 720 < H≤2340mm, 100≤D≤800mm.



Code
YSZ082




Base/Finish/Technics
-Base: MDF
-Finish: PVC foil coated

Note:
-W=38mm, 250≤H≤1200mm, 250≤D≤1200mm.
-Consisted of upper decorative parts and lower decorative parts.
-Upper parts: Thickness= 18mm, Left/right arc= R19
Lower parts: Thickness= 38mm, Left/right arc= R38

Decorative Panels



Code
YSB161



Base/Finish/Technics
-Base: MDF
-Golden paint line available when applying finish PWMK2006 only

Size
Thickness=50mm



Code
YSB015




Base/Finish/Technics
-Base: subject to door panel
-Finish: melamine, lacquer, PVC/PP foil coated

Size
Thickness=50mm



Code
YSB027



Base/Finish/Technics
-Base: MDF
-Finish: PP foil coated




Code
YSB008



Base/Finish/Technics
-Base: MDF
-Finish: PVC foil coated



Code
YSB018



Base/Finish/Technics
-Finish: lacquer, PP foil
-Note: optional finish for 18/22/25mm thick straight-edge: PVC foil, lacquer, PP foil



Code
YSB031(YSB48)




Base/Finish/Technics
-Base: MDF
-Finish: lacquer

Size
Thickness=47mm

Decorative Panels






Code
YSB221

Base/Finish/Technics
-Base: Particle Board -Finish: Melamine
-For 50mm thick decorative panel, insert decorative metal strip inside it.
-Size limits of countertop: 900mm≤W≤2400mm, 400mm≤D≤1200mm, H=50mm





Code **Size**
YSB231 Length≤2300mm

Base/Finish/Technics
-Base: MDF -Finish: lacquer
-Match wall cabinets, rang hood covers and high cabinets
-Optional light strip PBZL0018






Code
YSB203

Base/Finish/Technics
-Base: 18mm thick MDF -Finish: Wood veneer
-Bartop size: 1742*1150*73mm (fixed size), and only matched with movable slide PWWT0048 when in use





Code
YSB237

Base/Finish/Technics
-Base: MDF -Finish: PP foil coated
-Size limits of countertop: 800mm≤W≤2400mm, H=70mm, 500mm≤D≤1200mm. And W1≥500mm, (W-W1)≥120mms, D1≥120mm, D/D1≥3






Code
YSB266

Base/Finish/Technics
-Base: 38mm thick MDF -Finish: Wood veneer

Size
-Size limit: Diameter range=1000-1200mm

Decorative Panels



Code
YSB236



Base/Finish/Technics
-Material: Sintered surface
-Aluminum frame color: black

Note:
-Upper and lower decorative panels are designed with handles. Upper handle: same as YME003, lower handle: same as YME003.
-45° jointing for handles
-Size limits: 40mm≤W≤200mm, 180mm≤H≤2400mm, 180mm≤D≤1100mm



Code
YSB234



Base/Finish/Technics
-Material: Sintered surface
-Aluminum frame color: black

Note:
-Upper and lower decorative panels are designed with handles. Handle profile: same as YME003.
-Size limits: 40mm≤W≤200mm, 180mm≤H≤2400mm, 180mm≤D≤1100mm




Code
YSB267



Base/Finish/Technics
-Base: MDF
-Finish: UV lacquer

Note:
-D=18.5mm, 300mm≤W≤1200mm, 500mm≤H≤2340mm
-Arc size: R200 (fixed size)

Decorative Shelves



Code
YSG006

Base/Finish/Technics
-Base: MDF, -Finish: lacquer -Edges R8 rounded

Size
Thickness=38mm, L=2300mm/PC





Code
YSG017

Base/Finish/Technics
-Base: MDF -Finish: PP foil coated

Size
D=60mm, only match PWMD0013





Code
YSG046

Base/Finish/Technics
-Thickness=36/50mm -45 degree edge cutting
-Base: melamine board -Optional finish: PWMA0119, PWMA0122, PWMA0127

Wine Racks





Code
YSG019

Descriptions
-Width= W, depth=25, height=H
-Base: solid wood, finish: paint





Code
YSG019A

Descriptions
-Width= W, depth=25, height=H
-Base: MDF, both faces coated with PVC foil. Only available for matt materials.





Code
YSG020

Descriptions
-Width= W, depth=19, height=60 -Option 1: Base: solid wood, finish: paint
-Option 2: Base: MDF, finish: paint -Option 3: Base: MDF, finish: PVC foil

Others



Code GCDC002 Name Drawer Core

Descriptions
-Width= W, depth=460, height=100
-Height of pull-out front for dining table: 100mm
-Matching slide PWWWT002F
-All door materials are available.



Code GCDC003 Name Drawer Core

Descriptions
-Width= W, depth=460, height=100
-Height of pull-out front of drawer: 100mm
-Matching slide PWWWT002F -For wine storage
-Available for lacquered or PVC-coated door.



Code GCDH001A/B/C Name Spice Rack

Descriptions
-Width= W, depth=200, height=175
-Materials: GCDH001A: both faces coated with wood veneer
GCDH001B: both faces lacquered
GCDH001C: both faces coated with PVC foil



Code GCDH004 Name Shelf

Descriptions
-Width= W, depth=200, height=250
-Materials: MDF coated with PP/PVC foil
-Suitable for PLCC13264(OP13-264)



Code GCDH006 Name Shelf

Descriptions
-Width= W, depth=180, height=185
-Materials: PP foil
-Suitable for OPDC16002(OP16-120A)



Code GCDW010 Name Dishes Rack

Descriptions
-Size can be customized.
-Materials: painted solid wood
-Suitable for PLCC19028



Code YSK004 Name Filler

Descriptions
-Width= W, depth=22, height=H
-Base: routed MDF, finish:
high-gloss paint PWMK1011(WBMK126) + golden paint line
-Suitable for PLCC14024(OP14-024)



Code YSK024 Name Decorative frame

Descriptions
-Size can be customized.
-Material of bartop leg: 35mm thick MDF, both faces lacquered.
-Including metal rack -Suitable for PLCC18003



Code YSK025 Name Decorative frame

Descriptions
-Width= W, depth=30, height=720
-Material: 35mm thick MDF, both faces lacquered.
-Including metal rack -Suitable for PLCC18003

Others



Code Name
YSK026 Decorative frame

Descriptions
-Width= W, depth=30, height=H
-Material: 35mm thick MDF, both faces lacquered.
-Suitable for PLCC18003



Code Name
YSM003 Filler

Descriptions
-Width= W, depth=19, height=180
-Base: MDF, finish: PVC/PP foil, lacquer, wood veneer.



Code Name
YSM037 Filler

Descriptions
-Width= 900, depth= 19, height= 70
-Option 1: Base: MDF, finish: PVC foil
Option 2: Base: MDF, finish: lacquer
Option 3: Base: solid wood, finish: paint



Code Name
YSQ005 Decorative back panel

Descriptions
-Width= 1440, depth= 22, height= 720
-Base: MDF, finish: paint
-Suitable for PLCC14024(OP14-024), fixed size.



Code Name
YSQ006 Decorative back panel

Descriptions
-Width= W, depth= 19, height= H
-Base: MDF, finish: wood veneer, PVC foil. And W≥900,
the centered arc stays the same. -Suitable for PLCC14007



Code Name
YSQ011 Decorative back panel

Descriptions
-Width= W, depth=18, height=H
-Material: 9mm+9mm thick MDF, coated with PP foil



Code Name
YSQ024 Decorative back panel

Descriptions
-Width= 900, depth=19, height=600/660/740/840
-Material: 18mm thick MDF, finish: lacquer
-Suitable for PLCC18003

Others



Code Name
YSQ038 Decorative back panel

Descriptions
-Width= W, depth=18, height=H
-Size: ①150mm≤W≤1200mm，150mm≤H≤2400mm;
②150mm≤W≤2400mm，150mm≤H≤1200mm.



Code Name
YSH003 Range hood cover

Descriptions
-Width= 1035, depth= 568, height= 858
-Standard Configuration: E612



Code Name
YSQ044 Decorative back panel

Descriptions
-Material: 18mm thick MDF, coated with PVC foil -With vertical decorative groove
-Size: ①150mm≤W≤1200mm，150mm≤H≤2400mm;
②150mm≤W≤2400mm，150mm≤H≤1200mm.



Code Name
YSQ045 Decorative back panel


Descriptions
-Material: 18mm thick MDF, both faces lacquered. -With vertical decorative groove
-Size: ①150mm≤W≤1200mm，150mm≤H≤2400mm;
②150mm≤W≤2400mm，150mm≤H≤1200mm.

Quartz Stone

When countertop thickness is 40/60mm, use Al-alloy filler strip.
The standard thickness of Al-alloy filler strip is 20mm or 40mm.




Profile Name
Straight edge 20
Profile Code
YTS001A
Front Edge Thickness
20mm




Profile Name
Straight edge 40
Profile Code
YTS001B
Front Edge Thickness
40mm




Profile Name
Straight edge 60
Profile Code
YTS001C
Front Edge Thickness
60mm



Profile Name
Straight edge 90
Profile Code
YTS001D
Front Edge Thickness
90mm



Profile Name
Straight edge 120
Profile Code
YTS001E
Front Edge Thickness
120mm



Profile Name
Straight edge 150
Profile Code
YTS001F
Front Edge Thickness
150mm




Profile Name
Top round edge 40
Profile Code
YTS002B
Front Edge Thickness
40mm



Profile Name
Top round edge 60
Profile Code
YTS002C
Front Edge Thickness
60mm




Profile Name
Bevel edge antispill 40
Profile Code
YTS003B
Front Edge Thickness
40mm



Profile Name
Bevel edge antispill 60
Profile Code
YTS003C
Front Edge Thickness
60mm




Profile Name
Bevel edge 20
Profile Code
YTS005A
Front Edge Thickness
20mm



Profile Name
Bevel edge 40
Profile Code
YTS005B
Front Edge Thickness
40mm




Profile Name
Bevel edge 60
Profile Code
YTS005C
Front Edge Thickness
60mm



Profile Name
Bevel edge 120
Profile Code
YTS005D
Front Edge Thickness
120mm



Profile Name
Sharknose
Profile Code
YTS011A
Front Edge Thickness
20mm



Profile Name
Chamfer edge 40
Profile Code
YTS013B
Front Edge Thickness
40mm
Note:
with 8mm wide*5mm high edge



Profile Name
Chamfer edge 60
Profile Code
YTS013C
Front Edge Thickness
60mm
Note:
with 8mm wide*5mm high edge

Sink Hole




Sink Hole Name
Round edge
Profile Code
YTI001
Matched Countertop Material
Quartzstone/OPPEIN solid surface/
Sintered surface
Note
Only suitable for undermount



Sink Hole Name
Chamfer edge
Profile Code
YTI002
Matched Countertop Material
Quartzstone
Note
-Only suitable for undermount
-R≥10mm




Profile Code
YTI006
Matched Countertop Material
Quartzstone
Thickness
20mm
Note
-R≥50mm
-Suitable for OP-PS3211, OP-PS329,
OP-PS822, OP-PS311A




Profile Code
YTI007
Matched Countertop Material
Quartzstone
Thickness
20mm
Note
-R≥50mm
-Suitable for OP-PS3211, OP-PS329,
OP-PS822, OP-PS311A


Sink Installation




Sink Installation Type
Topmount
Profile Code
YTZ001(TS)
Matched Countertop Material
All countertop materials



Sink Installation Type
Undermount (indirect drainage)
Profile Code
YTZ003(TXJ)
Matched Countertop Material
All countertop materials



Sink Installation Type
Undermount (direct drainage)
Profile Code
YTZ008(TXZ)
Matched Countertop Material
All countertop materials
Note
Suitable for bathroom sink installation



Profile Code
YTZ009
Matched Countertop Material
Quartzstone
Thickness
20mm
Note
-Suitable for OP-PS912, OP-PS913,
OP-PS317A, BLANCO235855, PS915C,
PS9221C

Wood Veneer

Imported Wood Veneer



PWMM3068
PWFM0075



PWMM3069
PWFM0076

Wood Veneer Grade B



PWMM3066
PWFM0077



PWMM3067

Wood Veneer Grade C



PWMM4007
PWFM0073



PWMM4008
PWFM0074

PWMM4010
PWFM0097



PWMM4009
PWFM0078

PP Foil

PP Foil Grade A



PWMD0005

PVC Foil

PP Foil Grade A



PWMG0210

PP Foil Grade C



PWMG0266



PWMG0257


PVC Foil

PP Foil Grade B

PWMG0061


PWMG0102


PWMG0156


PWMG0157


PWMG0209


PWMG0254


PWMG0255


PWMG0258


PWMG0260


PWMG0261

UV Lacquer

UV Lacquer Grade B



PWMC0015
PWFJ0014



PWMC0080
PWFP0635


PWMC0032
PWFP0445
PWFJ0036


PWMC0063
PWFP0601

PWMC0003
PWFJ0024


PWMC0060
PWFP0598



PWMC0081
PWFP0662


PWMC0012
PWFP0492


PWMC0013
PWFP0493

PWMC0061
PWFP0599


PWMC0009
PWFP0494


PWMC0112
PWFP0793

UV Lacquer

UV Lacquer Grade C




PWMC0022
PWFP0496



PWMC0008
PWFP0495



PWMC0029
PWFP0440



PWMC0031
PWFP0442



PWMC0064
PWFP0600



PWMC0110
PWFP0790



PWMC0111
PWFP0791

HPL

HPL Grade A

PWMF0072
PWFP0656

HPL



PWMF0017
PWFP0067



PWMF0047
PWFP0034



PWMF0065
PWFP0597



PWMF0064
PWFP0596



PWMF0074
PWFP0657

PWMF0003
PWFP0028

Melamine

Egger Panel Grade A



PWMA0188(25mm)
PWFJ0059



PWMA0252(25mm)
PWFJ0099

CLEAF



PWMA0253(25mm)
PWFJ0101
PWFJ0100



PWMA0254(25mm)
PWFJ0079

Egger Panel Grade B



PWMA0187(18mm)
PWFJ0058



PWMA0115(18mm)
PWFJ0015
PWFJ0016



PWMA0258(18mm)
PWFJ0095
PWFJ0102



PWMA0259(18mm)
PWFJ0096

Melamine

Melamine Grade A



PWMA0113
PWFP0391



PWMA0119
PWFP0399

PWMA0218
PWFP0592



PWMA0189
PWFP0487



PWMA0352
PWFP0785



PWMA0360
PWFP0797

Melamine



PWMA0155
PWFP0438



PWMA0255
PWFP0658



PWMA0256
PWFP0659



PWMA0152
PWFP0463



PWMA0212
PWFP0593



PWMA0060
PWFP0063

Melamine

Melamine


PWMA0103
PWFP0369


PWMA0122
PWFP0404


PWMA0257
PWFP0660


PWMA0269
PWFP0663


PWMA0215
PWFP0589


PWMA0297
PWFP0589


PWMA0156
PWFP0439


BWMA0026
BWFP0047


PWMA0216
PWFP0591


BWMA0025
BWFP0045


PWMA0131
PWFP0391


PWMA0164
PWFP0446


PWMA0217
PWFP0590


PWMA0351
PWFP0779


PWMA0353
PWFP0786


PWMA0354
PWFP0787



PWMA0350
PWFP0778

Lacquer

Benley Auto Lacquer


PWMK5001


PWMK5002


PWMK5003


PWMK4001


PWMK5004


PWMK5005

Flash Lacquer

PWMK5007



PWMK3010

PWMK3022


Lacquer

Matt Lacquer

PWMK2002




PWMK2006




BWMK2011



PWMK2008



PWMK2090



PWMK2112



PWMK2125

BWMK2010

Lacquer

High Gloss Lacquer

PWMK1001



PWMK1002

PWMK1011



PWMK1053

High Gloss Lacquer (Only for YMK001)

PWMK1018



PWMK1046




PWMK2074

Spray Lacquer


Matt Spray Lacquer



PWMK7001



PWMK7004




PWMK7005



PWMK7006



PWMK7008



PWMK7021

Flash Spray Lacquer

PWMK7020

Flat Laminate

Imported PET



PWMP2005
PWFP0396



PWMP2007
PWFP0436



PWMP2009
PWFP0481



PWMP2010
PWFP0664

Oppein PET



PWMP2024
PWFP0798



PWMP2025
PWFP0799

Back Panles

Melamine



PWMA0214



PWMA0220



PWMA0355



PWMA0356

Metal Foil



PWMJ0010A
PWMJ0010B
PWMJ0010C



PWMJ0011A
PWMJ0011B
PWMJ0011C



PWMJ0031
Size: W1163*H12*D522mm

Carcase Panels

Antibacterial Series--Laminate



PWGA0036



PWGA0037

Antibacterial Series--Particle Board



PWGA0025



PWGA0027



PWGA0029

Glass (Thickness: 5mm)



Code PWMB0002 Size 1220*2440mm



Code PWMB0005 Size 1100*2440mm



Code PWMB0010 Size 1220*2440mm



Code PWMB0021 Size 1220*2440mm



Code PWMB0027 Size 1220*2440mm



Code PWMB0034 Size 1220*2440mm



Code PWMB0085 Size 1220*2440mm



Code PWMB0098 Size 1220*2440mm



Code PWMB0125 Size 1220*2440mm




Code PWMB0127 Size 1830*2440mm



Code PWMB0128 Size 1830*2440mm



Code PWMB0129 Size 1830*2440mm



Code PWMB0134 Size 1830*2440mm



Code PWMB0139 Size 1830*2440mm



Code PWMB0167 Size 1830*2440mm



Code PWMB0168 Size 1830*2440mm



Code PWMB0179 Size 1830*2440mm

Laser Edge Banding



PWFJ0014(1.5*23mm)



PWFJ0015(1.5*23mm)



PWFJ0016(1.5*23mm)

PWFJ0024(1.5*23mm)



PWFJ0036(1.5*23mm)



PWFJ0058(1.5*23mm)



PWFJ0059(1.4*29mm)



PWFJ0079(1.4*29mm)



PWFJ0095(1.5*23mm)
PWFJ0102(1.5*23mm)



PWFJ0096(1.5*23mm)



PWFJ0099(1.4*29mm)
PWFJ0098(1.4*29mm)



PWFJ0101(1.4*29mm)
PWFJ0100(1.4*29mm)

Wood Veneer Edge Banding



PWFM0073(0.5*22/42/55mm)



PWFM0074(0.5*22/42/55mm)



PWFM0075(0.5*22/42/55mm)



PWFM0076(0.5*22/55mm)



PWFM0077(0.5*22mm)



PWFM0078(0.5*22/42/55mm)

PWFM0079(0.5*22/42/55mm)

PVC Edge Bands


PWFP0028(1.2*23/42/55mm)


PWFP0030(1.2*23/55mm)


PWFP0034(1.2*23/29mm)


PWFP0040(1.2*23mm)


PWFP0041(1.2*23mm)


PWFP0063(1.2*22mm)

PWFP0067(1.2*23mm)


PWFP0369(1.2*22/42mm)


PWFP0391(1.2*23/42mm)


PWFP0396(1.2*23mm)


PWFP0399(1.2*23/42/55;0.4*31mm)


BWFP0047(1.2*22;0.4*31mm)


PWFP0404(1.2*22/55mm)


PWFP0405(1.2*23/42/55mm)


PWFP0436(1.2*23;0.4*31mm)


PWFP0438(1.2*22/42mm)


PWFP0439(1.2*22;0.4*31mm)


PWFP0440(1.2*23mm)


PWFP0442(1.2*23mm)


PWFP0445(1.2*42/55mm)


PWFP0446(1.2*23mm)


PWFP0463(1.2*23/42/55mm)


PWFP0481(1.0*22mm)


PWFP0487(1.2*23mm)


PWFP0492(1.2*23mm)


PWFP0493(1.2*23mm)


PWFP0494(1.2*23mm)


PWFP0495(1.2*23mm)


PWFP0496(1.2*23mm)


PWFP0589(1.2*22mm)


PWFP0590(1.2*22mm)


PWFP0591(1.2*22mm)

PWFP0592(1.2*22mm)


PWFP0593(1.2*22mm)


BWFP0045(1.2*22mm)

PVC Edge Bands


PWFP0596(1.2*23/42mm)


PWFP0597(1.2*23mm)


PWFP0598(1.2*23/42mm)

PWFP0599(1.2*23mm)


PWFP0600(1.2*23/42mm)

PWFP0601(1.2*23mm)

PWFP0635(1.2*23mm)

PWFP0656(1.2*23/42mm)

PWFP0657(1.2*23/42mm)

PWFP0658(1.2*22mm)

PWFP0659(1.2*22mm)

PWFP0660(1.2*22/42/55mm)

PWFP0661(1.2*55mm)

PWFP0662(1.2*23mm)

PWFP0663(1.2*22/55mm)

PWFP0664(1.0*22mm)

PWFP0778(1.2*22mm)

PWFP0779(1.2*22mm)

PWFP0785(1.2*22/42/55mm)

PWFP0786(1.2*22/55mm)

PWFP0787(1.2*22mm)

PWFP0789(1.2*55mm)

PWFP0790(1.2*22mm)

PWFP0791(1.2*22mm)

PWFP0792(1.2*22/42mm)


PWFP0793(1.2*22/44mm)

PWFP0797(1.2*22/55mm)

PWFP0798(1.2*22mm)

PWFP0799(1.2*22mm)

Aluminum Edge Bands





Code & Depth
PWFL0001
D=19.5/20.5/21.5mm

Application
-Matching HPL/ melamine/
UV lacquer/ Metal foil/ Acrylic





Code & Depth
PWFL0002/ PWFL0002B
D=16mm

Application
-Matching movable shelf of carcase





Code & Depth
PWFL0003
D=8mm


Application
-Matching glass shelf





Code & Depth
PWFL0004
D=19/20/21mm

Application
-Matching wood framed glass door
YMB008 and YMB006






Code & Depth
PWFL0005
D= 20mm

Application
-Matching acrylic door panel
YMP006P


Aluminum Edge Bands





Code & Depth
PWFL0033
D=18-25mm

Application
-Material: Aluminum alloy
-Surface treatment: Anodizing
-Color: Gold






Code & Size
PWFL0036
H=155mm

Application
-Suitable for wooden kickboard (H=160mm)
-To prevent the broken kickboard from
exposing its base material



Code
PWFL0043

Application
-Panel decorative edge banding
(material: brushed brass)
-Matching 18.5mm-19mm thick panel




Code
PWFL0044

Application
-Decorative aluminum edge banding
of fixed shelf (surface covered with
Modica dark gray leather textured PVC)
-Equipped with 2 decorative metal
buckles in coffee copper color
-Matching 25mm thick panel

Quartzstone

OPPEIN Quartzstone P5 Series


PWTY1024


PWTY1025


PWTY1031


PWTY1033


PWTY1044


PWTY1046

OPPEIN Quartzstone P4 Series


PWTY1016


PWTY1032


PWTY1081

Quartzstone

OPPEIN Quartzstone P1 Series


PWTY1001


PWTY1018


PWTY1008


PWTY1077


BWTY1003


BWTY1020

OPPEIN Quartzstone P3 Series


PWTY1047


PWTY1048


PWTY1026


PWTY1007


PWTY1078


PWTY1092

PWTY1093

Aluminum Bar Handles(for Door Panels)



Code & Depth
PWWK0003
D=19/20/21mm






Code
PWWK0008
Handle treatment:
sandblasting & oxidation;

Application
Matching with 18mm-19mm thick flat profile door, the standard size is 147,197,297,397,447,497,597,797, 897,997,1197



Code & Depth
PWWK0027
D=19/20/21mm

Application
For flat door only






Code
PWWK0042


Application
Matching door panel YMK120





Code & Depth
PWMK0003A
D=19/20/21mm





Code & Depth
PWWK0011
D=19mm



Code
PWWK0040

Application
Matching door panel YMA038





Code & Depth
PWWK0058
D=19mm



Aluminum Bar Handles

(for Door Panels)



Code & Depth
PWWK0059
D=19mm





Code & Depth
PWWK0074
D=18.5mm






Code & Depth
PWWK0082A/B
D=19mm





Code & Depth
PWWK0071
D=19mm






Code & Depth
PWWK0081
D=19mm



Aluminum Bar Handles(for Carcase)



Code
PWWK0002
(Silver)
PWWK0002B
(Black)
PWWK0002G
(Gold)





Code & Depth
PWWK0009 (Silver)
PWWK0009B (Grey)
D= 16.8mm





PWWK0017C PWWK0017

Code
PWWK0017C
PWWK0017





PWWK0015C PWWK0015

Code
PWWK0015C
PWWK0015



Handles & Knobs



Code	Hole distance	Total length	Height
PWWL0002	128	152	26



Code	Hole distance	Total length	Height
PWWL0022	128	144	37



Code	Hole distance	Total length	Height
PWWL0042B	96	136	27



Code	Hole distance	Total length	Height
PWWL0054	96	146	25.5



Code	Hole distance	Total length	Height
PWWL0056	96	132	25.5



Code	Hole distance	Total length	Height
PWWL0063	128	144	25



Code	Hole distance	Total length	Height
PWWL0065	96	120	25



Code	Hole distance	Total length	Height
PWWL0121	/	37	28.5



Code	Hole distance	Total length	Height
PWWL0166	160	197.6	28



Code	Hole distance	Total length	Height
PWWL0166A	96	133.6	28



Code	Hole distance	Total length	Height
PWWL0173	/	35	20



Code	Hole distance	Total length	Height
PWWL0174	/	36	22.5



Code	Hole distance	Total length	Height
PWWL0175	64	89	20



Code	Hole distance	Total length	Height
PWWL0176	128	170	32



Code	Hole distance	Total length	Height
PWWL0178	128	140	38.2



Code	Hole distance	Total length	Height
PWWL0179	128	147.8	34.5

Handles & Knobs



Code	Hole distance	Total length	Height
PWWL0181A	160	172.5	30



Code	Hole distance	Total length	Height
PWWL0194	64	103	24



Code	Hole distance	Total length	Height
PWWL0195	128	138	24



Code	Hole distance	Total length	Height
PWWL0195A	192	202	25.8



Code	Hole distance	Total length	Height
PWWL0197A	/	25	25



Code	Hole distance	Total length	Height
PWWL0197B	96	115	34




Code	Hole distance	Total length	Height
PWWL0198	/	20	30



Code	Hole distance	Total length	Height
PWWL0199	128	147	30



Code	Hole distance	Total length	Height
PWWL0232	128	140.7	20



Code	Hole distance	Total length	Height
PWWL0233	128	170	23



Code	Hole distance	Total length	Height
PWWL0234	160	169	29



Code	Hole distance	Total length	Height
PWWL0235	160	176.6	26.9



Code	Hole distance	Total length	Height
PWWL0236	/	50	25



Code	Hole distance	Total length	Height
PWWL0236A	/	50	25




Code	Hole distance	Total length	Height
PWWL0239	96	120	20



Code	Hole distance	Total length	Height
PWWL0257	128	139.5	30

Handles & Knobs



Code	Hole distance	Total length	Height
PWWL0271	160	179	34



Code	Hole distance	Total length	Height
PWWL0272	128	136	20




Code	Hole distance	Total length	Height
PWWL0288	/	33	25




Code	Hole distance	Total length	Height
PWWL0289	128	168	30



Code	Hole distance	Total length	Height
PWWL0290	160	176	30



Code	Hole distance	Total length	Height
PWWL0293A/B		180/360	8



Code	Hole distance	Total length	Height
PWWL0295A/B		160/320	4




Code	Hole distance	Total length	Height
PWWL0299	160	167	25.3



Code	Hole distance	Total length	Height
PWWL0331A	/	33	26



Code	Hole distance	Total length	Height
PWWL0331B	128	150	25



Code	Hole distance	Total length	Height
PWWL0332	/	32.4	25.7




Code	Hole distance	Total length	Height
PWWL0386	128	184	27.5



Code	Hole distance	Total length	Height
PWWL0388	32	86.3	26.6



Code	Hole distance	Total length	Height
PWWL0389	128	141	49



Code	Hole distance	Total length	Height
PWWL0401	96	161	45.5



Code	Hole distance	Total length	Height
PWWL0402	96	200	29

Handles & Knobs



Code	Hole distance	Total length	Height
PWWL0403	63	125	15.5



Code	Hole distance	Total length	Height
PWWL0404	96	162.3	13.2




Code	Hole distance	Total length	Height
PWWL0406A	128	180	28.5



Code	Hole distance	Total length	Height
PWWL0406B	128	180	28.5

Optional Handle



Code	Hole distance	Total length	Height
PWWL0172	160	170	31



Code	Hole distance	Total length	Height
PWWL0196A	320*6	2155	30
PWWL0196B	320*4	1375	30



Code	Hole distance	Total length	Height
PWWL0237	320	360	32
PWWL0237A	320	360	32



Code	Hole distance	Total length	Height
PWWL0297		182	33



Code	Hole distance	Total length	Height
PWWL0333A	256	268.4	41.6
PWWL0333B	544	556	45
PWWL0333C	576*3	1740	45



Code	Hole distance	Total length	Height
PWWL0304A		2337	9.8



Code	Hole distance	Total length	Height
PWWL0268	224	235	29.8




Code	Hole distance	Total length	Height
PWWL0390	768	789	60

Optional Handle



Code	Hole distance	Concealed Handle Size
PWWL0398	16	94.7*34*15.5



Code	Hole distance	Total length	Height
PWWL0446/A	128	150	24



Code	Hole distance	Total length	Height
PWWL0499		50	38.3



Code	Hole distance	Total length	Height
PWWL0450	96	186	40



Code	Hole distance	Total length
PWWL0399A	448	1150

Notes
-With three holes.
-Suitable for flat panels.
-Matched door panel size: 1617mm≤H≤2340mm



Code	Hole distance	Total length
PWWL0399B	448	2325

Notes
-With six holes.
-Suitable for flat panels.
-Matched door panel size: 2337mm≤H≤2340mm.



Code	Hole distance	Total length
PWWL0400	/	1196

Notes
-With four holes.
-Suitable for flat panels.
-Matched door panel size: 1617mm≤H≤2340mm.

Hinges & Buffers



Name
BLUM quick assembly 95° hinge
Code
PWWM0001
Notes
For thickened half overlay doors, thickness >22mm



Name
BLUM quick assembly 95° hinge
Code
PWWM0003
Notes
For thickened full overlay doors, thickness >22mm



Name
BLUM quick assembly 45° hinge
Code
PWWM0010
Notes
Including CLIP top BLUMOTION(soft close feature), applied to pentagonal corner cabinets, full overlay



Name
BLUM rebounding 95° hinge
Code
PWWM0025
Notes
Applied to 18~25mm thick doors and matching magnetic rebounders.



Name
BLUM quick assembly 100° hinge
Code
PWWM0027
Notes
Applied to full-overlay doors and door thickness≤22mm



Name
BLUM quick assembly 100° hinge
Code
PWWM0028
Notes
For half overlay doors, thickness≤22mm



Name
BLUM quick assembly 180° hinge
Code
PWWM0047
Notes
Including CLIP top BLUMOTION(soft close feature), applied to linear corner cabinets, door thickness≤25mm



Name
BLUM quick assembly 95° hinge
Code
PWWM0048
Notes
Applied to 18~25mm thick doors, and matching magnetic rebounders.



Name
BLUM quick assembly hinge
Code
PWWM0087
Notes
Applied to inset doors and door thickness≤22mm



Name
BLUM quick assembly 155° hinge
Code
PWWM0088
Notes
Including CLIP top BLUMOTION(soft close feature), matching doors with inner drawers or pull out baskets



Name
Imported 107°hinge with integrated silent system
Code
PWWM0287
Notes
Applied to full-overlay doors, door thickness≤22mm



Name
Imported 107°hinge with integrated silent system
Code
PWWM0288
Notes
Applied to half-overlay doors, door thickness≤22mm

Hinges & Buffers



Name
Imported 95°hinge with integrated silent system
Code
PWWM0289
Notes
Applied to full-overlay thickened doors, door thickness > 22mm



Name
Imported 95°hinge with integrated silent system
Code
PWWM0290
Notes
Applied to half-overlay thickened doors, door thickness > 22mm



Name
BLUM hinge damper(full overlay)
Code
PWWZ0002A
Notes
Matching BLUM quick assembly full-overlay hinges.



Name
BLUM hinge damper(half overlay)
Code
PWWZ0002B
Notes
Matching BLUM quick assembly half-overlay hinges.



Name
SLICE Air Hinge (Italy)
Code
PWWM0076
Notes
Match aluminum-framed door YML030 and door thickness is 18-19mm.



Name
Bearing type hinge (brass-tone)
Code
PWWM0095A
Notes
Applied to 18-19mm thick doors, only available for hinge YML040A. 2 hinges are required for each door.



Name
Bearing type hinge (gray)
Code
PWWM0095B
Notes
Applied to 18-19mm thick doors, only available for YML040B. 2 hinges are required for each door.



Name
BLUM hinge damper(inset type)
Code
PWWZ0002C
Notes
Matching BLUM



Name
Imported magnetic rebounder
Code
PWWZ0033
Notes
Matching handleless doors


Hinges & Buffers



Name
Hettich hinge with integrated silent system
Code
PWWM0012
Notes
Applied to full-overlay doors and
door thickness >22mm



Name
Hettich hinge with integrated silent system
Code
PWWM0013
Notes
Applied to half-overlay doors and
door thickness >22mm



Name
Hettich hinge with integrated silent system
Code
PWWM0015
Notes
Applied to half-overlay doors and
door thickness≤22mm



Name
Hettich 110° hinge with integrated silent system
Code
PWWM0016
Notes
Applied to half-overlay doors and
door thickness≤22mm



Name
Hettich 95° hinge with integrated silent system
Code
PWWM0038
Notes
Applied to full-overlay aluminum
framed doors



Name
Hettich 95°hinge with integrated silent system
Code
PWWM0039
Notes
Applied to half-overlay aluminum
framed doors



Name
Hettich 180° hinge with integrated silent system
Code
PWWM0040
Notes
Applied to doors of linear
corner cabinets



Name
Hettich 165°hinge with integrated silent system
Code
PWWM0044
Notes
Applied to full-overlay arc doors
or cabinets with inner drawers



Name
Hettich 165°hinge with integrated silent system
Code
PWWM0045
Notes
Applied to half-overlay arc doors
or cabinets with inner drawers



Name
Hettich 45°hinge with integrated silent system
Code
PWWM0046
Notes
Applied to pentagonal corner cabinets,
full overlay



Name
Hettich Quick assembly 95° hinge with silent system
Code
PWWM0293
Notes
-Applied to narrow aluminum-framed
full overlay doors, door thickness≤32MM.
-Color: Nickel



Name
Hettich Quick assembly 95° hinge with silent system
Code
PWWM0294
Notes
-Applied to narrow aluminum-framed
half overlay doors, door thickness≤32MM.
-Color: Nickel

blum AVENTOS HF:For high wall cabinets with bi-fold fronts



Code
PWWA0001
Matched door height
720mm / 900mm
Matched door width (MDF base door)
800-1200mm / 600-750mm
Matched door width (solid wood/plywood/particle board based door)
900-1200mm / 600-800mm
Matched door width (aluminum framed glass door)
850-1200mm / 600-900mm
Application
-Wood front must be within 18~21mm thick.
-Door panel can be sealed with aluminum edge band PWFL0005,
match aluminum framed Glass door YML002, YML009, YMQ003,YMQ004
-Carcase net depth ≥278mm, net height above cabinet h=FH*0.44+38mm,
FH is upper door front height
-2 hinges required if door width≤900mm.
-3 hinges required if 900 < W≤1200mmm.



Code
PWWA0002
Matched door height
720mm / 900mm
Matched door width (MDF base door)
1100-1200mm / 700-900mm
Matched door width (solid wood/plywood/particle board based door)
1200mm / 800-1000mm
Matched door width (aluminum framed glass door)
- - - / 900-1000mm
Application
-Wood front thickness ≥22mm.
-Door panel can be sealed with aluminum edge band PWFL0005,
match aluminum framed Glass door YML002, YML009, YMQ003, YMQ004
-Carcase net depth ≥278mm, net height above cabinet h=FH*0.44+38mm,
FH is upper door front height
-2 hinges required if door width≤900mm.
-3 hinges required if 900 < W≤1200mmm.

blum AVENTOS HF: For high wall cabinets with bi-fold fronts



Code
PWWA0003

Matched door height
720mm / 900mm

Matched door width (MDF base door)
1100-1200mm / 700-900mm

Matched door width(solid wood/plywood/particle board based door)
1200mm / 800-1000mm

Matched door width(aluminum framed glass door)
- - / 900-1200mm

Application
-Wood front thickness ≥22mm.
-Door panel can be sealed with aluminum edge band PWFL0005,
match aluminum framed Glass door YML002, YML009, YMQ003,YMQ004
-Carcase net depth ≥278mm, net height above cabinet h=FH*0.44+38mm,
FH is upper door front height
-2 hinges required if door width≤900mm.
-3 hinges required if 900 < W≤1200mmm.



Code
PWWA0005

Matched door height
720mm / 900mm

Matched door width (MDF base door)
400-650mm / 400mm

Matched door width (solid wood/plywood/particle board based door)
450-700mm / 400-450mm

Matched door width (aluminum framed glass door)
450-800mm / 400-500mm

Application
-Wood front must be within 18~21mm thick.
-Door panel can be sealed with aluminum edge band PWFL0005,
match aluminum framed Glass door YML002, YML009, YMQ003,YMQ004
-Carcase net depth ≥278mm, net height above cabinet h=FH*0.44+38mm,
FH is upper door front height
-2 hinges required if door width≤900mm.
-3 hinges required if 900 < W≤1200mmm.

blum AVENTOS HK:Heavy fronts pivot up



Code
PWWF0002

▸ **When installing 1 piece**
Matched door height
360mm / 450mm / 540mm / 600mm

Matched door width
1000-1200mm / 900-1200mm / 900-1200mm / 900≤w < 1000

▸ **When installing 2 pcs**
Matched door height
600mm / 720mm

Matched door width(MDF base door)
1000≤w≤1200mm / 900-1200mm

Application
-Wood front must be within 18~21mm thick.

-Door panel can be sealed with aluminum edge band PWFL0005,
match aluminum framed Glass door YML002, YML009, YMQ003,YMQ004
-Carcase net depth ≥180mm, net height≥270mm
-2 hinges required if door width≤900mm.
-3 hinges required if 900 < W≤1200mmm.

SUSPA Stay Lift System



Code
PWWF0010

Matched door height
360mm / 450mm

Matched door width(MDF base door)
600-800mm / 600-700mm

Matched door width(solid wood/plywood/particle board based door)
600-950mm / 600-800mm

Matched door width (aluminum framed glass door)
600-1000mm / 600-900mm

Application
-Matched door thickness must be between 18mm and 22mm;
-This fitting matches wooden doors, wood-framed glass door; it also matches aluminum-framed glass door YML002, YML009, YMQ003,YMQ004
-The required fitting quantity varies according to door width, please consult with our designers.
-2 hinges are required when door width≤900mm
-3 hinges are required when 900mm < door width≤1200mm

blum AVENTOS HK-XS: Small fitting for small top wall cabinets



Code
PWWF0003

▸ When installing 1 piece
Matched door height
360mm

Matched door width (MDF base door)
600-750mm

Matched door width (solid wood/plywood/particle board based door)
600-800mm

Matched door width (aluminum framed glass door)
700-900mm

▸ When installing 2 pcs
Matched door height
360mm / 450mm

Matched door width (MDF base door)
900-1200mm / 600-1000mm

Matched door width (solid wood/plywood/particle board based door)
1100-1200mm / 700-1100mm

Matched door width (aluminum framed glass door)
1100-1200mm / 800-1200mm

Application
-Wood front must be within 18~21mm thick.
-Door panel can be sealed with aluminum edge band PWFL0005,
match aluminum framed Glass door YML002, YML009, YMQ003,YMQ004
-Carcase net depth ≥125mm, net height≥200mm
-2 hinges required if door width≤900mm.
-3 hinges required if 900 < W≤1200mmm.



Code
PWWF0015

▸ When installing 1 piece
Matched door height
360mm

Matched door width (MDF base door)
600-800mm

Matched door width (solid wood/plywood/particle board based door)
600-850mm

Matched door width (aluminum framed glass door)
700-1000mm

▸ When installing 2 pcs
Matched door height
360mm / 450mm

Matched door width (MDF base door)
950-1200mm / 600-1000mm

Matched door width (solid wood/plywood/particle board based door)
1100-1200mm / 700-1100mm

Matched door width (aluminum framed glass door)
1100-1200mm / 800-1200mm

Application
-Wood front must be within 18~21mm thick.
-Door panel can be sealed with aluminum edge band PWFL0005,
match aluminum framed Glass door YML002, YML009, YMQ003,YMQ004
-Carcase net depth ≥125mm, net height≥200mm
-2 hinges required if door width≤900mm.
-3 hinges required if 900 < W≤1200mmm.

blum Door Lift System



Code
PWWF0030

Matched door height
360mm / 450mm / 540mm / 600mm

Matched door width (MDF base door)
800-1200mm / 500-1200mm / 600-1050mm / 600-850mm

Matched door width (solid wood/plywood/particle board based door)
900-1200mm / 600-1200mm / 400-1200mm / 400-1100mm

Matched door width (aluminum framed glass door)
1000-1200mm / 700-1200mm / 500-1200mm / 400-1100mm

Notes
-This fitting matches 18-22mm thick wooden doors, wood-framed/
aluminum-framed glass doors. Not available for YMQ001A/B,
YMQ002A/B, YML003B/C, YML027A/B, YML028/A, YML030/A,
YML036, YML037, YML038, YML039A/B.
-Matched net carcase size: H' ≥ 173mm, L' ≥ 261mm.
-Energy-saving device LF: 1730-5200.

Application
-Hinges are not required.
-Matched carcase height: 300-600mm. If the doors vary from the sizes
and materials mentioned above, please consult with our designers.
-When using aluminum-framed doors, 4*12mm cross self-driving screw
is required for connecting fitting base and door panel.

blum Automatic Door Lift System



Code
PWWF0031

Matched door height
360mm / 450mm / 540mm / 600mm

Matched door width (MDF base door)
800-1200mm / 500-1200mm / 400-1050mm / 400-850mm

Matched door width (solid wood/plywood/particle board based door)
900-1200mm / 600-1200mm / 400-1200mm / 400-1100mm

Matched door width (aluminum framed glass door)
1000-1200mm / 700-1200mm / 500-1200mm / 400-1100mm

Notes
-This fitting matches 18-22mm thick wooden doors, wood-framed/
aluminum-framed glass doors. Not available for YMQ001A/B,
YMQ002A/B, YML003B/C, YML027A/B, YML028/A, YML030/A,
YML036, YML037, YML038, YML039A/B.
-Matched net carcase size: H' ≥ 263mm, L' ≥ 261mm.
-Energy-saving device LF: 1730-5200.

Application
-Hinges are not required for automatic lift system.
-Matched carcase height: 300-600mm. If the doors vary from the sizes
and materials mentioned above, please consult with our designers.
-When using aluminum-framed doors, 4*12mm cross self-driving screw
is required for connecting fitting base and door panel.

Pull Rods



Code
PWWF0005
Application
300mm≤Carcase height≤500mm



Code
PWWF0009
Application
200mm≤Carcase height≤300mm



Code
PWWF0024
Application
-Strength is adjustable
-Without damping
-Maximum open angle 80°-90°, strength adjustment of five gears
-Matched door thickness must be between 18mm and 22mm;
-This fitting matches wooden doors, wood-framed glass door;
and only matches with toughed glass door YQM003/YQM004,
aluminum-framed glass door YML002, YML009

blum AVENTOS HL: The front lifts up parallel to the cabinet




Code
PWWY0005
Matched door height
450mm / 540mm
Matched door width(MDF base door)
800-1200mm / 700-1200mm
Matched door width(solid wood/plywood/particle board based door)
1100-1200mm / 900-1200mm
Matched door width(aluminum framed glass door)
1000-1200mm / 900-1200mm
Application
-Wood front must be within 18~21mm thick.
-Door panel can be sealed with aluminum edge band PWFL0005,
match aluminum framed Glass door YML002, YML009, YMQ003,YMQ004
-Carcase net depth ≥278mm, net height≥362mm, net height above cabinet ≥450mm
-Built-in electric servo-drive machanism，do not need door hinge



Code
PWWY0007
Matched door height
450mm / 540mm
Matched door width (MDF base door)
800-1200mm / 700-1200mm
Matched door width (solid wood/plywood/particle board based door)
1100-1200mm / 900-1200mm
Matched door width (aluminum framed glass door)
1000-1200mm / 900-1200mm
Application
-Wood front must be within 18~21mm thick.
-Door panel can be sealed with aluminum edge band PWFL0005,
match aluminum framed Glass door YML002, YML009, YMQ003,YMQ004
-Carcase net depth ≥278mm, net height≥362mm, net height above cabinet ≥450mm
-Do not need door hinge

Sliding Door Fittiings



Code
PWWY0009

Matched door width
W=900

Matched door height
H≤2160mm

Matched carcase depth
D≥350mm

Matched door
Matching flat panels coated with lacquer/ melamine/ HPL/ UV lacquer/ PVC/ acrylic

Note
Applied to middle or high cabinets, only for 2-sash sliding door (door hinge is not required)



Code
PWWT0041

Application
-Matched wooden door size: 890mm≤W≤1200mm, 800mm≤H≤2300mm, 18mm≤D≤25mm.
Connecting door & wood-framed glass door size: ≥70mm.
-Aluminum edge bands or aluminum handle is not available for doors.
-Available for two structures, both side panels enclosed by door panels,
and door panels enclosed by side panels.

Sliding Door Fittiings



Code
PWWY0011L/R

Matched door width
W=600

Matched door height
2100mm(door H=2097mm)

Matched carcase depth
560mm(side panel depth=670mm)

Matched door
Match flat door panels coated with lacquer or PVC;
Door thickness must be within 19~25mm.

Note
This fitting is imported from Australia Eclipse Architectural
Side panel thickness must be no less than 25mm;



Code
PWWT0048/PWWT0048A

Note
-For PWWT0048, width: 820-1050mm, length: 1900-2820mm.
For PWWT0048A, countertop width≥975mm, length=1500mm.
-Concealed al-alloy hinge design, silent moving.
-Moving range: 1000mm, loading capacity: 80kg

Sliding Door Fittings



Code
PWWT0015(BM-BT02)

Name
Simple sliding door fitting


Application
-Suitable for wall cabinet, base cabinet, on-worktop cabinet
-Matching wood-based doors and wood framed doors which thickness≤22mm.
-Matching aluminum framed glass door YML002



Code
PWWT0039A, PWWT0039B

Application
-PWWT0039A matched size: 900W*1380H; PWWT0039B matched size: 900W*1560H
-Matched door thickness must be between 18mm and 22mm;
-This fitting matches melamine, HPL, PVC, PP, lacquer door panel; also matches aluminum-framed glass door and wood-frame door of width greater than 50






Code
PWWT0019(WWT07)

Door size
450mm≤W≤1000mm, 300mm≤H≤1200mm
The height of sliding door can not be 2 times larger than its width

Application
-Matching wooden doors, or wood framed glass door(frame width≥60mm).
-Thickness of top/bottom/shelf panel thickness must be at least 18-19mm.
-Silent moving.


Sliding Door Fittings



Code
PWWT0050A

Name
Sliding Door Pulley

Carcase net depth
-Equipped with upper and lower slides.
-Matching base cabinet, on-worktop cabinet, middle or high cabinet.
-Matched carcase thickness: 18-19mm
-Matching aluminum framed glass door YML062.



Code
PWWT0050B

Name
Outer Sliding Door Pulley

Carcase net depth
-Equipped with upper and lower slides.
-Matching base cabinet, on-worktop cabinet, middle or high cabinet.
-Matched carcase thickness: 18-19mm
-Matching aluminum framed glass door YML062.

Hettich Stay Lift System



Code
BWWA0001(left), BWWA0002(right)

Matched carcase width
800mm≤W≤1000mm

Matched carcase height
600mm≤H≤1450mm

Matched carcase depth
300mm≤H≤650mm

Matched carcase panel thickness
16~20mm

Matched door width
400mm≤W≤500mm

Matched door height
590mm≤H≤1450mm

Matched door panel
18~22mm thick flat door

Matched wood framed door
Wooden frame width≥60mm

Notes
This fitting is not fit for aluminum framed glass door

Electric Louver Doors



Name
Electric Louver Door
Code
PWWJ0007
Width
600mm
Height
720
Depth
350mm
Note
-Frosted tempered glass;
-Size cannot be changed.



Name
Electric Louver Door
Code
PWWJ0007A
Width
600mm
Height
720
Depth
350mm
Note
-Frosted tempered glass;
-Size cannot be changed.

Kickboard with Drawer



Code
GCBE068P
Name
Folding platform

Notes
-Installed inside the wooden kickboard (H=160mm)
-Matched carcase depth: D=560mm, 500mm≤W≤800mm
-Equipped with concealed electric rebounder, assembly delivery
-Height of kickboard for sink cabinet: 160mm




Code
GCBE069P
Name
Pet feeding tool

Notes
-Installed inside the wooden kickboard (H=160mm)
-Size: H=160mm, 500≤W≤700mm
-Equipped with concealed electric rebounder


blum Drawers






Code
PWWWC001FA / PWWWC001GA / PWWWC001DA
Drawer Interior Panel Height
84mm
Slide length
450mm / 500mm / 350mm
Carcase net depth
465mm≤D＜515mm / D≥515mm / 365mm≤D＜415mm
Drawer front height
130mm ≤H ＜222mm
Notes
-Soft closing
-Bottom panel thickness: 16mm






Code
PWWWC001FB / PWWWC001GB
Drawer Interior Panel Height
135mm
Slide length
450mm / 500mm
Carcase net depth
465mm≤D＜515mm / D≥515mm
Drawer front height
222mm ≤H ＜290mm
Notes
-Soft closing
-Bottom panel thickness: 16mm





Code
PWWWC001FC / PWWWC001GC
Drawer Interior Panel Height
199mm
Slide length
450mm / 500mm
Carcase net depth
465mm≤D＜515mm / D≥515mm
Drawer front height
H ≥290mm
Notes
-Soft closing
-Bottom panel thickness: 16mm
-Matching white & frosted tempered glass






Code
PWWWC001BC / PWWWC001DC
Drawer Interior Panel Height
199mm
Slide length
270mm / 350mm
Carcase net depth
285mm≤D＜365mm / 365mm≤D＜415mm
Drawer front height
H ≥290mm
Notes
-Soft closing
-Bottom panel thickness: 16mm
-Excluding white & frosted tempered glass

blum Drawers





Code
PWWWC008FC / PWWWC008GC

Drawer Interior Panel Height
199mm


Slide length
450mm / 500mm

Carcase net depth
465mm≤D＜515mm / 515mm≤D

Drawer front height
H ≥310mm

Notes
-Soft closing
-Bottom panel thickness: 16mm
-Excluding white & frosted tempered glass





Code
PWWWC002GC / PWWWC002FC

Drawer Interior Panel Height
199mm

Slide length
500mm / 450mm


Carcase net depth
D≥515mm / 465mm≤D＜515mm

Carcase width
W=600mm

Notes
-Soft closing
-Bottom panel thickness: 16mm
-Drawer material: stainless steel & glass

Hettich Drawers





Code
PWWWC003FA / PWWWC003GA / PWWWC003CA

Drawer Interior Panel Height
84mm


Slide length
450mm / 500mm

Carcase net depth
465mm≤D＜515mm / D≥515mm / 315mm≤D＜365mm

Drawer front height
117mm ≤H ＜197mm

Notes
-Soft closing
-Bottom panel thickness: 16mm





Code
PWWWC003FD / PWWWC003GD / PWWWC003CD

Drawer Interior Panel Height
176mm


Slide length
450mm / 500mm

Carcase net depth
465mm≤D＜515mm / D≥515mm / 315mm≤D＜365mm

Drawer front height
H ≥247mm

Notes
-Soft closing
-Bottom panel thickness: 16mm
-Matching 8mm transparent glass





Code
PWWWN003FA / PWWWN003GA

Drawer Interior Panel Height
84mm

Slide length
450mm / 500mm

Carcase net depth
465mm≤D＜515mm / D≥515mm

Carcase width
W≤1200mm

Notes
-Soft closing
-Bottom panel thickness: 16mm

Metal drawer fittings



Code
PWWWC012DA / PWWWC012FA / PWWWC012GA

Carcase net depth
365mm≤D＜465mm / 465mm≤D＜515mm / D≥515mm

Drawer front height
130mm≤H＜310mm




Code
PWWWC012DB / PWWWC012FB / PWWWC012GB

Carcase net depth
365mm≤D＜465mm / 465mm≤D＜515mm / D≥515mm

Drawer front height
H≥310mm

blum Concealed Slides




Code
PWWWP002D / PWWWP002F / PWWWP002G
PWWWP002A / PWWWP002C / PWWWP002E

Carcase net depth
365mm≤D＜465mm / 465mm≤D＜515mm / D≥515mm
265mm≤D＜315mm / 315mm≤D＜365mm / 415mm≤D＜465mm

Notes
-Soft closing
-Side panel thickness: 16mm
-Half extension

blum Electromotion Rebounding Drawer System




Code
PWWWF002A / PWWWF002B / PWWWF002C / PWWWF002D

Notes
Matching BLUM drawers or BLUM concealed slide.

Recommended combination:
Combination A
1. Power supply PWWWF002A(WWQ01)
2. Electric self-motion fitting PWWWF002B(WWQ02)
3. Rebounder PWWWF002C(WWQ03)
Combination B
1. Power supply PWWWF002A(WWQ01)
2. Rebounder PWWWF002C(WWQ03)
3. Bracket PWWWF002D(WWQ04)

Hettich 3-Section Slide



Code
PWWWS002A / PWWWS002C / PWWWS002D /
PWWWS002E / PWWWS002F / PWWWS002G /

Carcase net depth
255mm≤D＜305mm / 305mm≤D＜355mm / 355mm≤D＜405mm /
405mm≤D＜455mm / 455mm≤D＜505mm / D≥505mm

Notes
Drawer width=carcase net width-26mm

Hettich Slides




Code
PWWWT002F (NL=450mm)

Carcase net depth
D_2≥465mm+front panel thickness (Note: when the panel is built-in, carcase net depth need add front panel thickness)

Notes
Only for pulling-shelf drawer, without side panel, drawer depth is 438mm. W(drawer bottom panel) =W(carcase net width)-16mm

Hettich Rebounding Drawer Slide






Code
BWWWF002A (NL=250)

Carcase net depth
265mm≤D＜315mm

Notes
Drawer width=carcase net width-10mm





Code
PWWWF001E

Name
Mechanical Rebounding Drawer

Notes
The drawer must use a mechanical touch opening synchronization device, and this rebounding drawer is equipped with a standard synchronization device

Aluminum Racks



Name
Metal Open Cube


Code
PWNS0017

Size
-200mm≤W≤1200mm, 200mm≤D≤600mm
and 200mm≤H≤2100mm
-Wooden shelf optional; matched wooden
shelf thickness is between 16mm and 18mm;
matched glass shelf thickness is 5mm.



Code
PWNS0040

Application
-Including proximate matter, connection,
adjustable leg, support
-Height: 720mm-740mm, support depth 135mm
-Suitable for sink cabinet, work-on cabinet, balcony rack
-Choose the light strip according to length



Code
PWNS0042

Application
-Size: H1599*D540*W10
-Stainless steel material, suitable for open cabinet
-Matched with cabinet net height h≥1601mm, d≥540mm



Name
LED Metal Open Unit

Code
PWNS0047

Size
-Top/ bottom/ side/ middle side panels and shelves
adopt aluminum alloy materials, with matte black
oxidized surface. Light guide plate is used for back panel.
Shelves are equipped with LED light stripes.
-Size limits: 150mm≤W≤1200mm, 150mm≤H≤2400mm,
D=161.5mm. The number of shelves and middle side
panels can be adjusted to meet design requirements.
-Inner size limits:
150mm≤H'≤400mm, 150mm≤W'≤1200mm.



Name
Al-alloy Open Unit

Code
PWNS0048(black)/
PWNS0048A(brushed)

Size
-Compositions: 14mm thick Al-alloy panels (top/bottom/
side/ middle side panels) + 9mm thick back panel
(MDF core and black PVC foil finish) + top/ bottom panel lid
+ light strips (optional)
-When installed horizontally: 150mm≤W≤1200mm,
150mm≤H≤400mm, D=315mm.



Name
Double-layered Rack

Code
PWNS0049

Size
-Iron materials, black lacquer finish, and welding connection.
-Fixed size: 700H*750W*220D
-Max loading capacity: 30kg

Aluminum Racks



Name
Metal Open Unit

Code
PWNS0051(brushed)/
PWNS0051B(black)

Size
-Compositions: Al-alloy panels (top/bottom/side/middle
side panels/shelves) + 9mm thick back panel (melamine coated)
-Size limits: 200mm≤W≤1200mm,
200mm≤H≤2400mm, D=148mm.
-Shelves/ middle side panel numbers can be adjusted,
but should meet inner size limits: 182mm≤H'≤600mm,
182mm≤W'≤800mm.



Name
Metal Open Unit

Code
PWNS0051 (gold brushed)
PWNS0051B (black)

Size
-Top/ bottom/ side/ middle side panels and shelves adopt aluminum
alloy materials. The back panel is 18mm thick panel coated with
melamine PWMA0119
-Size limits: 200mm≤W≤1200mm, 200mm≤H≤2400mm, D=148mm
-The number of shelves and middle side panels can be adjusted.
But the net height should be 182mm≤H'≤600mm, the width should
be 182mm≤W'≤800mm.



Name
Gold Metal Open Unit

Code
PWNS0052


Size
-Compositions: 14mm thick gold Al-alloy panels (top/bottom/
side/ middle side panels) + 9mm thick back panel (MDF core
and brushed PVC foil finish) + top/ bottom panel lid +
wine rack + light strips
-Fixed size: W1163*H291*D415mm
-The 3*3 grid pattern of the wine rack is welded by 2mm thick
metal plate. Its fixed size is W'262*H'262*D'306mm.



Name
Metal Open Unit with Wooden Shelves/ Metal Open Rack

Code
PWNS0101(Metal Open Unit with Wooden Shelves)/
PWNS0103(Metal Open Rack)

Size
238mm≤W≤1200mm, 336mm≤H≤1740mm, D=140mm.
Net height must be 150mm≤H≤600mm. Shelves can be
added or removed to match with each unit.



Name
Arc-shaped Metal Open Unit

Code
PWNS0104

Notes
-Fixed size: H*W*D=1370*300*330mm
-Color: brass
-Matched with wall cabinet, installed with suspension bracket.



Name
Metal Shelf with Lighting


Code
PWNS0113

Notes
-Size: 1807*180*780mm, color: brass
-Countertop hole size: 1797*174 (5R for 4 corners)
-For wine glass, plate and tissue storage.
-Working voltage: DC12V, color temperature: 4000K

Aluminum Racks



Name
Glass cabinet
Code
PWNS0117
Note
-Fixed size: 900*1200*378mm
-Transparent doors on the left and the right sides.



Name
In-carcase hanging rod
Code
PWNS0079
Note
-Length: 400mm≤L≤1200mm
-Can be stalled in carcase, on wall/ door.
-Optional fittings: PWNC0032, PWNC0043, PWNC0044




Name
Champagne-gold hanging rod
Code
PWNT0008

Kickboards




Material
Door panel
Code
YSJ011 / YSJ012 / YSJ013 / YSJ014
Height
80mm / 105mm / 135mm / 150mm



Material
Black aluminum
Code
PWND0001A / PWND0001B /
PWND0001C / PWND0001D
Height
80mm / 105mm /
135mm / 155mm



Material
Silver aluminum
Code
PWND0002A / PWND0002B /
PWND0002C / PWND0002D
Height
80mm / 105mm /
135mm / 155mm



Material
Black plastic
Code
PWND0005A / PWND0005B /
PWND0005C / PWND0005D
Height
80mm / 105mm /
135mm / 155mm



Material
Grey plastic
Code
PWND0006A / PWND0006B /
PWND0006C / PWND0006D
Height
80mm / 105mm /
135mm / 155mm



Material
Metal foil
Code
PWND0003
Height
80mm / 105mm / 135mm / 155mm



Material
Aluminum-foil plastic
Code
PWND0009A / PWND0009B / PWND0009D
Height
80mm / 105mm / 155mm

Metal Legs



Name
Al-alloy round leg(adjustable)
Code
PWNK0002(BL-Y01H11) / PWNK0002A(BL-Y01H16)
Height
110mm-130mm / 160mm-180mm



Name
Stainless steel leg
Code
PWNK0043
Notes
-Size: H152*W68*D68
-Used for laundry cabinet
-Height: 90-100mm, Install at the bottom of the side panel



Name
Stainless steel leg
Code
PWNK0055A/ PWNK0055B
Notes
-Size: H110-120*W101*D72 for PWNK0055A; H160-170*W101*D72 for PWNK0055B
-Gold stainless steel leg(adjustable), installed at the bottom of the carcase.



Name
U-shape metal feet
Code
PWNQ0085
Note
-Size: D(580mm)*W(22.5)*h(13)
-Block up 8mm, install on the 18mm thick side panel of balcony cabinet, sideboard and countertop



Name
L-shaped metal leg
Code
PWNK0071
Height
-Height: 144mm, metal material with grey lacquered surface.
-2 metal legs per set, installed on the left and the right side of sideboard.

Plastic Leg



Code
PWNK0019A(WGKW05) /PWNK0019B(WGKW06)
PWNK0019C(WGKW07) /PWNK0019D(WGKW08)
Height
80mm / 110mm
130mm / 160mm

Bartop Legs



Name
Y-shaped Support Leg
Code
PWNB0034A
Size
-H870mm, adjustable height range: 0-15mm
-Material: aluminum alloy, brass tone, single leg per set (pad and metal leg included).



Name
Y-shaped Support Leg
Code
PWNB0034B
Size
-H870mm, adjustable height range: 0-15mm
-Material: aluminum alloy, black, single leg per set (pad and metal leg included).



Name
Y-shaped Double Support Legs
Code
PWNB0035
Size
-H720mm, adjustable height range: 0-15mm
-Material: aluminum alloy, grey color, and the distance between the legs can be adjusted according to the bartop size.



Name
Support Leg
Code
PWNB0037
Size
- 850*437*437mm (fixed size)
-Material: aluminum alloy, brass-tone paint for surface treatment.



Name
F-shaped Double Support Legs
Code
PWNB0038
Size
-H870mm, adjustable height range: 0-20mm
-Material: stainless steel, grey color, two legs per set (pads and metal legs included).
And the distance between the legs can be adjusted according to the bartop size.



Name
Support Leg
Code
PWNB0019
Size
H=770/820/880/922mm, W=600mm, D=51mm



Name
Round Leg
Code
PWNB0028A
Size
W=600/750mm, H=740/830/870mm



Name
Round Leg
Code
PWNB0028B
Size
W=600/750mm, H=740/830/870mm



Name
Golden Leg
Code
PWNB0030
Size
340*850*10mm




Name
Round Leg
Code
PWNB0031
Size
W750*H833*D50mm (including food pad with fixed size)



Name
Round Leg
Code
PWNB0032A
Size
W768*D842*H830mm



Name
Round Leg
Code
PWNB0032B
Size
W615*D238*H870 mm



Name
Bartop Leg
Code
PWNB0033
Size
W1800*D850*H750mm


Wine Rack



Name
Chrome wine rack/Golden wine rack
Code
PWNN0001/PWNN0002
Note
-Size: W110mm×D300mm×H60mm
-Single layer



Name
Wine glass support
Code
PWNN0008
Note
-Size: D84*φ15mm
-Installed at sideboards, wine cabinets and walls.



Name
Black wine rack
Code
PWNN0009
Note
-Size: W105*D330*H43
-Able to fit small and limited space, maximizing space utility.
-Material: Iron, surface lacquered in black color.
-The diameter of wine glass rod is 4mm.



Name
Grey hanging wine rack
Code
PWNN0012A
Note
-Matched carcase width: 1000mm, required net inner height: 1395mm, net inner depth≥450mm.
-The space from the bottom panel of wine rack to the floor shall be at least 700mm or more.



Name
Bronze hanging wine rack
Code
PWNN0012B
Note
-Matched carcase width: 900mm, required net inner height: 800mm, net inner depth≥400mm.
-The space from the bottom panel of wine rack to the floor shall be at least 700mm or more.



Name
Brassy wine rack
Code
PWNN0013A
Note
-Size: W100*D300*H18mm
-Installed on sideboard or wine cabinet to maximize space utility.




Name
Black matt wine rack
Code
PWNN0013
Note
-Two sizes available: 100*95*18mm/ 100*300*18mm
-For size 1 (100*95*18mm), applicable to metal open unit with wooden shelves. For size 2 (100*300*18mm), applicable to sideboard or wine cabinet to maximize space utility.



Name
U-shaped black wine rack
Code
PWNN0006
Note
-Size: W562×D288×H30mm
-Can store four rows of wine glasses.

Permeable Mesh




Name
80 mm Metal permeable mesh
Code
PWNQ0090A
Note
-Size: 20mm*78mm*597mm
-Suitable for small appliance cabinet



Name
120mm Metal permeable mesh
Code
PWNQ0090B
Note
-Size: 20mm*118mm*597mm
-Suitable for small appliance cabinet



Name
Permeable mesh (Grey)
Code
PWNQ0148
Note
-Size: W270*H37*D18
-Material: aluminum alloy, grey color, with OPPEIN logos.
-Equipped with plastic snap. Grooves are subject to product crafts.



Name
Permeable mesh
Code
PWNQ0151
Note
-Material: aluminum alloy, black matt color.
-The front end of the bottom panel of the cabinet is reduced by 22mm, snap-in fixed.
-Suitable for refrigerator cabinet, matched carcase thickness= 16mm.

Power Supply System




Name
Intelligent electric lifting socket
Code
PBZP0065
Note
-Size: 110V-250V~50/60Hz Max 12A
-AI remote control, wireless charging, bluetooth speaker, automatic concealed lifting, DC-cord socket
-Countertop cutting hole size: Ø102mm, wire length: 1.7m



Name
Embedded wireless charger
Code
PBZP0069
Note
-Embedded design; fast wireless charging for phones (supporting power up to EPP 15W max)
-Input: 12V1.5A; output: 5W/7.5W/10W/15W
-Countertop cutting hole size: Ø90mm, D≥25mm.



Name
Grey electric track
Code
PBZP0081
Note
-Size: 600mm, 900mm, 1200mm, 1600mm. Length can be adjusted.
-Installation: surface-mounted or imbedded in the shelf fronts.
-Matching mobile socket.



Name
Five-hole round grey socket
Code
PBZP0083
Note
-Size: Φ70*30mm
-Matching electric track.
-Installed on the electric track on the wooden shelf.



Name
Five-hole square socket
Code
PBZP0084
Note
-Size: W69mm*D104mm*H35mm
-Matching electric track.
-Installed on the electric track vertically mounted on the countertop.



Name
Square USB socket
Code
PBZP0085
Note
-Size: W69mm*D69mm*H35mm
-Matching electric track.
-Installed on the electric track vertically mounted on the countertop.



Name
Multifunctional charger
Code
PBZP0087
Note
-Size: Φ114.6*102mm. Built-in installation, countertop hole size: Φ103mm.
-Electric lifting. Both wireless charging and wired charging available. With heating and cooling function.
-Working voltage: DC24V




Name
Black mobile socket and track
Code
PBZP0107A/ PBZP0107B
Note
- PBZP0107A: Length= 600mm, rated Voltage= 250V, frequency= 50Hz, max output current= 16A, max power= 4000W.
- PBZP0107B: Length=900mm, rated Voltage= 250V, frequency= 50Hz, max output current= 16A, max power= 4000W.
-Built-in installation. Available for five-hole socket and USB socket.

Functional Lamps




Name
K04 Bar handle light
Code
PWNQ0089A
Note
-Section size same as PWWK002, craft same as PWWK002
-Surface in black brushed color
-Power: 60W, voltage specification: DC24V, for both electric track and light strip.
-Matching 24V remote control for lightness adjustment.



Name
K04 Bar handle light
Code
PWNQ0089B
Note
-Section size same as PWWK002, craft same as PWWK002
-Surface in brass brushed color
-Power: 60W, voltage specification: DC24V, for both electric track and light strip.
-Matching 24V remote control for lightness adjustment.




Name
K04 Bar handle light
Code
PBZQ0062
Note
-Length can be customized.
-Integrated handle with lighting, installed on the bottom panel of wall cabinet.
-Voltage specification: 12V, color temperature: 4000K



Name
Grey bar handle light
Code
PWWK0072
Note
-D=16.5mm
-Vertically mounted



Name
Bar handle light
Code
PWWK0072A
Note
-Section size same as PWWK0017, craft same as PWWK0017.
-Vertical installation, surface in brass brushed color
-Power: 60W, voltage specification: DC24V, for both electric track and light strip.
-Matching 24V remote control for lightness adjustment.



Name
Bar handle light
Code
PWNQ0089
Note
-Section size same as PWWK002, craft same as PWWK002
-Surface gun grey
-Power: 60W, voltage specification: DC24V


Functional Lamps



Name
Bar handle light (for one side only)
Code
PWWK0100
Note
-Section size same as PWWK0015, craft same as PWWK0015.
-Vertical installation, surface in silver color.
-Power: 60W, voltage specification: DC24V, for both electric track and light strip.
-Matching 24V remote control for lightness adjustment.




Name
Bar handle light (for one side only)
Code
PWWK0100A
Note
-Section size same as PWWK0015, craft same as PWWK0015.
-Vertical installation, surface in brass brushed color
-Power: 60W, voltage specification: DC24V, for both electric track and light strip.
-Matching 24V remote control for lightness adjustment.




Name
Al-alloy kickboard with light strip
Code
PWND0013D
Note
-Al-alloy kickboard, surface oxidated in grey color, H=155mm
-Length: 3000mm. Wire at two ends. Can be customized as required.
-Voltage specification: 12V, color temperature: 4000K.



Name
Kickboard with light strip
Code
PWND0014B/C
Note
-Size of PWND0014B：H105mm, size of PWND0014C：H135mm.
-Upper profile: silver color, lower part: brass brushed, embedded with LED light strips
-Equipped with plastic cover and soft silicone light strip.



Name
Wooden shelf light strip
Code
PBZC0058
Note
-Color: Grey
-Matching 16mm and 18mm thick shelf edge banding.
-Voltage specification: DC12V, color temperature: 4000K.



Name
Silver Al-alloy Glass Shelf
Code
PWNC0061A/C
Note
-Size of PWNC0061A: 417mm/567mm/413mm/563mm *295mm*20mm; size of PWNC0061C can be customized.
-Frame: silver al-alloy color, matte finish, embedded with LED light strips
-Inset: glass, equipped with 4 shelf clamps.
-Touch-sensitive system controls lightness.
Light power: 6w; color temperature: 4000K.

Functional Lamps



Name
Aluminum beam with light strip
Code
PBZT0011/ PBZT0011A
Note
-Fixed size for PBZT0011A: 767mm and 867mm, matching base cabinet of 800/900mm width. PBZT0011 can be customized as required.
-Installed on base cabinet, and equipped with gate-control switch, substitute for original base cabinet aluminum beam.
-Voltage specification: DC12V, color temperature: 4000K.



Name
Sterilizing aluminum beam with light strip
Code
PBZT0012/ PBZT0012A
Note
-Fixed size for PBZT0012A: 767mm and 867mm, matching base cabinet of 800/900mm width. PBZT0012 can be customized as required.
-Installed on base cabinet, and equipped with gate-control switch, with sterilizing and cleaning features, substitute for original base cabinet aluminum beam.
-Voltage specification: DC12V, color temperature: 4000K.




Name
Aluminum crossbar light strip
Code
PBZT0009A/PBZT0009
Note
-Standard size of PBZT0009A: 768mm/ 868mm, matching 800/900mm base cabinet.
-Nonstandard Size of PBZT0009 should be customized.
-Installed at aluminum crossbar position in base cabinet, with concealed door-controlled switch.
-Supply voltage: 12V; color temperature: 4000K



Name
Surface-mounted sterilizing light strip
Code
PBZQ0063
Note
-Length: 417mm/ 567mm/ 867mm/ 1167mm.
-Installed at the bottom of wall cabinet, with sterilizing feature.
-Voltage specification: DC12V, color temperature: 4000K.



Name
Luminous back panel
Code
PBZQ0064
Note
-Size: W461*H2300.5*D18mm/ W863*H1762.5*D18mm/ W961*H2300.5*D18mm/ W1163*H1623*D18mm/ W342*H683*D18mm/ W1163*H2363*D18mm/ W563*H2122.5*D18mm.
-Installed at the back of carcase, substitute for back panel, for back lighting and ambient lighting.



Name
Silver surface mounted kickboard light
Code
PBZL0019
Note
-L=3000mm, outgoing at both ends, cut according to drawing, embedded design.
-Supply voltage: 12V; color temperature: 4000K

Common Lamps



Name
Light strip
Code
PBZL0018
Note
-Length: 3000mm, size can be customized to meet requirements, and should be cut from the wireless end.
-Built-in installation.
-Voltage specification: 12V, color temperature: 4000K.



Name
Surface mounted light strip
Code
PBZL0022A/B/C/D
Note
-Size: PZL0022A: 417mm, PZL0022B: 567mm, PZL0022C: 867mm, PZL0022D: 1167mm
-Installed inside the wall cabinet/ at its base panel
-Supply voltage: 12V; color temperature: 4000K



Name
Wooden shelf light strip
Code
PBZC0056
Note
-Size: can be customized as required.
-Installed at the open unit/ wall cabinet/ middle or high cabinet/ wooden shelf.
-Supply voltage: 12V, color temperature: 4000K



Name
Glass shelf light strip
Code
PBZC0057
Note
-Size: can be customized as required.
-Installed at 8mm-10mm thick glass shelves.
-Supply voltage: 12V, color temperature: 4000K




Name
45 degree luminous imbedded light strip (left)
Code
PBZQ0061A
Note
-Size: can be customized as required.
-Imbedded in left side panel, top panel or shelf of middle/ high cabinet.
-Supply voltage: 12V, color temperature: 4000K



Name
45 degree luminous imbedded light strip (right)
Code
PBZQ0061B
Note
-Size: can be customized as required.
-Imbedded in right side panel of middle or high cabinet.
-Supply voltage: 12V, color temperature: 4000K

Lamp Accessories and Control



Name
60W Lighting Control System
Code
PBZP0057
Note
-Equipped with 60W power adaptor*1 set, 6 digits individual control box*1 set, 1 distribution box, 1 touch switch.
-12V output voltage, 60W power.




Name
Hand scan sensor switch
Code
PBZP0064A
Note
-Matching 60W lighting control system(PBZP0057)
-Optional external switch, separate installation.



Name
Gate controlled switch
Code
PBZP0064B
Note
-Matching 60W lighting control system(PBZP0057)
-Optional external switch, separate installation.



Name
Human body sensor switch
Code
PBZP0064C
Note
-Matching 60W lighting control system(PBZP0057)
-Optional external switch, separate installation.



Name
Wire Organizing Box
Code
PWNQ0132
Note
-Size: 250*150*40mm
-Suitable for driver and wire of lighting



Name
Glass-gate controlled switch
Code
PBZP0086
Note
-3 switch modes:
1. Gate controlled mode. (Light's on when door opens, light's off when door closes).
2. Hand scan mode. (Light's on when hand is sensed. Lightness can be adjusted when hand is placed at a point 3cm away from the switch for 2 seconds. Then light's off if hand is sensed again.)
3. Personalized mode. (100% lightness when door is closed, 30% lightness when it is open. Suitable for display cabinet with glass doors. The lightness can come to its full with doors closed for the best display effect. The dimming with doors opened could protect eyes from glare.)

Wall Hanging



Name
Wall Hanging Set No. 1
Code
PWNC0031
Note
-This set includes 2 wooden shelves, 2 glass shelves and 1 wine glass hanger.
-Glass shelf thickness=8mm, glass shelf width≤150mm and shelf length≤1200mm
-Wooden shelf thickness=18mm or 19mm, wooden shelf width≤150mm and shelf length≤1200mm



Name
Wall Hanging Set No. 2
Code
PWNC0032
Note
-This set includes 1 IPAD organizer, 1 hooker and 1 spice organizer.



Name
Wall Hanging Set
Code
PWNC0033
Note
-Including slot and installation parts
-Slot length 600mm≤L≤2400mm, installation parts length 10mm
-2 installation parts when slot length 600mm≤L≤900mm
-3 installation parts when slot length 900mm≤L≤2400mm



Name
Concealed wall-mounted filler
Code
PWNC0033A
Note
-Consist of base and decorative cover, matching wall hanging set PWNC0033, available for the filler of visible section
-Length: 450mm≤L≤2400mm
-Section thickness: 6mm



Name
Hidden hanging system- tower hanger
Code
PWNC0043
Note
-Size: 250W*45.5H*93D
-Matching PWNC0033 only.



Name
Hidden hanging set
Code
PWNC0044
Notes
-Size: D42*H47*L13
-Only suitable for PWNC0033

Wall Hanging



Name
Hook
Code
PWNC0044A
Note
-Size: D30*H47*L42
-Optional fitting, only matching wall hanging set PWNC0033.



Name
Metal open cabinet hook
Code
PWNQ0091
Note
-Size: 51H*21.8D*6W
-Only suitable for metal open cabinet PWNS0016A



Name
Pegboard
Code
PWNQ0054A
Note
-Size: 720W*600H*14D

Shelf Support



Name
Shelf clamp
Code
PWNC0004
Suitable materials
8mm glass



Name
Shelf bracket
Code
PWNC0005
Suitable materials
8~25mm thick glass or wood shelf



Name
T-shape bracket
Code
PWNC0006,
PWNC0006A
Suitable materials
Shelf depth: 250≤D < 400
PWNC0006 suitable for wood shelf > 50mm
PWNC0006A suitable for wood shelf 30≤D≤50mm
PVC available for 38≤D≤50mm thick




Name
Shelf clamp
Code
PWNC0007
Suitable materials
Shelf thickcness: 5mm-28mm;
Maxshelf depth: 350mm



Name
Concealed shelf bracket
Code
PWNC0008
Suitable materials
Shelf thickcness: 25mm-38mm;
150≤depth≤330mm



Name
Worktop Support
Code
PWNC0009
Size
210mm*210mm;
Match worktop or wood shelf



Name
37mm shelf clamp
Code
PWNC0048
Notes
Shelf thickness d=38mm

Storage System



Name
Pivot Wire Basket
Code
PWNQ0079R, PWNQ0079L
Note
-Size: 380×300×150mm,
-Match 600mm wide middle or high cabinets.




Name
Dishes/Pots storage
Code
PWNQ0095
Note
-Main frame: powder sprayed on the surface of the steel plate
-Front: 5mm melamine
-Cabinet width: 600mm open cabinet
-Size: 530*480*145mm



Name
Food/tools storage
Code
PWNQ0096
Note
-Main frame: powder sprayed on the surface of the steel plate
-Front: 5mm melamine
-Cabinet width: 600mm open cabinet
-Size: 530*480*145mm



Name
Tea set/Vessels storage
Code
PWNQ0097
Note
-Main frame: powder sprayed on the surface of the steel plate
-Front: 5mm melamine
-Cabinet width: 600mm open cabinet
-Size: 530*480*90mm



Name
Mop hanger
Code
PBOQ0004
Note
-Size: W400*H50
-3 hangers for mops
-cabinet with 420 internal width



Name
Storage Basket
Code
PBOLD006
Note
-Size: 350*525*105
-Matched door size: W≥447mm, H≥657mm, with flat core and straight edge
-Shelves are "d" indented. (d≥150mm)
-Installed behind the door panel

Storage System



Name
Storage basket set
Code
PBOLD007
Note
-Size: W429*D166*H1185, match high cabinets
-Shall reserve H1 of carcase inner height for installation. (1100mm≤H1≤1200mm)
-Shelves are "d" indented. (d≥170mm)



Name
Automatic lifting wall cabinet
Code
PBOLD008
Note
-Size: W900*D330*H720
-Only for hinged doors
-Touch-sensitive system control



Name
Corner storage trolley
Code
PBOLD009
Note
-Size: W552*D470*H465
-Equipped with 4 storage boxes
-Matched inner width: 600mm
-Suitable for wooden kickboard, H=110/130/160mm.



Name
Ice Bucket
Code
PBOSK007
Size
-φ14.8cm*H18.3cm

Shelf Accessory



Name
Hanging Shelf Accessory
Code
PWNC0034
Note
-Including shelf stand column, shelf hanging part, carcase hanging part
-Height of shelf hanging part and carcase hanging part is adjustable, suitable for chamfered cabinet in 1380-2390mm height



Name
Shelf
Code
PWNC0042
Note
-Size: 400mm≤H≤1800mm
-Each shelf is matched with four brackets, four pins, two adjustable brackets
-Brackets suitable for inclined bottle holder



Name
Champagne-gold shelf partition
Code
PWNC0039
Note
-Matching decorative shelves for fixation or used as middle side panel.
-Installed Installed between the shelf support and the positioning buckle
-Matched decorative shelf size (W*H*D): 300mm≤W≤2400mm, H≤50mm, 240mm≤D≤400mm
-The number of decorative shelves should be no less than 2.s



Name
Hanging set
Code
PWNC0038A
Note
-Including aluminum alloy shelf, back panel and accessories
-Width of aluminum alloy shelf: 600/900/1200/1500mm



Name
L-shaped grey metal shelf partition with light strip
Code
PWNC0045
Note
-Size: W600*H75*D287
-Including L-shaped shelf and fittings.



Name
L-shaped grey metal shelf partition with light strip
Code
PWNC0046
Note
-Size: W900*H75*D287
-Including L-shaped shelf and fittings.

Shelf Accessory



Name
Al-alloy shelf
Code
PWNC0038B
Note
-Color: Brass brushed
-Including al-alloy shelves, light strips, back panel and other fittings.
-Width of al-alloy shelves with light strips: 600/900/1200/1500mm (fixed size).



Name
Metal shelf with light strip
Code
PWNC0040A
Note
-Size: W1200*H75*D287, color: Brass brushed



Name
Glass shelf with brass brushed metal frame
Code
PWNC0046A
Note
-With glass panels, size: W900*H75*D287
-Including L-shaped shelf and fittings.



Name
Glass shelf with light strip
Code
PWNC0067
Note
-Glass shelf with light strip, size: W462*H36*D525, color: brass brushed
-For wine glass storage.
-Including glass shelf, light strip and shelf clamp.



Name
Glass shelf with light strip
Code
PWNC0068
Note
-Glass shelf with light strip, size: W462*H45*D525, color: brass brushed
-For wine bottle storage.
-Including glass shelf, light strip and shelf clamp.



Name
Glass shelf with light strip
Code
PWNC0069
Note
-Glass shelf with light strip, size: W462*H36*D525, color: brass brushed
-Including glass shelf, light strip and shelf clamp.

Others




Name
W450 Seasoning Pull Out
Code
PWNQ0027
Note
-Carcase panel thickness: 16mm
-Wall cabinet size:
W450mm*H700-900mm*D330-350mm
-Load capacity: 1.5KG



Name
Chamfer corner cabinet
Code
PWNQ0074A, PWNQ0074B
Note
-Pull-out size: W*D*H=900mm*900mm*660/720mm
-Only suitable for kickboard in 110/160mm height
-Only match with K04 structure



Name
Connection buckle
Code
PWNQ0081F
Suitable materials
-Separator including L-shape separator, E-shape separator, division box, T-shape division box and connection buckle
-Suitable for drawer depth between 350-560mm



Name
Damp proof board
Code
PWNQ0083
Notes
-Size:6mm*910mm*1820mm
-Cutting size: 300mm≤W≤1200mm, 300mm≤L≤1200mm,



Name
Kitchen genie
Code
PWNQ0092A
Note
-Sterilize, dehumidify and debug with self-heating, if humidity > 65 %, start heating, maximum temperature 45°
-Induction sterilization in automatic mode
-Ultrasonic deworming in automatic mode
-Air supply function is enabled by default in automatic mode
-vet mesh matches with embedded appliacne



Name
Kitchen genie panel
Code
PWNQ0092B
Note
-Size: L350*W21*H65mm;
embedded size: L270*H50mm
-Mobile APP intelligent control

Others



Name
Hidden folding countertop
Code
PWNQ0098
Note
-Cabinet net depth: D≥390mm,
load-bearing: 30KG, interior height: H≥180mm,
pull-out extension L=370mm
-Suitable width: 400-1000mm
-Suitable for high cabinet, base cabinet



Name
Waterproof pad
Code
PWNQ0099
Note
-Only suitable for sink cabinet with 900mm
width and 560mm depth
-Each square meter can hold 6L water



Name
High-end non-slip mat
Code
PWNQ0100
Note
-Size: 500mm*2100mm, can be customized as required.
-Heat-proof mat: Option A in high-end series.
Dark grey surface with delicate texture.



Name
Safety lock
Code
PWWS0006
Note
-Concealed design, with no keyholes.
-Safe locking, keeps kids away from
dangerous goods.
-For Base cabinets in kitchen, only available
for wooden door (melamine/ HPL)




Name **Code**
Appliance cabinet accessory PWNQ0146
Note
-Black matt al-alloy edge band (length=597), matching 10mm
thick appliance shelf and bottom panel.
-Equipped with 4 stainless steel fittings for fixation.
-Avaible for 16 mm thick shelves and bottom panels of
appliance cabinet.
-To prevent the scene of an exposed shelf and aluminum foil
of appliance cabinet.




Name **Code**
Al-alloy backsplash PWNQ0147
Note
-Color: grey, size: H35*D18*, can be customized as required.
Presenting a more pleasing look, compared to regular
backsplashes.
-Fixed with countertop glue instead of backsplash strip.
-Equipped with plastic cover and end caps.


Others



Name
Multi-functional separator
Code
PBOFD020A
Size
-300*472*49mm



Name
Multi-functional separator
Code
PBOFD020B
Size
-152*472*49mm



Name
Drawer organizer & knife block
Code
PBOFD020C
Note
-Size: 137*472*26mm
-Matching separator PWNQ0133B




Name
Multi-functional separator
Code
PBOFD020D
Note
-Size: 137*472*45mm
-Matching separator PWNQ0133B




Name
Multi-functional separator
Code
PBOFD020E
Note
-Size: 300*117.5*49mm




Name
Drawer organizer
Code
PBOFD020F
Note
-Size: 236*472*120mm
-For tall drawer




Name
L-shape separator
Code
PWNQ0081A(left),
PWNQ0081B(right)
Note
-Size: 100mm*250mm*44mm
-Suitable for drawer depth
between 350-560mm



Name
E-shape separator
Code
PWNQ0081C
Note
-Size:100mm*200mm*44mm
-Suitable for drawer depth
between 350-560mm




Name
Division box
Code
PWNQ0081D
Note
-Size:100mm*300mm*44mm
-Suitable for drawer depth
between 350-560mm



Name
T-shape division box
Code
PWNQ0081E
Note
-Size:200mm*400mm*44mm
-Suitable for drawer depth
between 350-560mm

Base Cabinet(metric)




Code
BD07
Description
1 hinged door, 1 movable shelf
Width
150/200/300/350/400/425/450/500/600mm
Depth
560mm
Height
660/720/762mm

Code
BD08
Description
1 pinned door, 1 movable shelf
Width
400/450/500/600mm
Depth
560mm
Height
660/720/762mm

Code
BD09
Description
1 pinned door, 1 movable shelf
Width
400/450/500/600mm
Depth
560mm
Height
660/720/762mm

Code
BD10
Description
2 doors, 1 movable shelf
Width
600/700/800/850/900/1000/1200mm
Depth
560mm
Height
660/720/762mm



Code
BD11
Description
2 pinned doors, 1 movable shelf
Width
800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm


Code
BD12
Description
2 pinned doors, 1 movable shelf
Width
800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm

Code
BD30
Description
1 lift-down door
Width
450/500/600/700/800/900mm
Depth
560mm
Height
330/360/381mm

Code
BD31
Description
1 drawer, height: H=330mm
Width
450/500/600/700/800/900/1000mm
Depth
560mm
Height
330/360/381mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).

Base Cabinet(metric)




Code
BB09
Description
2 drawer
Width
400/450/500/600/700/800/900/1000mm
Depth
560mm
Height
660/720/762mm

Code
BB10
Description
3 drawer
Width
400/450/500/600/700/800/900/1000mm
Depth
560mm
Height
660/720/762mm

Code
BB11
Description
4 equal drawe
Width
400/450/500/600/700/800/900/1000mm
Depth
560mm
Height
660/720/762mm

Code
BB12
Description
1 drawer & 1 door, 1 movable shelf
Width
400/450/500/600mm
Depth
560mm
Height
660/720/762mm




Code
BB13
Description
1 drawer, 2 doors, 1 shelf
Width
600/700/800/900/1000mm
Depth
560mm
Height
660/720/762mm

Code
BB14
Description
2 drawers, 2 doors, 1 fixed shelf, 1 movable shelf
Width
800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm


Code
BD13
Description
1 fake drawer & 1 door, 1 movable shelf
Width
400/450/500/600mm
Depth
560mm
Height
660/720/762mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


Base Cabinet(metric)




Code
BD14
Description
1 fake drawer & 2 doors, 1 movable shelf
Width
600/700/800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm




Code
BD15
Description
2 fake drawers & 2 doors, 1 movable shelf
Width
800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm




Code
BD16
Description
Sink cabinet, 1 hinged door
Width
600mm
Depth
560mm
Height
660/720/762mm




Code
BD17
Description
Sink cabinet, 1 pinned door
Width
600mm
Depth
560mm
Height
660/720/762mm



Code
BD18
Description
Sink cabinet, 1 pinned door
Width
600mm
Depth
560mm
Height
660/720/762mm




Code
BD19
Description
Sink cabinet, 2 doors
Width
600/700/800/850/900/1000/1200mm
Depth
560mm
Height
660/720/762mm




Code
BD20
Description
Sink cabinet, 2 pinned doors
Width
800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


Base Cabinet(metric)




Code
BD21
Description
Sink cabinet, 2 pinned doors
Width
800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm




Code
BD22
Description
Sink cabinet, 1 fake drawer, 1 door
Width
600mm
Depth
560mm
Height
660/720/762mm




Code
BD23
Description
Sink cabinet, 1 fake drawer, 2 doors
Width
600/700/800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm




Code
BD24
Description
Sink cabinet, 2 fake drawers, 2 doors
Width
800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm




Code
BA07
Description
Sink cabinet, 1 door, standard door width: W'=400/425/450/500/600mm
Width
600/700/800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm






Code
BA08
Description
Corner sink cabinet, 1 pinned door, standard door width: W'=400/425/450/500/600mm
Width
600/700/800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm




Code
BA09
Description
Corner sink cabinet, 1 pinned door, standard door width: W'=400/425/450/500/600mm
Width
600/700/800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm



Code
BD25
Description
Stove cabinet, 2 doors, 1 movable shelf
Width
600/700/800/850/900/1000/1200mm
Depth
560mm
Height
660/720/762mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).

Base Cabinet(metric)




Code
BD26

Description
Stove cabinet, 2 pinned doors, 1 movable shelf

Width
800/900/1000/1200mm

Depth
560mm

Height
660/720/762mm




Code
BD27

Description
Stove cabinet, 2 pinned doors, 1 movable shelf

Width
800/900/1000/1200mm

Depth
560mm

Height
660/720/762mm




Code
BD28

Description
Stove cabinet, 1 fake drawer, 2 doors, 1 movable shelf

Width
600/700/800/900/1000mm

Depth
560mm

Height
660/720/762mm




Code
BD29


Description
Stove cabinet, 2 fake drawer, 2 doors, 1 movable shelf

Width
800/900/1000/1200mm

Depth
560mm

Height
660/720/762mm






Code
BE25


Description
Stove cabinet, 2 pull-outs

Width
700/800/900/1000mm

Depth
560mm

Height
660/720/762mm






Code
BA13

Description
Corner base cabinet, 1 door, 1 movable shelf, standard door width: W'=150/200/300/350/400/425/450/500/600mm

Width
600/700/800/900/1000/1200mm

Depth
560mm

Height
660/720/762mm




Code
BA14

Description
Corner base cabinet, 1 pinned door, 1 movable shelf, standard door width: W'=400/425/450/500/600mm

Width
600/700/800/900/1000/1200mm

Depth
560mm

Height
660/720/762mm



Code
BA15

Description
Corner base cabinet, 1 pinned door, 1 movable shelf, standard door width: W'=400/425/450/500/600mm


Width
600/700/800/900/1000/1200mm

Depth
560mm

Height
660/720/762mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).

Base Cabinet(metric)




Code
BA19

Description
Corner base cabinet, 1 fake drawer, 1 door, 1 movable shelf, standard door width: W'=400/425/450/500/600mm

Width
600/700/800/900/1000/1200mm

Depth
560mm

Height
660/720/762mm




Code
BA22

Description
Charmfer base cabinet, 1 door, 1 movable shelf, standard cabinet size: door thickness < 22, W=863, D=560,door thickness=22, W=887, D=560,door panel width is 400mm

Width
863/867mm

Depth
560mm

Height
660/720/762mm




Code
BA23

Description
Charmfer base cabinet, 1 pinned door, 1 movable shelf, standard cabinet size: door thickness < 22, W=863, D=560, door thickness=22, W=887, D=560, door panel width is 400mm

Width
863/867mm

Depth
560mm

Height
660/720/762mm




Code
BA24


Description
Charmfer base cabinet, 1 pinned door, 1 movable shelf, standard cabinet size: door thickness < 22, W=863, D=560, door thickness=22, W=887, D=560, door panel width is 400mm

Width
863/867mm

Depth
560mm

Height
660/720/762mm






Code
BM01


Description
Rice bin, 1 door

Width
300/450mm

Depth
560mm

Height
660/720/762mm






Code
BM02


Description
Rice bin, 1 pinned front

Width
200/300mm

Depth
560mm

Height
660/720/762mm





Code
BE26

Description
1 front


Width
150/200/300/350/400/450/500mm

Depth
560mm


Height
660/720/762mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


Base Cabinet(metric)




Code
BE27
Description
1 pinned front
Width
400/450/500mm
Depth
560mm
Height
660/720/762mm




Code
BE28
Description
1 pinned front
Width
400/450/500mm
Depth
560mm
Height
660/720/762mm




Code
BE29
Description
1 tandem pull-out, 1 door
Width
350/450/600mm
Depth
560mm
Height
660/720/762mm




Code
BE30
Description
1 tandem pull-out, 1 pinned door
Width
450/600mm
Depth
560mm
Height
660/720/762mm




Code
BE31
Description
1 tandem pull-out, 1 pinned door
Width
450/600mm
Depth
560mm
Height
660/720/762mm




Code
BE32
Description
2 doors
Width
600/700/800/900/1000mm
Depth
560mm
Height
660/720/762mm







Code
BE33
Description
2 pinned doors
Width
800/900/1000mm
Depth
560mm
Height
660/720/762mm



Code
BE34
Description
2 pinned doors
Width
800/900/1000mm
Depth
560mm
Height
660/720/762mm







Code
BE35
Description
2 pull-outs
Width
600/700/800/900/1000mm
Depth
560mm
Height
660/720/762mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


Base Cabinet(metric)




Code
BE36
Description
1 pull-out, 1 door, standard door width:
W'=400/450mm
Width
900/1000mm
Depth
560mm
Height
660/720/762mm




Code
BE37
Description
1 pull-out, 1 pinned door,
standard door width: W'=400/450mm
Width
900/1000mm
Depth
560mm
Height
660/720/762mm




Code
BE38
Description
1 pull-out, 1 pinned door,
standard door width: W'=400/450mm
Width
900/1000mm
Depth
560mm
Height
660/720/762mm






Code
BE39
Description
1 door, 1 rotation basket, standard door width:
W'=450/500/600mm. note: rotation basket
just suitable for 450mm width door panel
Width
900/1000mm
Depth
560mm
Height
660/720/762mm




Code
BE40
Description
1 pinned door, 1 rotation basket, standard door
width: W'=450/500/600mm. note: rotation basket
just suitable for 450mm width door panel
Width
900/1000mm
Depth
560mm
Height
660/720/762mm




Code
BE41
Description
1 pinned door, 1 rotation basket, standard door
width: W'=450/500/600mm. note: rotation basket
just suitable for 450mm width door panel
Width
900/1000mm
Depth
560mm
Height
660/720/762mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


Base Cabinet(metric)




Code
BE42
Description
Gas cylinder cabinet, 1 door, 1 trailer
Width
400/450/500/600mm
Depth
560mm
Height
660/720/762mm




Code
BE43
Description
Gas cylinder cabinet, 1 pinned door, 1 trailer
Width
400/450/500/600mm
Depth
560mm
Height
660/720/762mm




Code
BE44
Description
Gas cylinder cabinet, 1 pinned door, 1 trailer
Width
400/450/500/600mm
Depth
560mm
Height
660/720/762mm




Code
BE45
Description
Gas cylinder cabinet, 2 doors, 1 trailer
Width
400/450/500/600mm
Depth
560mm
Height
660/720/762mm




Code
BE46
Description
Gas cylinder cabinet, 2 pinned doors, 1 trailer
Width
800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm



Code
BE47
Description
Gas cylinder cabinet, 2 pinned doors, 1 trailer
Width
800/900/1000/1200mm
Depth
560mm
Height
660/720/762mm




Code
BE48
Description
1 microwave oven, 1 filler, 1 fixed shelf,
1 drawer, drawer height: 162mm/177mm
Width
600mm
Depth
560mm
Height
660/720/762mm




Code
BE49
Description
1 oven, net height: 590, 1 filler
Width
600mm
Depth
560mm
Height
660/720/762mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


Base Cabinet(metric)



Code
BE53
Description
1 dishwasher, 1 filler
Width
600mm
Depth
560mm
Height
660/720/762mm




Code
BE50
Description
1 sterilizer, 2 fake drawers
Width
600mm
Depth
560mm
Height
660/720/762mm




Code
BE51
Description
1 oven, net height: 450, 1 fixed shelf, 2 fillers
Width
600mm
Depth
560mm
Height
660/720/762mm


Middle Cabinet(metric)




Code
MD03
Description
Single door, 3 shelves
Width
300/450/600mm
Depth
560mm
Height
1380/1440/1482mm




Code
MD04
Description
1 door+1 door, 1 fixed shelf, 2 movable shelves, upper door: H1=720mm, lower door: H2=660/720/762mm
Width
300/450/600mm
Depth
560mm
Height
1380/1440/1482mm




Code
MD05
Description
1 pinnded door, 1 fixed shelf, 2 movable shelves, upper door: H1=720mm, lower door: H2=660/720/762mm
Width
300/450/600mm
Depth
560mm
Height
1380/1440/1482mm




Code
MD06
Description
1 door +1 pinned door, 1 fixed shelf, 2 movable shelves, upper door: H=720mm, lower door:H2=330/360/381mm*2
Width
450/600mm
Depth
560mm
Height
1380/1440/1482mm




Code
MD07
Description
Double doors, 3 movable shelves
Width
600/900mm
Depth
560mm
Height
1380/1440/1482mm



Code
MD08
Description
2 doors+2 doors, 1 fixed shelf, 2 movable shelves, upper door: H=720mm, lower door: H2=660/720/762mm
Width
600/900mm
Depth
560mm
Height
1380/1440/1482mm




Code
MD09
Description
2 pinned doors, 3 movable shelves, 2 movable shelves, upper door: H=720mm, lower door: H2=660/720/762mm
Width
600/900mm
Depth
560mm
Height
1380/1440/1482mm




Code
MD10
Description
2 doors, 2 pinned doors, 1 fixed shelf, 2 movable shelves,upper door:H=720mm, lower door:H2=330/360/381mm*2
Width
900mm
Depth
560mm
Height
1380/1440/1482mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


Middle Cabinet(metric)




Code
MB01
Description
1 door & 2 drawers, 1 fixed shelf, 1 movable shelf, 2 drawer fronts, upper door: H=720mm
Width
450/600mm
Depth
560mm
Height
1380/1440/1482mm




Code
MB02
Description
1 dood & 3 drawers, 1 fixed shelf, 2 movable shelves, 3 drawer fronts, upper door: H=720mm
Width
450/600mm
Depth
560mm
Height
1380/1440/1482mm




Code
MB03
Description
1 door & 1 drawer & 1 door, 1 fixed shelf, 1 movable shelf, 1 drawer front, upper door: H=720mm
Width
450/600mm
Depth
560mm
Height
1380/1440/1482mm



Code
MB04
Description
2 doors & 2 drawers, 1 fixed shelf, 1 movable shelf, 2 drawer fronts, upper door: H=720mm
Width
600/900mm
Depth
560mm
Height
1380/1440/1482mm




Code
MB05
Description
2 doors & 3 drawers, 1 fixed shelf, 1 movable shelf, 3 drawers, upper door: H=720mm
Width
600/900mm
Depth
560mm
Height
1380/1440/1482mm




Code
MB06
Description
2 doors & 2 drawers & 2 doors, 1 fixed shelf, 1 movable shelf, 2 drawer fronts, upper door: H=720mm
Width
900mm
Depth
560mm
Height
1380/1440/1482mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


Middle Cabinet(metric)




Code
ME07
Description
filler & oven & 1 door, 1 fixed shelf,
1 movable shelf, lower door:
H=660/720/762mm
Width
600mm
Depth
560mm
Height
1380/1440/1482mm




Code
ME08
Description
filler & oven & 2 drawers,
1 fixed shelf, 2 drawer fronts
Width
600mm
Depth
560mm
Height
1380/1440/1482mm




Code
ME09
Description
filler & oven & 3 drawers, 1 fixed shelf,
3 drawer fronts, thick back panel
Width
600mm
Depth
560mm
Height
1380/1440/1482mm




Code
ME10
Description
filler & 2 ovens & 1 drawer, 2 fixed shelves,
1 drawer front, drawer height: H=330/360/381mm
Width
600mm
Depth
560mm
Height
1380/1440/1482mm




Code
ME12
Description
1 door, 1 tandem pull-out
OP6K060M-1
Width
450/600mm
Depth
560mm
Height
1380/1440/1482mm



Code
ME13
Description
1 pinned door,1 tandem pull-out
OP6K060M-1,lower height:
H=660/720/762mm
Width
450/600mm
Depth
560mm
Height
1380/1440/1482mm




Code
ME16
Description
1 tandem pull-out,
LG030M-1
Width
300mm
Depth
560mm
Height
1380/1440/1482mm




Code
ME17
Description
1 pinned front,1 tandem
pull-out LG030M-1,lower
height: H=660/720/762mm
Width
300mm
Depth
560mm
Height
1380/1440/1482mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).

Middle Cabinet(metric)




Code
MA01
Description
Corner high cabinet, 1 door & 1 door,
3 movable shelves, standard door width:
W=300/450/600mm
Width
600/700/800/900mm
Depth
560mm
Height
1380/1440/1482mm




Code
MA02
Description
Corner high cabinet,2 pinned doors,
3 movable shelves, standard door width:
W=300/450/600mm upper door: H1=720mm,
lower door: H2=660/720/762mm
Width
600/700/800/900mm
Depth
560mm
Height
1380/1440/1482mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


High Cabinet(metric)




Code
TD07
Description
1 door & 1 door, 1 fixed shelf, 4 movable shelves, lower door: H=660/720/762mm
Width
300/450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TD08
Description
1 door & 1 door, 1 fixed shelf, 4 movable shelves, lower door: H=660/720/762mm
Width
300/450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TD09
Description
1 pinned door & 1 door, 1 fixed shelf, 4 movable shelves, upper door: H1=720/900mm, middle door:H2=720mm, lower door: H3=660/720/762mm
Width
300/450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TD10
Description
1 door & 1 pinned door, 1 fixed shelf, 4 movable shelves, upper door: H1=720/900mm, middle door: H2=720mm, lower door: H3=660/720/762mm
Width
300/450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TD11
Description
1 door & 1 pinned door, 1 fixed shelf, 4 movable shelves, lower door: H=660/720/762mm
Width
450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm



Code
TD12
Description
1 door & 1 pinned door, 1 fixed shelf, 4 movable shelves, lower door: H=660/720/762mm
Width
450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TD13
Description
1 door & 1 door & 1 door, 2 fixed shelves, 3 movable shelves, upper door: H1=720/900mm,middle door: H2=720mm, lower door: H3=660/720/762mm
Width
300/450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TD14
Description
2 doors & 2 doors, 1 fixed shelf, 4 movable shelves, lower door: H=660/720/762mm
Width
600/900mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


High Cabinet(metric)




Code
TD15
Description
2 pinned doors, 1 fixed shelf, lower door: H=660/720/762mm
Width
600/900mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TD16
Description
2 pinned doors & 2 doors, 1 fixed shelf, 4 movable shelves, upper door: H1=720/900mm, middle door: H2=720mm, lower door: H3=660/720/762mm
Width
600/900mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TD17
Description
2 doors & 2 pinned doors, 1 fixed shelf, 4 movable shelves, upper door: H1=720/900mm, middle door: H2=720mm, lower door: H3=660/720/762mm
Width
600/900mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TD18
Description
2 doors & 2 pinned doors, 1 fixed shelf, 4 movable shelves, lower door: H=660/720/762mm
Width
600/900mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm



Code
TD19
Description
2 doors & 2 pinned doors, 1 fixed shelf, 4 movable shelves, lower door: H=660/720/762mm
Width
600/900mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TD20
Description
2 doors & 2 doors & 2 door, 2 fixed shelves, 3 movable shelves, upper door:H1=720/900mm, middle door: H2=720mm, lower door: H3=660/720/762mm
Width
600/900mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TB01
Description
1 door & 2 drawers, 1 fixed shelf, 3 movable shelves, 2 drawer fronts
Width
450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


High Cabinet(metric)




Code
TB04
Description
1 pinned door & 2 drawers, 1 fixed shelf,
3 movable shelves, 2 drawer fronts,
upper door: H1=720/900mm,
middle door: H2=720mm
Width
450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TB02
Description
1 door & 3 drawers, 1 fixed shelf,
3 movable shelves, 3 drawer fronts
Width
450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TB05
Description
1 pinned door & 3 drawers, 1 fixed shelf,
3 movable shelves, 3 drawer fronts,
upper door: H1=720mm, middle door:
H2=720mm
Width
450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TB06
Description
1 door &1 door & 3 drawers, 2 fixed
shelves,2 movable shelves, 3 drawer
fronts, upper door:H1=720/900mm,
middle door:H2=720mm
Width
450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TB03
Description
1 door & 1 door & 2 drawers,2 fixed shelves,
2 movable shelves,2 drawer fronts, upper door:
H1=720/900mm, middle door:H2=720mm
Width
450/600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm



Code
TE24
Description
1 door &1 filler & oven &1 door, 3 fixed shelves,
2 movable shelves, upper door: H1=720/900mm,
lower door: H2=660/720/762mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE26
Description
1 door & 1 filler & oven & 2 drawers, 1 filler,
2 drawer fronts, 2 fixed shelves, 1 movable
shelf, upper door: H=720/900mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE27
Description
1 door & 1 filler & oven & 3 drawers, 1 filler,
3 drawer fronts, 2 fixed shelves, 1 movable
shelf, upper door: H=720/900mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


High Cabinet(metric)




Code
TE28
Description
1 door & oven & filler & oven & 1 door,
2 fillers, 3 fixed shelves, 1 movable shelf,
upper door: H1=720/900mm,
lower door: H2=330/360/381mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE30
Description
1 door & oven & filler & oven & 1 drawer,
1 filler, 3 fixed shelves, 1 movable shelf,
upper door: H1=720/900mm,
lower door: H2=330/360/381mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE31
Description
1 door & oven & filler & oven &
2 drawers, 3 fillers, 3 fixed shelves,
upper door: H=360/450mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE32
Description
1 door & oven & filler, 3 fillers,
3 fixed shelves, upper door:
H=360/450mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE25
Description
1 door & filler & oven & 1 drawer & 1 door,
1 filler, 2 fixed shelves, 2 movable shelves,
upper door: H1=720/900mm, middle drawer:
H2=180mm, lower door: H3=660/720/762mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm



Code
TE33
Description
1 door & 1 door, 1 filler,
lower door: H=660/720/762mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE35
Description
1 tandem pull-out OP-LK060H-1,
lower door: H=660/720/762mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE36
Description
1 door & 1 tandem pull-out OP-LK060M-1,
1 fixed shelf, 1 movable shelf,
upper door: H=720/900mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


High Cabinet(metric)




Code
TE37
Description
1 door & 1 tandem pull-out OP-LK060M-1,
1 fixed shelf, 1 movable shelf, upper door:
H=720/900mm
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE38
Description
1 tandem pull-out OP-LK060M-1,
& 2 drawers, 1 fixed shelf
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE39
Description
1 tandem pull-out OP-LK060M-1,
& 3 drawers, 1 fixed shelf
Width
600mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE42
Description
1 pinned door, 1 tandem pull-out
OP-LK030H-1, lower door:
H=660/720/762mm
Width
300mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TE43
Description
1 door & 1 pinned door, 1 fixed shelf,
1 movable shelf, 1 tandem pull-out
OP-LK030M-1, upper door: H1=720/900mm,
middle door: H2=720mm, lower door:
H3=660/720/762mm
Width
300mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm



Code
TA06
Description
Charmfer cabinet, 1 door & 1 door,
1 fixed shelf, 4 movable shelves, door width:
W=400, lower door: H=660/720/762mm,
size: door thickness < 22, W1/W2=883 D=580,
door thickness=22, W1/W2=887 D=580
Width
863/867mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TA07
Description
Charmfer cabinet, 1 pinned door, 1 fixed shelf,
4 movable shelves, door width: W=400,
lower door: H=660/720/762mm,
size: door thickness < 22, W1/W2=883 D=580,
door thickness=22, W1/W2=887 D=580
Width
863/867mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TA08
Description
Charmfer cabinet, 1 pinned door
& 1 door, 1 fixed shelf, 4 movable
shelves, door width: W=400, upper
door: H1=720/900mm, middle door:
H2=720mm, lower door:
H3=660/720/762mm
Width
863/867mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


High Cabinet(metric)




Code
TA09
Description
charmfer cabinet, 1 door &
1 pinned door, 1 fixed shelf,
4 movable shelves, door width: W=400,
upper door: H1=720/900mm,
middle door: H2=720mm,
lower door: H3=660/720/762mm
Width
863/867mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TA10
Description
charmfer cabinet, 1 door & 1 pinned door,
1 fixed shelf, 4 movable shelves, door width:
W=400, lower door: H=660/720/762mm
Width
863/867mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm



Code
TA11
Description
charmfer cabinet, 1 door & 1 pinned door,
1 fixed shelf, 4 movable shelves, door width:
W=400, lower door: H=660/720/762mm
Width
863/867mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TA12
Description
Charmfer cabinet, 1 door & 1 door & 1 door,
1 fixed shelf, 4 movable shelves, door width:
W=400, upper door: H1=720/900mm,
middle door: H2=720mm, lower door:
H3=660/720/762mm
Width
863/867mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm




Code
TA05
Description
Corner high cabinet, 1 door &1 door, 1 fixed shelf,
4 movable shelves, door width: W'=400/450/500mm,
lower door: H=660/720/762mm
Width
700/800/900mm
Depth
560mm
Height
2100/2160/2202/2280/2340mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


Wall Cabinet(metric)




Code
WD04
Description
1 door, 1 movable shelf
Width
150/200/300/350/400/425/450/500/600mm
Depth
330mm
Height
720/900mm




Code
WD05
Description
1 pinned door, 1 movable shelf
Width
400/450/500/600mm
Depth
330mm
Height
720/900mm




Code
WD06
Description
2 doors, 1 movable shelf
Width
600/700/800/850/900mm
Depth
330mm
Height
720/900mm




Code
WD07
Description
2 pinned doors, 1 movable shelf
Width
800/900mm
Depth
330mm
Height
720/900mm



Code
WD08
Description
2 doors, 1 movable shelf,
1 bottom light
Width
600/700/800/900mm
Depth
330mm
Height
720/900mm




Code
WD09
Description
2 pinned doors, 1 movable shelf,
1 bottom light
Width
800/900mm
Depth
330mm
Height
720/900mm




Code
WU06
Description
1 lift-up door, 1 support
Width
400/450/500/600/700/800/900mm
Depth
330mm
Height
360/450/720/900mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


Wall Cabinet(metric)




Code
WU07
Description
1 lift-up door, 1 support,
1 bottom light
Width
600/700/800/900mm
Depth
330mm
Height
360/450/720/900mm




Code
WU08
Description
2 lift-up doors, 4 supports, 1 fixed shelf
Width
400/450/500/600/700/800/900mm
Depth
330mm
Height
720/900mm




Code
WU09
Description
2 lift-up doors, 4 supports,
1 fixed shelf, 1 bottom light
Width
600/700/800/900mm
Depth
330mm
Height
720/900mm




Code
WU11
Description
1 folding door, 1 support, 1 shelf
Width
600/700/800/900mm
Depth
330mm
Height
720/900mm



Code
WU12
Description
1 folding door, 1 support,
1 shelf, 1 bottom light
Width
600/700/800/900mm
Depth
330mm
Height
720/900mm




Code
WA08
Description
Corner wall unit, 1 door, 1 shelf, standard door
width: W'=300/350/400/450/500/600mm
Width
500/600/700/800/900mm
Depth
330mm
Height
360/450/720/900mm



Code
WA09
Description
Corner wall unit, 1 pinned door, 1 shelf, standard
door width: W'=400/450/500/600mm
Width
800/900/1000/1200mm
Depth
330mm
Height
720/900mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).

Wall Cabinet(metric)




Code
WA12

Description
Corner wall unit, 1 door, 1 shelf, standard cabinet size: door thickness < 22, W=633, D=330, door thickness=22, W=637, D=330, door panel width is 400mm

Width
633/637mm

Depth
330mm

Height
360/450/720/900mm




Code
WA13

Description
Corner wall unit, 1 pinned door, 1 shelf, standard cabinet size: door thickness < 22, W=633, D=330, door thickness=22, W=637, D=330, door panel width is 400mm

Width
633/637mm

Depth
330mm

Height
720/900mm




Code
WE03

Description
2 doors, 1 tandem pull-out
OP-LK060/070/080/090A

Width
600/700/800/900mm

Depth
330mm

Height
720/900mm




Code
WE04

Description
2 pinned doors, 1 tandem pull-out
OP-LK060/070/080/090A

Width
800/900mm

Depth
330mm

Height
720/900mm




Code
WE05

Description
1 folding door, 1 fitting, 1 tandem
pull-out OP-LK060/070/080/090A

Width
600/700/800/900mm

Depth
330mm

Height
720/900mm



Code
WK04

Description
Open wall unit, standard cabinet height: H=360mm,
standard cabinet depth: D=330mm,
standard cabinet width: W=600mm


Width
600mm

Depth
330mm

Height
360mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).

Wall Cabinet(metric)




Code
WB09

Description
Range hood filler, 2 doors,
no back panel

Width
900mm

Depth
80mm

Height
640/660/720/820/840/900mm




Code
WB10

Description
Range hood wall unit, 2 doors,
1 fixed shelf

Width
900mm

Depth
330mm

Height
640/660/720/820/840/900mm




Code
WB11

Description
Range hood wall unit, 2 doors, 1 fixed shelf,
1 U-shape pipeline, D1≥40mm, W2≥50mm

Width
900mm

Depth
330mm

Height
720/900mm




Code
WB12

Description
2 doors, 1 fixed shelf, 1 U-shape pipeline,
D1≥40mm, W2≥50mm, gap dimension:
230*230mm

Width
900mm

Depth
330mm

Height
720/900mm




Code
WB13

Description
Range hood wall unit, 2 doors,
1 fixed shelf, width: 80mm, gap
dimension: 230*230mm

Width
900mm

Depth
330mm

Height
720/900mm




Code
WB14

Description
Range hood wall unit, 2 doors,
2 fixed shelves, 1 U-shape pipeline
gap dimension: 230*230mm

Width
900mm

Depth
330mm

Height
720/900mm




Code
WB15

Description
Range hood wall unit, 2 doors,
2 movable shelves, 3 fixed fillers,
2 subpanels, depth: 80mm
D1≥40mm, W1/W2≥150mm,
gap dimension: 230*230mm

Width
1000mm

Depth
330mm

Height
720/900mm



Code
WB16

Description
Range hood wall unit, 2 doors,
2 movable shelves, 3 fixed fillers,
2 subpanels, depth: 80mm
D1≥40mm, W1/W2≥150mm,
gap dimension: 230*230mm

Width
600mm

Depth
330mm


Height
720/900mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).


On-Worktop Cabinet(metric)




Code
WT13
Description
1 door, 3 shelves
Width
450/600mm
Depth
330mm
Height
1380/1560mm




Code
WT14
Description
1 pinned door, 3 shelves
Width
450/600mm
Depth
330mm
Height
1380/1560mm




Code
WT15
Description
2 doors, 3 shelves
Width
600/900mm
Depth
330mm
Height
1380/1560mm




Code
WT16
Description
2 pinned doors, 3 shelves
Width
600/900mm
Depth
330mm
Height
1380/1560mm



Code
WT17
Description
1 door, 2 drawers, 1 shelf
Width
600/900mm
Depth
330mm
Height
1380/1560mm




Code
WT18
Description
2 doors, 2 drawers, 1 shelf
Width
600/900mm
Depth
330mm
Height
1380/1560mm




Code
WT19
Description
1 door, open cabinet
Width
600mm
Depth
330mm
Height
1380/1560mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).

Refrigerator Top Cabinet(metric)




Code
WD10
Description
Lift-up door, height: H=450, depth: D=330mm, over 900mm needs vertical plate
Width
600/900/1000mm
Depth
330mm
Height
450/500/550mm




Code
WD11
Description
2 doors, height: H=450, depth: D =330mm, over 900mm needs vertical plate
Width
600/900/1000mm
Depth
330mm
Height
450/500/550mm

Open Cabinet (metric)



Code
BK06
Description
Open wall cabinet, optional door, panel/carcase height: H=720, depth: D =330mm
Width
150/200/300/350/400/450/500/600/700/800/900/1000/1200mm
Depth
80/330/350/560/600mm
Height
330/360/450/660/720/762/900/1380/1440/1560/2100/2160/2280/2370mm



Code
BY03
Description
Open cabinet, R 300 arch cabinet, optional door, panel/carcase height: H=720, depth: D =330mm
Width
300mm
Depth
330/350/560/600mm
Height
660/720/762/900/1380/1440/1560/2100/2160/2280/2340mm

Notes: version A matches handles, however version B matches aluminum bar handles(handleless design).